

EPA-R5-2014-003611-1

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

01/21/2010 03:13 PM

To Shelly Lam

cc Brian Schlieger

bcc

Subject RE: Vermont Street Site Action Items

Hi Shelly,

Thanks for sending over the task list and it was a pleasure to meet you today as well. I've sent drafts of my letters for my two sites to my supervisor for review and I needed clarification for your first action item. The proposal to RCRA to turn off the remediation system—will the proposal come from EPA's superfund division to the EPA division of RCRA? I just want to make sure my wording is correct (I'm including all action items to summarize our meeting in my letters).

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Thursday, January 21, 2010 1:27 PM

To: BRITTAIN, ERIN; FINLEY, SARAH; Schlieger.Brian@epamail.epa.gov

Subject: Vermont Street Site Action Items

Erin and Sarah,

It was a pleasure to meet you today. I have assembled a list of action items from our meeting (see below). When we meet on the 9th, we can report on these.

Item	Assigned to	Comments
Proposal to RCRA to turn off remediation system at Allison and conduct water level monitoring at all three sites	Shelly	
List of wells, property on which they are installed, and property owner info (if available)	Erin	
Request additional investigation from Michigan Plaza and Genuine Parts	Erin	
Obtain access to homes for vapor sampling	Brian & Shelly	We started coordinating with Adam at MCHD today.
Task START contractor with writing a sampling plan for vapor sampling	Brian	We are tentatively planning to meet with START on Monday, January 25th

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

EPA-R5-2014-003611-2

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
01/22/2010 11:34 AM

To Shelly Lam
cc Brian Schlieger
bcc
Subject RE: Vermont Street Site Action Items

Great, thanks Shelly!

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Friday, January 22, 2010 12:33 PM
To: BRITTAIN, ERIN
Cc: Schlieger.Brian@epamail.epa.gov
Subject: RE: Vermont Street Site Action Items

Erin,

We are discussing who the proposal will go to. However, I like how you addressed it in the letter. I have no comments to add to the letter.

Shelly

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Brian Schlieger/R5/USEPA/US@EPA
Date: 01/21/2010 04:13 PM
Subject: RE: Vermont Street Site Action Items

Hi Shelly,

Thanks for sending over the task list and it was a pleasure to meet you today as well. I've sent drafts of my letters for my two sites to my supervisor for review and I needed clarification for your first action item. The proposal to RCRA to turn off the remediation system—will the proposal come from EPA's superfund division to the EPA division of RCRA? I just want to make sure my wording is correct (I'm including all action items to summarize our meeting in my letters).

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]
Sent: Thursday, January 21, 2010 1:27 PM
To: BRITTAIN, ERIN; FINLEY, SARAH; Schlieger.Brian@epamail.epa.gov
Subject: Vermont Street Site Action Items

Erin and Sarah,

It was a pleasure to meet you today. I have assembled a list of action items from our meeting (see below). When we meet on the 9th, we can report on these.

Item	Assigned to	Comments
Proposal to RCRA to turn off remediation system at Allison and conduct water level monitoring at all three sites	Shelly	
List of wells, property on which they are installed, and property owner info (if available)	Erin	
Request additional investigation from Michigan Plaza and Genuine Parts	Erin	
Obtain access to homes for vapor sampling	Brian & Shelly	We started coordinating with Adam at MCHD today.
Task START contractor with writing a sampling plan for vapor sampling	Brian	We are tentatively planning to meet with START on Monday, January 25th

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

EPA-R5-2014-003611-3

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
01/22/2010 03:01 PM

To "Andrew Gremos", "Leena Lothe"
cc Brian Schlieger, Shelly Lam, "FINLEY, SARAH"
bcc
Subject Michigan Plaza / Genuine Parts letter

Hi Andy and Leena,

Attached is my request letter for the Genuine Parts and Michigan Plaza sites. Please let me know if you have any questions.

Thank you,

<<Genuine Parts - Michigan Plaza Additional Investigation Request 1 22 10.pdf>>

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991



ebrittai@idem.IN.gov Genuine Parts - Michigan Plaza Additional Investigation Request 1 22 10.pdf

EPA-R5-2014-003611-4

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
01/26/2010 07:49 AM

To Shelly Lam
cc Brian Schlieger
bcc
Subject RE: Vermont Street Site Action Items

*Hi Shelly and Brian,
My Genuine Parts consultant has asked for clarification on which wells you would like gauged (they are working on the list). All shallow and deep wells they have installed or just the ones that may be more beneficial for our purposes?
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Friday, January 22, 2010 12:33 PM
To: BRITTAIN, ERIN
Cc: Schlieger.Brian@epamail.epa.gov
Subject: RE: Vermont Street Site Action Items

Erin,

We are discussing who the proposal will go to. However, I like how you addressed it in the letter. I have no comments to add to the letter.

Shelly

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Brian Schlieger/R5/USEPA/US@EPA
Date: 01/21/2010 04:13 PM
Subject: RE: Vermont Street Site Action Items

Hi Shelly,

Thanks for sending over the task list and it was a pleasure to meet you today as well . I've sent drafts of my letters for my two sites to my supervisor for review and I needed clarification for your first action item. The proposal to RCRA to turn off the remediation system—will the proposal come from EPA's superfund division to the EPA division of RCRA? I just want to make sure my wording is correct (I'm including all action items to summarize our meeting in my letters).

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]

Sent: Thursday, January 21, 2010 1:27 PM

To: BRITTAIN, ERIN; FINLEY, SARAH; Schlieger.Brian@epamail.epa.gov

Subject: Vermont Street Site Action Items

Erin and Sarah,

It was a pleasure to meet you today. I have assembled a list of action items from our meeting (see below). When we meet on the 9th, we can report on these.

Item	Assigned to	Comments
Proposal to RCRA to turn off remediation system at Allison and conduct water level monitoring at all three sites	Shelly	
List of wells, property on which they are installed, and property owner info (if available)	Erin	
Request additional investigation from Michigan Plaza and Genuine Parts	Erin	
Obtain access to homes for vapor sampling	Brian & Shelly	We started coordinating with Adam at MCHD today.
Task START contractor with writing a sampling plan for vapor sampling	Brian	We are tentatively planning to meet with START on Monday, January 25th

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

EPA-R5-2014-003611-5

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
01/26/2010 08:19 AM

To Shelly Lam
cc Brian Schlieger
bcc
Subject RE: Vermont Street Site Action Items

That's what I thought too. Thanks!

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, January 26, 2010 9:18 AM
To: BRITTAIN, ERIN
Cc: Schlieger.Brian@epamail.epa.gov
Subject: RE: Vermont Street Site Action Items

Erin,

I think initially we want to gauge all wells. If we need to exclude some, we can do that after the initial round of gauging.

Shelly

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Brian Schlieger/R5/USEPA/US@EPA
Date: 01/26/2010 08:49 AM
Subject: RE: Vermont Street Site Action Items

Hi Shelly and Brian,

My Genuine Parts consultant has asked for clarification on which wells you would like gauged (they are working on the list). All shallow and deep wells they have installed or just the ones that may be more beneficial for our purposes?

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]

Sent: Friday, January 22, 2010 12:33 PM

To: BRITTAIN, ERIN

Cc: Schlieger.Brian@epamail.epa.gov

Subject: RE: Vermont Street Site Action Items

Erin,

We are discussing who the proposal will go to. However, I like how you addressed it in the letter. I have no comments to add to the letter.

Shelly

Shelly Lam, PG | On-Scene Coordinator

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |

www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>

To: Shelly Lam/R5/USEPA/US@EPA

Cc: Brian Schlieger/R5/USEPA/US@EPA

Date: 01/21/2010 04:13 PM

Subject: RE: Vermont Street Site Action Items

Hi Shelly,

Thanks for sending over the task list and it was a pleasure to meet you today as well. I've sent drafts of my letters for my two sites to my supervisor for review and I needed clarification for your first action item. The proposal to RCRA to turn off the remediation system—will the proposal come from EPA's superfund division to the EPA division of RCRA? I just want to make sure my wording is correct (I'm including all action items to summarize our meeting in my letters).

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]

Sent: Thursday, January 21, 2010 1:27 PM

To: BRITTAI, ERIN; FINLEY, SARAH; Schlieger.Brian@epamail.epa.gov

Subject: Vermont Street Site Action Items

Erin and Sarah,

It was a pleasure to meet you today. I have assembled a list of action items from our meeting (see below). When we meet on the 9th, we can report on these.

Item	Assigned to	Comments
Proposal to RCRA to turn off remediation system at Allison and conduct water level monitoring at all three sites	Shelly	
List of wells, property on which they are installed, and property owner info (if available)	Erin	
Request additional investigation from Michigan Plaza and Genuine Parts	Erin	
Obtain access to homes for vapor sampling	Brian & Shelly	We started coordinating with Adam at MCHD today.
Task START contractor with writing a sampling plan for vapor sampling	Brian	We are tentatively planning to meet with START on Monday, January 25th

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

EPA-R5-2014-003611-6

R5SF_05-02@epa.gov

01/27/2010 02:26 PM

Please respond to
R5SF_05-02@epa.gov

To Shelly Lam

cc

bcc

Subject Corrective action agreement Allison transmission

Please open the attached document. It was scanned and sent to you using a Xerox WorkCentre Pro.

Sent by: Guest [R5SF_05-02@epa.gov]

Number of Images: 8

Attachment File Type: PDF

WorkCentre Pro Location: 5-02

Device Name: R5SF-05-02-275



Corre001.PDF

EPA-R5-2014-003611-7

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
02/01/2010 09:23 AM

To Shelly Lam, Brian Schlieger
cc
bcc
Subject FW: monitoring well gauging event

*Hi Shelly and Brian,
Attached is the monitoring well property/owner information for the Genuine Parts site. I'll forward the Michigan Plaza information when I receive it.
Let me know if you have any questions.
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Rob Fedorchak [mailto:rfedorchak@keramida.com]
Sent: Monday, February 01, 2010 10:20 AM
To: BRITTAIN, ERIN
Cc: Andrew Gremos; bob_lewis@genpt.com
Subject: RE: monitoring well gauging event

Erin,

Here is the information you requested. Please contact us if you have any questions

Sincerely,

Robert S. Fedorchak, P.E.
Senior Engineer / Project Manager
KERAMIDA Inc.
401 North College Avenue
Indianapolis, Indiana 46202
Phone: 800-508-8034 / 317-685-6623
Mobile: 317-441-5633
Facsimile: 317-685-6610
Email: rfedorchak@keramida.com
Website: www.keramida.com

INCREASING OUR CLIENTS' PROFITABILITY THROUGH SMART CONSULTING

This message and all its attachments are intended only for those named in this email and may contain information which is privileged and confidential. If you received this message in error, please notify the sender by reply e-mail and delete the message immediately. KERAMIDA reserves the right to monitor all incoming and outgoing correspondence for quality assurance and



security purposes. MW Property Ownership Information.pdf

EPA-R5-2014-003611-8

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
02/05/2010 01:13 PM

To Shelly Lam, Brian Schlieger
cc "FINLEY, SARAH"
bcc
Subject FW: Michigan Plaza / Genuine Parts letter

*Shelly and Brian,
Below is a response from Michigan Plaza to my letter as well as attachments. The MW
Details attachment includes all monitoring wells and owner information for you.
Looking forward to our meeting Tuesday.
See you then,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Leena Lothe [mailto:llothe@mundellassociates.com]
Sent: Thursday, February 04, 2010 4:01 PM
To: BRITTAIN, ERIN
Cc: John Mundell
Subject: RE: Michigan Plaza / Genuine Parts letter

Good Afternoon Erin,

Sending along a few items in response to your letter dated Jan 22, 2010.

- Please find attached the monitoring wells' information and the property owners' contact information as requested.
- Also attached are some additional trend graphs for the monitoring wells behind the plaza (MMW-P-03S & MMW-P-03D) both demonstrating reducing vinyl chloride concentrations. The trend charts for MMW-P-10S and MMW-P-10D (in the center of the plaza parking lot) also demonstrate reducing vinyl chloride concentrations. We would like to discuss the location for the monitoring well that would be of most value, given the key locations of MMW-P-02 and Keramida wells MW-170 S & D. Also, please note that the MW-170 well has demonstrated vinyl chloride concentrations in the past well before the CAP-18 injections at the plaza.
- Please find attached the latest potentiometric map which re-iterates the groundwater flow direction in the plaza area being southeast to south. We can put a groundwater flow line on the potentiometric map if that may be helpful.

Thanks.
Leena

From: BRITTAI, ERIN [mailto:EBRITTAI@idem.IN.gov]
Sent: Friday, January 22, 2010 4:02 PM
To: Andrew Gremos; Leena Lothe
Cc: Schlieger.Brian@epamail.epa.gov; Lam.Shelly@epamail.epa.gov; FINLEY, SARAH
Subject: Michigan Plaza / Genuine Parts letter

Hi Andy and Leena,

Attached is my request letter for the Genuine Parts and Michigan Plaza sites. Please let me know if you have any questions.

Thank you,

<<Genuine Parts - Michigan Plaza Additional Investigation Request 1 22 10.pdf>>

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov  MW Details.pdf  Michigan Plaza - Additional Trend Graphs.pdf  Pot Maps Q3 and Q4 09.pdf
 CUMULATIVE GW TABLE.pdf  Fig 3.pdf

EPA-R5-2014-003611-9

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
02/05/2010 01:29 PM

To Shelly Lam, Brian Schlieger
cc
bcc

Subject FW: Response to 1/22/10 IDEM Letter

*Shelly and Brian,
Attached is the response to my letter from my Genuine Parts site. At this time they are not planning on conducting additional investigation. We can talk about this Tuesday in our meeting.
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Andrew Gremos [mailto:agremos@keramida.com]
Sent: Friday, February 05, 2010 12:48 PM
To: BRITTAIN, ERIN
Cc: Bob_Lewis@genpt.com
Subject: Response to 1/22/10 IDEM Letter

Erin,

As requested, please find attached a response to your January 22, 2010 letter regarding the Genuine Parts (VRP #6991004) and Michigan Plaza (VRP #6061202) sites. We look forward to meeting with you on February 18th to discuss the remedial progress and plans for the Genuine Parts site. Have a nice weekend. Stay Warm.



Andy Response to 1-22-10 IDEM Ltr.pdf

EPA-R5-2014-003611-10

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

02/16/2010 10:11 AM

To Shelly Lam, Brian Schlieger

cc

bcc

Subject FW: electronic data

*Hi Shelly and Brian,
Attached are text files with lab data for my Genuine Parts site. Is this the electronic format that you had in mind? It is only the November data.
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Rob Fedorchak [mailto:rfedorchak@keramida.com]
Sent: Tuesday, February 16, 2010 9:30 AM
To: BRITTAIN, ERIN
Cc: Andrew Gremos
Subject: FW: electronic data

Erin,

Here is the electronic laboratory data (text file) for the November 2009 Groundwater Monitoring Event that we use to develop our historical groundwater tables for the quarterly O&M reports. I'll send the electronic laboratory data in the pdf format, per IDEM Guidelines, on a disk as the one report is 50 MB and won't email. Please let me know if this will work.

Sincerely,

Robert S. Fedorchak, P.E.
Senior Engineer / Project Manager
KERAMIDA Inc.
401 North College Avenue
Indianapolis, Indiana 46202
Phone: 800-508-8034 / 317-685-6623
Mobile: 317-441-5633
Facsimile: 317-685-6610
Email: rfedorchak@keramida.com
Website: www.keramida.com

INCREASING OUR CLIENTS' PROFITABILITY THROUGH SMART CONSULTING

This message and all its attachments are intended only for those named in this email and may contain information which is privileged and confidential. If you received this message in error, please notify the sender by reply e-mail and delete the message immediately. KERAMIDA

reserves the right to monitor all incoming and outgoing correspondence for quality assurance and security purposes.

From: BRITTAIN, ERIN [mailto:EBRITTAI@idem.IN.gov]
Sent: Monday, February 15, 2010 2:22 PM
To: Leena Lothe; Andrew Gremos
Subject: electronic data

Hi Leena and Andy,

During our meeting with the EPA last Thursday (postponed due to snow), the EPA would like Genuine Parts and Michigan Plaza lab analytical data electronically in excel format if possible. IDEM has guidelines located at this website: <http://www.in.gov/idem/5384.htm> for submitting data electronically. Most labs are aware of these guidelines and will readily format your data this way. Please email me the electronic data and I'll pass it along to the EPA.

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov   k59169.txt k59173.txt

EPA-R5-2014-003611-11

"Rauh, Jay"
<Jay.Rauh@WestonSolutions .
com>

03/08/2010 12:48 PM

To "Wojdakowski (Kuester), Natalie", Shelly Lam

cc "Rauh, Jay", Brian Schlieger

bcc

Subject Vermont St Geodatabase

Meeting

Date 03/29/2010

Time 09:00:00 AM to 12:00:00 PM

Chair Jay.Rauh

Invitees

Required N.Kuester; Shelly Lam

Optional Jay.Rauh; Brian Schlieger

FYI

Location EPA (77 W Jackson, Chicago, IL)

When: Monday, March 29, 2010 9:00 AM-12:00 PM. Central Standard Time

Where: EPA (77 W Jackson, Chicago, IL)

~~*~*~*~*~*~*~*~*

Shelly and Natalie,

This meeting is to discuss the geodatabase and data management tasks for the West Vermont Street Contamination Site. If meeting at EPA does not work for either of you, we could also meet at Weston's Chicago office at 20 N Wacker Dr, Chicago, IL 60616.

Jay

EPA-R5-2014-003611-12

"Maradkel, Ben"
<Ben.Maradkel@WestonSolutions.com>

03/11/2010 04:22 PM

To Brian Schlieger
cc "Rauh, Jay", Shelly Lam
bcc

Subject West Vermont Cost Estimate

Brian, I drafted a cost estimate for the tasks below. The labor, equipment and travel expense for all these tasks comes out to be approximately **65K**. This does not include lab cost. I need to draft a TDD amendment request today. Gail is in our office tomorrow so it would be nice to get the amendment approved by her tomorrow. give me a call today or tomorrow morning.

Task 1: Oversight of Surveyor (1 START) and Surveyor Cost

Task 2: Well Gauging (6 STARTs)

Task 3: Vapor Intrusion Sampling (2 STARTs)

Task 4: Data Management

Task 5: Meetings

Thanks,

Ben Maradkel | Project Manager
Weston Solutions, Inc.

Direct: 847.918.4084 | Fax: 847.918.4055 | Cell: 773.294.0256

ben.maradkel@westonsolutions.com

"If A Problem Cannot Be Solved, Enlarge It" -Dwight D. Eisenhower-

Weston Solutions, Inc. | 750 East Bunker Court (Suite 500), Vernon Hills, IL, 60061 | www.westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

EPA-R5-2014-003611-13

Mark Johnson /R5/USEPA/US

03/22/2010 05:09 PM

To Shelly Lam

cc Brian Schlieger, Jackie Lippe

bcc

Subject Re: ATSDR Consult Request - West Vermont Street Site

Shelly

Jackie and I are out of the office. We will start working on this. Do you have some background information on the site? If it is on the epaossc website, we can start there. In the meantime, a rough estimate for indoor air removal action level for vinyl chloride is going to be around 4 ppb, with a subslab screening level of 40 ppb. We will provide more details later, but you can use that to verify your analytical detection limits. Levels below that may still be an issue for the remedial program.

Mark

Mark Johnson, PhD, DABT
Senior Environmental Health Scientist
ATSDR-Region 5
77 West Jackson Blvd.
Chicago, IL 60604
e-mail: mkj5@cdc.gov
phone: 312-353-3436 (office)

Shelly Lam

Hi Mark, As I mentioned last week, Bria...

03/22/2010 02:41:51 PM

From: Shelly Lam/R5/USEPA/US
To: Mark Johnson/R5/USEPA/US@EPA
Cc: Brian Schlieger/R5/USEPA/US@EPA, Jackie Lippe/R5/USEPA/US@EPA
Date: 03/22/2010 02:41 PM
Subject: ATSDR Consult Request - West Vermont Street Site

Hi Mark,

As I mentioned last week, Brian Schlieger and I are working on a site in Indianapolis that may have residential vapor intrusion issues. As such, we would like to request a consult from ATSDR to establish action levels for vinyl chloride in sub-slab and indoor air samples. We are planning to begin sub-slab assessment on March 23rd. I appreciate any assistance you can provide to us.

Thank you,
Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

EPA-R5-2014-003611-14

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/29/2010 12:08 PM

To Shelly Lam, "HOLLAND, BILL"
cc Brian Schlieger
bcc
Subject RE: April 6 meeting

The CAP-18 injections occurred at the Michigan Plaza site first in August 2007 and secondly in February 2009. If you need more info, just let me know.

Thanks,

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Monday, March 29, 2010 11:48 AM
To: BRITTAIN, ERIN; HOLLAND, BILL
Cc: Schlieger.Brian@epamail.epa.gov
Subject: Re: April 6 meeting

Erin and Bill,

Brian and I met this morning with our contractor about the W. Vermont site. We would like to request the following information:

1. Electronic lab data. Although we had requested lab data in a flat file format, we will accept this in any electronic format available (other than PDF) so that we don't delay moving forward. The .txt files Erin sent previously will work. We just need to get the remainder of the data from Genuine Parts and Michigan Plaza.
2. We would like to find out the dates of CAP-18 injection at Michigan Plaza. My notes indicate that these injections were done in 2007 and 2009 but we would like to find out exactly when.
3. If available, we would like to obtain well logs for the residential drinking water wells in the Cossell /W. Vermont area.

I think that's it for now. Thank you very much.

Shelly Lam, PG | On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency | 2525 N. Shadeland Avenue, Indianapolis, IN 46219 |
www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Brian Schlieger/R5/USEPA/US@EPA, Shelly Lam/R5/USEPA/US@EPA
Date: 03/19/2010 08:57 AM
Subject: April 6 meeting

*Hi Brian and Shelly,
Given that the GM monitoring wells have not been installed yet (Don Heller just requested input yesterday), should we push back our April 6 meeting since we likely will not have any data from GM yet?
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

EPA-R5-2014-003611-15

Donald Heller /R5/USEPA/US

03/30/2010 07:56 AM

To Brian Schlieger, Shelly Lam, EBRITTAI

cc

bcc

Subject Fw: Notification of Fieldwork

FYI

----- Forwarded by Donald Heller/R5/USEPA/US on 03/30/2010 07:55 AM -----

From: "David Favero" <dfavero@ameritech.net>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "Sarah Fisher, Arcadis" <sfisher@arcadis-us.com>, "Heather Gastineau-Lyons, Arcadis" <HGastineau-Lyons@arcadis-us.com>, "Marilyn Dedyne, GM" <marilyn.j.dedyne@gm.com>
Date: 03/29/2010 05:05 PM
Subject: Notification of Fieldwork

Don,

This e-mail serves as notice that the tentative start date for installing the wells in the southern part of Plant 12 is April 8. Further, a round of groundwater monitoring is scheduled to begin on April 12. Per previous communication, we are using PDBs during the monitoring event (however the new wells will be sampled using low flow methods), with some low-flow sampling for verification. The attached file contains the list of wells, parameters and the sampling methods. Please let me know if you have any questions.

Thank you,
David Favero



Allison GW Sampling April 2010_100329.pdf

EPA-R5-2014-003611-16

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/31/2010 07:15 AM

To Shelly Lam, Brian Schlieger
cc
bcc
Subject FW: Michigan Plaza Electronic Data

Attached is an excel spreadsheet of the Michigan Plaza data. Please let me or Bill know if you need more data or if it needs to be in a different format.

Thanks,

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Sarah Webb [mailto:swebb@mundellassociates.com]
Sent: Tuesday, March 30, 2010 5:09 PM
To: BRITTAIN, ERIN
Cc: HOLLAND, BILL
Subject: Michigan Plaza Electronic Data

Erin,

Attached is an Excel file containing all cumulative groundwater data tables , plus some soil boring groundwater data, methane/ethane/ethene data, volatile fatty acids data from 2008 , and a cumulative sulfate/nitrate/hardness table.

Let me know if you need this in a different format, or if you were expecting more data, etc....

Thanks!
Sarah

From: BRITTAIN, ERIN [mailto:EBRITTAI@idem.IN.gov]
Sent: Tuesday, March 30, 2010 10:28 AM
To: Sarah Webb; Andrew Gremos
Cc: HOLLAND, BILL
Subject: RE: electronic data

Yes EPA would like all analytical data to put in their database.

Thanks,

Erin Brittain

*Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Sarah Webb [mailto:swebb@mundellassociates.com]
Sent: Tuesday, March 30, 2010 10:32 AM
To: BRITTAI, ERIN; Andrew Gremos
Cc: HOLLAND, BILL
Subject: RE: electronic data

Erin,

Just clarifying, you want **EVERYTHING** (analytical), correct?

Sarah

From: BRITTAI, ERIN [mailto:EBRITTAI@idem.IN.gov]
Sent: Monday, March 29, 2010 12:46 PM
To: 'Andrew Gremos'; Sarah Webb
Cc: HOLLAND, BILL
Subject: electronic data

*Hi Andy and Sarah,
EPA has again requested electronic data for the Genuine Parts and Michigan Plaza sites. Could you please email me or send a cd of the data that you have in electronic format (other than pdf) so that the EPA folks can put it into their database? (Please cc Bill Holland if you send the data via email.)
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*



GWA for EPA.xls

EPA-R5-2014-003611-17

"Pam Thevenow "
<PTheveno@HHCorp.org>
04/13/2010 11:38 AM

To Donald Heller, EBRITTAI, sfinley, SCHLIEGER.BRIAN,
raharris, Shelly Lam
cc arickert, Dana Reed Wise
bcc

Subject Cossell/Vermont Street Neighborhood Meeting

As we've talked about before, a neighborhood meeting for these residents is needed to give them information and answer their questions. I am making arrangements to rent the gym at the nearby Thatcher Park. The owners and renters have been cooperative in letting us sample for nearly one year and I think it is important to keep them updated and informed.

I would like to schedule this meeting in the 2nd, 3rd, or 4th week of May and would like for you to give me some dates/times that would work for you or others in your agency that should be invited.

Thanks for your help.

Pam Thevenow
Water Quality & Hazardous Materials Management
3838 North Rural St
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-18

Donald Heller /R5/USEPA/US

04/15/2010 10:46 AM

To Brian Schlieger, Shelly Lam, EBRITTAI

cc

bcc

Subject Fw: Allison Transmission - First Qtr 2010 Progress Report

----- Forwarded by Donald Heller/R5/USEPA/US on 04/15/2010 10:45 AM -----

From: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
To: Donald Heller/R5/USEPA/US@EPA, "OAKES, GLYNDA" <GOAKES@idem.IN.gov>, Adam Rickert <ARickert@HHCorp.org>, Pam Thevenow <PTheveno@HHCorp.org>, "marilyn.j.dedyne@gm.com" <marilyn.j.dedyne@gm.com>, "jean.e.caufield@gm.com" <jean.e.caufield@gm.com>, "kimberly.crame@allisontransmission.com" <kimberly.crame@allisontransmission.com>
Cc: "dfavero@ameritech.net" <dfavero@ameritech.net>
Date: 04/14/2010 04:26 PM
Subject: Allison Transmission - First Qtr 2010 Progress Report

Please find attached the First Quarter 2010 Progress Report for RCRA Corrective Action at Allison Transmission, Speedway, Indiana (USEPA ID Nos. IND0008413348 and IND000806828). If you have any questions, please contact Dave Favero at 217-522-6714.

Thank you,

Sarah

Sarah Fisher | Project Scientist | sarah.fisher@arcadis-us.com
ARCADIS U.S., Inc. | 251 East Ohio Street, Suite 800 | Indianapolis, IN 46204
T. 317.236.5213 | M. 317.691.4011 | F. 317.231.6514
www.arcadis-us.com
ARCADIS, Imagine the result
Please consider the environment before printing this email.

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise



restricted by law. 1qtr2010report_1004_Allison-Final.pdf

EPA-R5-2014-003611-19

Pam Thevenow
<PTheveno@HHCorp.org>
04/19/2010 10:44 AM

To Brian Schlieger, bholland, Shelly Lam, hatkinso
cc Donald Heller, raharris, Dana Reed Wise, arickert
bcc
Subject Cossell/Vermont Street Neighborhood Meeting

I am looking at May 24, 25, or 26 as possible meeting dates starting about 6pm to 7:30 at Thatcher Park gym.

Please try to keep these times available as I work to confirm with the Parks Dept .

We will have a pre-meeting planning meeting a week or so prior to the neighborhood meeting . So start jotting ideas or what/how each agency will present information and allow the residents and owners to ask questions.

Thanks

Pam Thevenow
Water Quality & Hazardous Materials Management
3838 North Rural St
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-20

"Maradkel, Ben"
<Ben.Maradkel@WestonSolutions.com>

04/19/2010 05:31 PM

To Brian Schlieger, Shelly Lam

cc

bcc

Subject RE: FW: West Vermont Street DVR

Do we have our site specific criteria from ATSDR?

Ben

-----Original Message-----

From: Schlieger.Brian@epamail.epa.gov [mailto:Schlieger.Brian@epamail.epa.gov]

Sent: Monday, April 19, 2010 5:20 PM

To: Maradkel, Ben

Cc: Lam.Shelly@epamail.epa.gov

Subject: Re: FW: West Vermont Street DVR

Thanks, Ben.

Brian Schlieger

On-Scene Coordinator

U.S EPA

77 W. Jackson

Chicago, IL 60604

Office: 312.886.0130

Cell: 734.740.9011

Fax: 312.582.5817

|----->
| From: |
|----->

>-----
----- |
| "Maradkel, Ben" <Ben.Maradkel@WestonSolutions.com>
|

>-----
----- |
|----->
| To: |
|----->

>-----
----- |
| Brian Schlieger/R5/USEPA/US@EPA, Shelly Lam/R5/USEPA/US@EPA
|

>-----
----- |
|----->
| Date: |
|----->

>-----
----- |
| 04/19/2010 05:18 PM
|
>-----
----- |
| ----->
| Subject: |
| ----->
>-----
----- |
| FW: West Vermont Street DVR
|
>-----
----- |

Data has been validated and is good to be used. Call me to discuss.

Ben

From: Graczyk, Lisa
Sent: Monday, April 19, 2010 1:35 PM
To: Maradkel, Ben; Rauh, Jay
Subject: West Vermont Street DVR

See attached. Nothing required qualification.

Lisa

Lisa Graczyk
Dynamac Corporation
20 North Wacker Drive, Suite 1210
Chicago, IL 60606-2901
312-424-3339 (direct)
312-424-3300 (office main)
312-424-3330 (fax)
312-305-6745 (cell)
lgraczyk@dynamac.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you. [attachment "DVR West Vermont St.pdf" deleted by Brian Schlieger/R5/USEPA/US]

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

EPA-R5-2014-003611-21

**Patricia
Krause/R5/USEPA/US**
04/20/2010 04:10 PM

To ptheveno
cc Brian Schlieger, Shelly Lam, Jeff Kelley
bcc
Subject Cossell/Vermont Street Neighborhood Meeting

Hi Pam -

I just met with Brian Schlieger about planning a meeting to share information and answer questions that residents may have about the drinking water contamination discovered in the Cossell/Vermont Street neighborhood in Speedway, IN. Since Brian will be out of the office next week at a training, it would be good to have a conference call either Wednesday or Thursday, April 21 or 22. Here are some times that both Brian and I are available. I work on community involvement activities in the EPA Region 5 Superfund Division. For Wednesday April 21 before 10:00 a.m. or after 3:00 p.m. would work for Brian and me. On Thursday before 10:00 a.m. and after 2:00 p.m. works. We can discuss the date for the meeting, will mailers be sent to residents, what type of meeting/open house, who will take the lead, placing an ad about the meeting in the newspaper, what is the purpose for having the meeting, what can be shared with the public, and anything else that may come up at a meeting along with what else residents may want to know. Hope you can clear some time either Wed. or Thursday and we can work on a plan. Thanks.

Patti Krause
U.S. EPA Region 5, SI-7J
Community Involvement Coordinator
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

EPA-R5-2014-003611-22

Jackie Lippe /R5/USEPA/US

04/23/2010 08:47 AM

To Brian Schlieger, Shelly Lam

cc

bcc

Subject Fw: Sub-slab vapor results

Brian, Shelly,

Mark and I were discussing the West Vermont St results this morning and realized we do not have enough background on the site. Would you be able to provide us with a bit more? Also it would be good to know exactly what you are looking to get from us (screening levels, a consultation level...)

Regards

Jackie

312-353-4766

----- Forwarded by Jackie Lippe/R5/USEPA/US on 04/23/2010 08:44 AM -----

Fw: Sub-slab vapor results

Mark Johnson to: lippe.jackie

04/22/2010 04:42 PM

Lets discuss.

Mark Johnson, PhD, DABT
Senior Environmental Health Scientist
ATSDR-Region 5
77 West Jackson Blvd.
Chicago, IL 60604
e-mail: mkj5@cdc.gov
phone: 312-353-3436 (office)

----- Forwarded by Mark Johnson/R5/USEPA/US on 04/22/2010 04:38 PM -----

From: Brian Schlieger/R5/USEPA/US@EPA
To: mkj5@cdc.gov
Cc: Shelly Lam/R5/USEPA/US@EPA
Date: 04/22/2010 03:15 PM
Subject: Fw: Sub-slab vapor results

Mark,

Attached are the validated results of the sub-slab vapor study conducted at the West Vermont Street Drinkingwater contamination site in Speedway Indiana that Shelly had requested assistance with. The three samples denoted with SS are from the sub-slab of the three residents with the treatment systems to remove the vinyl chloride contamination. The fourth sample is an ambient air (denoted with an AA) sample collected from the porch of one of the residents.

I am also forwarding a figure to help identify location of the samples. Please feel free to refer any questions or clarifications to Shelly or myself.

thanks,
Brian

(See attached file: DVR West Vermont St.pdf) (See attached file: Site_Boundary_addresses.pdf)

Brian Schlieger
On-Scene Coordinator
U.S EPA
77 W. Jackson
Chicago, IL 60604
Office: 312.886.0130
Cell: 734.740.9011
Fax: 312.582.5817

[attachment "DVR West Vermont St.pdf" deleted by Jackie Lippe/R5/USEPA/US] [attachment "Site_Boundary_addresses.pdf" deleted by Jackie Lippe/R5/USEPA/US]

EPA-R5-2014-003611-23

Jackie Lippe /R5/USEPA/US

04/29/2010 09:23 AM

To Shelly Lam

cc

bcc

Subject Re: Draft Action Memo

Thanks Shelly-

I will probably site with Brian next week to look at the locations of GM , Genuine, and Michigan Plaza (to put things in better context). Also please let me know if you are doing another round of sampling as I would like to come and see the site if possible. If you anticipate needing me during the public meeting that can be arranged also.

Good luck with the move and enjoy the new house!
Jackie

EPA-R5-2014-003611-24

Pam Thevenow
<PTheveno@HHCorp.org>
05/05/2010 07:27 AM

To Patricia Krause, Brian Schlieger, hatkinso, bholland, sfinley,
Shelly Lam, blawrence, raharris
cc Dana Reed Wise, arickert, John Althardt
bcc
Subject Cossell/Vermont Street Neighborhood Meeting

We have secured the Thatcher Park gym for the meeting on May 25, 2010.

We have the room from 5:30pm to 7:30pm. I figured the actual meeting time would be 6pm to 7:30, using 5:30 to 6pm to set up.

Address for Thatcher Park is 4649 W. Vermont Street, Indianapolis 46222

Spanish interpretation for the meeting and the meeting notice would be great.

I believe Adam Rickert was to email the ownership database for the mailing. I agreed to pass out the meeting notice door to door as well. I would like to get these distributed no later than May 17th.

We can work out details for the AV equipment (laptop, projector, PA system, etc...) at our final planning meeting. How does the afternoon of May 18th work for our final planning meeting via conference call?

A location map is attached.

Let me know if there is anything else I can do...thanks to all.

A map is attached.

Pam Thevenow
Water Quality & Hazardous Materials Management
3838 North Rural St
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper



delivery, and then delete the message from your system. Thank you. **thatcher park map.pdf**

EPA-R5-2014-003611-25

**Patricia
Krause/R5/USEPA/US**
05/06/2010 01:24 PM

To Pam Thevenow
cc Shelly Lam, Brian Schlieger
bcc
Subject Re: Cossell/Vermont Street Neighborhood Meeting

Thanks Pam and I did receive the mailing list from Adam Rickert. .

Shelly and Pam - Attached is a draft fact sheet to send to the mailing list and please review it and send me any comments or changes.



Fact sheet.doc
Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

Pam Thevenow	We have secured the Thatcher Park g...	05/05/2010 07:27:38 AM
--------------	--	------------------------

From: Pam Thevenow <PTheveno@HHCorp.org>
To: Patricia Krause/R5/USEPA/US@EPA, Brian Schlieger/R5/USEPA/US@EPA, hatkinso@idem.in.gov, bholland@idem.in.gov, sfinley@idem.in.gov, Shelly Lam/R5/USEPA/US@EPA, blawrence@townofspeedway.org, raharris@idem.in.gov
Cc: Dana Reed Wise <DWise@hhcorp.org>, arickert@hhcorp.org, John Althardt <JAlthard@HHCorp.org>
Date: 05/05/2010 07:27 AM
Subject: Cossell/Vermont Street Neighborhood Meeting

We have secured the Thatcher Park gym for the meeting on May 25, 2010.

We have the room from 5:30pm to 7:30pm. I figured the actual meeting time would be 6pm to 7:30, using 5:30 to 6pm to set up.

Address for Thatcher Park is 4649 W. Vermont Street, Indianapolis 46222

Spanish interpretation for the meeting and the meeting notice would be great.

I believe Adam Rickert was to email the ownership database for the mailing. I agreed to pass out the meeting notice door to door as well. I would like to get these distributed no later than May 17th.

We can work out details for the AV equipment (laptop, projector, PA system, etc...) at our final planning meeting. How does the afternoon of May 18th work for our final planning meeting via conference call?

A location map is attached.

Let me know if there is anything else I can do...thanks to all.

A map is attached.

Pam Thevenow
Water Quality & Hazardous Materials Management
3838 North Rural St
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.[attachment "thatcher park map.pdf" deleted by Patricia Krause/R5/USEPA/US]

EPA-R5-2014-003611-26

**Patricia
Krause/R5/USEPA/US**
05/07/2010 08:47 AM

To Brian Schlieger, Shelly Lam, PTheveno
cc
bcc
Subject Cossell/Vermont Street Ground Water Contamination
Meeting

A postcard can be sent instead of a fact sheet about the meeting and attached is a the draft message. I'm still waiting to confirm contractor support for creating the postcard , placing the news ad, mailing, and getting a Spanish interpreter.



Postcard.doc

Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

EPA-R5-2014-003611-27

Shelly Lam/R5/USEPA/US

05/10/2010 01:09 PM

To

cc

bcc

Subject West Vermont Street Site Call - Call in # 866-299-3188,
Conference ID 734-692-7663

Meeting

Date 05/10/2010

Time 02:00:00 PM to 03:00:00 PM

Chair Shelly Lam

Invitees

Required Brian Schlieger; fbphillips

Optional

FYI

Location

EPA-R5-2014-003611-28

"Patrick McLoughlin "
<pmcl@microseeps.com>

05/10/2010 01:43 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Street Site Call - Call in #
866-299-3188, Conference ID 734-692-7663

EPA-R5-2014-003611-29

**Patricia
Krause/R5/USEPA/US**

05/11/2010 12:20 PM

To Pam Thevenow <PTheveno@HHCorp.org>, Brian Schlieger,
Shelly Lam, "HOLLAND, BILL"

cc

bcc

Subject Cossell/Vermont Street Neighborhood Meeting

Hello All -

Attached is a post card to be mailed in English and Spanish to residents listed on Adam's mailing list. Also attached is a fact sheet with changes from Pam and Bill Holland to be delivered door to door. And finally a news ad about the meeting to be placed in an area newspaper. Please review and send me any other changes. Would delivering the fact sheet door to door on Monday May 23rd work? I would like to go with Adam to deliver the fact sheet and even though this is the day before the meeting people have already received the postcard. Thanks for your response.



Postcard.doc



Fact sheet.doc



News Ad.doc

Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

EPA-R5-2014-003611-30

Shelly Lam/R5/USEPA/US

01/04/2011 02:50 PM

To

cc

bcc

Subject W. Vermont Street Call

Meeting

Date 01/05/2011

Time 02:00:00 PM to 03:00:00 PM

Chair Shelly Lam

Invitees

Required Brian Schlieger; omprakash.patel

Optional

FYI

Location Call in #: 866-299-3188

Conference Code: 734-692-7663

EPA-R5-2014-003611-31

"Slesers, Andris"
<Andris.Slesers@WestonSolutions.com>

01/04/2011 03:34 PM

To Shelly Lam

cc

bcc

Subject Accepted: W. Vermont Street Call

EPA-R5-2014-003611-32

Shelly Lam/R5/USEPA/US

01/20/2011 02:50 PM

To

cc

bcc

Subject W. Vermont Street Conference Call

Meeting

Date 01/21/2011

Time 01:00:00 PM to 02:00:00 PM

Chair Shelly Lam

Invitees

Required Brian Schlieger; Donald Heller; Thomas Nash

Optional

FYI

Location Call in #: 866-299-3188

Conference Code: 734-692-7663

EPA-R5-2014-003611-33

Thomas Nash/R5/USEPA/US

01/21/2011 01:25 PM

To Shelly Lam

cc

bcc

Subject Accepted: W. Vermont Street Conference Call

EPA-R5-2014-003611-34

Shelly Lam/R5/USEPA/US

01/28/2011 01:41 PM

To Brian Schlieger

cc

bcc

Subject Fw: W. Vermont Street Meeting

FYI, see below.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 01/28/2011 02:40 PM -----

From: Shelly Lam/R5/USEPA/US
To: "HOLLAND, BILL" <BHOLLAND@idem.IN.gov>
Cc: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>, Shelly Lam/R5/USEPA/US@EPA
Date: 01/28/2011 02:40 PM
Subject: RE: W. Vermont Street Meeting

Bill,

I am inclined to agree with you. Brian had proposed the meeting on Feb. 24th, but you're right that there is no new information at this time. I don't particularly like the idea of standing in front of a crowd and telling them that. How about if we still set up a meeting for the week of the 7th or the 14th so I can introduce you to the new OSC, Paul Atkociunas, and our new Community Involvement Coordinator, Megan McSeveney, both of whom will be involved with the site. We could provide you (IDEM) and Marion County Health Department with a status update, and it would help bring Paul and Megan up to speed.

I am working on the action memorandum. I spoke with Brian earlier today, and he is working with our office of regional counsel to send general notice of liability letters to the three PRPs.

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

"HOLLAND, BILL" Shelly, I'm concerned that if we kee... 01/28/2011 12:52:37 PM

From: "HOLLAND, BILL" <BHOLLAND@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
Date: 01/28/2011 12:52 PM
Subject: RE: W. Vermont Street Meeting

Shelly, I'm concerned that if we keep having meetings where we cannot provide significant new information people are going to stop coming and then will miss the critical ones when we will know more. If you have specific information about the water hook ups then, we should meet. If we don't, maybe we could mail an update (new EPA contact info, etc.) and let them know we will meet when we know more about the water supply. In this case, telling them about the health effects which are serious without being able to explain the installation schedule is not helpful. I think we should have meetings where we have new info and want their input and they would appreciate it as well. I did so many meetings in solid waste because we had to by rule or convention but we have to respect the public's time and interest as well. Just my thoughts....

Bill Holland
Voluntary Remediation Program
100 North Senate Avenue
MC 66-30, IGCN 1101
Indianapolis, IN 46204-2251

(317) 234-0967
(800) 451-6027 ext 4-0967
(317) 234-0428 fax

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Friday, January 28, 2011 11:05 AM
To: Atkociunas.Paul@epamail.epa.gov; McSeveney.Megan@epamail.epa.gov; BRITTAIN, ERIN; HOLLAND, BILL; ptheveno@hhcorp.com; arickert@hhcorp.com; Johnson.Mark@epamail.epa.gov; Heller.Donald@epamail.epa.gov
Cc: Schlieger.Brian@epamail.epa.gov
Subject: W. Vermont Street Meeting

We are tentatively planning another public meeting for the W. Vermont Street site on February 24th, and I would like to schedule a meeting for all the agencies to meet and discuss the agenda. Please let me know when you are available the week of February 7th, except the 9th and the morning of the 10th. The meeting will be in Indianapolis. We can, however, set up a call-in number if you can't attend.

Tanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-35

Shelly Lam/R5/USEPA/US

02/01/2011 12:08 PM

To "BRITTAIN, ERIN"

cc Brian Schlieger

bcc

Subject RE: W. Vermont Street Meeting

Erin,

I would like to have the meeting the morning of February 9th. However, I wanted to invite Marion County Health Department. Apparently, their e-mail addresses have changed and despite repeated calls, I have not been able to get in touch with anyone there. I will keep trying, but in the meantime, let's plan for February 9th. I'll send out an invite.

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

-----"BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov> wrote: -----

To: Shelly Lam/R5/USEPA/US@EPA

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>

Date: 02/01/2011 10:36AM

cc: Brian Schlieger/R5/USEPA/US@EPA

Subject: RE: W. Vermont Street Meeting

Hi Shelly and Brian,

I was wondering when the general notice of liability letters might be going to the three PRPs? If they haven't been sent yet, could you cc me on the letters to Michigan Plaza and Genuine Parts?

Also, has a date been set for the meeting the week of the 7th or 14th?

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Friday, January 28, 2011 2:40 PM
To: HOLLAND, BILL
Cc: BRITTAİN, ERIN; Lam.Shelly@epamail.epa.gov
Subject: RE: W. Vermont Street Meeting

Bill,

I am inclined to agree with you. Brian had proposed the meeting on Feb. 24th, but you're right that there is no new information at this time. I don't particularly like the idea of standing in front of a crowd and telling them that. How about if we still set up a meeting for the week of the 7th or the 14th so I can introduce you to the new OSC, Paul Atkociunas, and our new Community Involvement Coordinator, Megan McSeveney, both of whom will be involved with the site. We could provide you (IDEM) and Marion County Health Department with a status update, and it would help bring Paul and Megan up to speed.

I am working on the action memorandum. I spoke with Brian earlier today, and he is working with our office of regional counsel to send general notice of liability letters to the three PRPs.

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

From: "HOLLAND, BILL" <BHOLLAND@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: "BRITTAİN, ERIN" <EBRITTAI@idem.IN.gov>
Date: 01/28/2011 12:52 PM
Subject: RE: W. Vermont Street Meeting

Shelly, I'm concerned that if we keep having meetings where we cannot provide significant new information people are going to stop coming and then will miss the critical ones when we will know more. If you have specific information about the water hook ups then, we should meet. If we don't, maybe we could mail an update (new EPA contact info, etc.) and let them know we will meet when we know more about the water supply. In this case, telling them about the health effects which are serious without being able to explain the installation schedule is not helpful. I think we should have meetings where we have new info and want their input and they would

appreciate it as well. I did so many meetings in solid waste because we had to by rule or convention but we have to respect the public's time and interest as well. Just my thoughts....

Bill Holland
Voluntary Remediation Program
100 North Senate Avenue
MC 66-30, IGCN 1101
Indianapolis, IN 46204-2251

(317) 234-0967
(800) 451-6027 ext 4-0967
(317) 234-0428 fax

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]
Sent: Friday, January 28, 2011 11:05 AM
To: Atkociunas.Paul@epamail.epa.gov; McSeveney.Megan@epamail.epa.gov; BRITTAİN, ERIN;
HOLLAND, BILL; ptheveno@hhcorp.com; arickert@hhcorp.com; Johnson.Mark@epamail.epa.gov;
Heller.Donald@epamail.epa.gov
Cc: Schlieger.Brian@epamail.epa.gov
Subject: W. Vermont Street Meeting

We are tentatively planning another public meeting for the W. Vermont Street site on February 24th, and I would like to schedule a meeting for all the agencies to meet and discuss the agenda. Please let me know when you are available the week of February 7th, except the 9th and the morning of the 10th. The meeting will be in Indianapolis. We can, however, set up a call-in number if you can't attend.

Tanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-36

Shelly Lam/R5/USEPA/US

02/01/2011 12:09 PM

To "BRITTAIN, ERIN"

cc

bcc

Subject RE: W. Vermont Street Meeting

Would you prefer your office or mine?

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

-----"BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov> wrote: -----

To: Shelly Lam/R5/USEPA/US@EPA

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>

Date: 02/01/2011 10:36AM

cc: Brian Schlieger/R5/USEPA/US@EPA

Subject: RE: W. Vermont Street Meeting

Hi Shelly and Brian,

I was wondering when the general notice of liability letters might be going to the three PRPs? If they haven't been sent yet, could you cc me on the letters to Michigan Plaza and Genuine Parts?

Also, has a date been set for the meeting the week of the 7th or 14th?

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Friday, January 28, 2011 2:40 PM

To: HOLLAND, BILL

Cc: BRITTAIN, ERIN; Lam.Shelly@epamail.epa.gov

Subject: RE: W. Vermont Street Meeting

Bill,

I am inclined to agree with you. Brian had proposed the meeting on Feb. 24th, but you're right that there is no new information at this time. I don't particularly like the idea of standing in front of a crowd and telling them that. How about if we still set up a meeting for the week of the 7th or the 14th so I can introduce you to the new OSC, Paul Atkociunas, and our new Community Involvement Coordinator, Megan McSeveney, both of whom will be involved with the site. We could provide you (IDEM) and Marion County Health Department with a status update, and it would help bring Paul and Megan up to speed.

I am working on the action memorandum. I spoke with Brian earlier today, and he is working with our office of regional counsel to send general notice of liability letters to the three PRPs.

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

From: "HOLLAND, BILL" <BHOLLAND@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: "BRITTAI, ERIN" <EBRITTAI@idem.IN.gov>
Date: 01/28/2011 12:52 PM
Subject: RE: W. Vermont Street Meeting

Shelly, I'm concerned that if we keep having meetings where we cannot provide significant new information people are going to stop coming and then will miss the critical ones when we will know more. If you have specific information about the water hook ups then, we should meet. If we don't, maybe we could mail an update (new EPA contact info, etc.) and let them know we will meet when we know more about the water supply. In this case, telling them about the health effects which are serious without being able to explain the installation schedule is not helpful. I think we should have meetings where we have new info and want their input and they would appreciate it as well. I did so many meetings in solid waste because we had to by rule or convention but we have to respect the public's time and interest as well. Just my thoughts....

Bill Holland
Voluntary Remediation Program
100 North Senate Avenue

MC 66-30, IGCN 1101
Indianapolis, IN 46204-2251

(317) 234-0967
(800) 451-6027 ext 4-0967
(317) 234-0428 fax

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]

Sent: Friday, January 28, 2011 11:05 AM

To: Atkociunas.Paul@epamail.epa.gov; McSeveney.Megan@epamail.epa.gov; BRITTAİN, ERIN;
HOLLAND, BILL; ptheveno@hhcorp.com; arickert@hhcorp.com; Johnson.Mark@epamail.epa.gov;
Heller.Donald@epamail.epa.gov

Cc: Schlieger.Brian@epamail.epa.gov

Subject: W. Vermont Street Meeting

We are tentatively planning another public meeting for the W. Vermont Street site on February 24th, and I would like to schedule a meeting for all the agencies to meet and discuss the agenda. Please let me know when you are available the week of February 7th, except the 9th and the morning of the 10th. The meeting will be in Indianapolis. We can, however, set up a call-in number if you can't attend.

Tanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-37

Shelly Lam/R5/USEPA/US

02/01/2011 12:12 PM

To "BRITTAIN, ERIN"

cc Brian Schlieger

bcc

Subject RE: W. Vermont Street Meeting

Scratch all that. I just received a message from our community involvement coordinators that they are available on the 7th or 8th. Let's schedule this on the afternoon of the 7th at the downtown IDEM office. If you don't have a conference room available, let me know and we can have it at the Shadeland office.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

EPA-R5-2014-003611-38

Shelly Lam/R5/USEPA/US

02/01/2011 12:24 PM

To

cc

bcc

Subject West Vermont Drinking Water Site Meeting

Meeting

Date 02/07/2011

Time 12:00:00 PM to 01:00:00 PM

Chair Shelly Lam

Invitees

Required arickert; bholland; ebrittai; Patricia Krause; Paul Atkociunas; ptheveno

Optional Brian Schlieger

FYI

Location Downtown IDEM Office, 11th Floor

This meeting will be to introduce Paul Atkociunas, one of our new OSCs, and our community involvement coordinators to the West Vermont team. We can also provide a brief history, status update, and discuss the next public meeting.

EPA-R5-2014-003611-39

Patricia
Krause/R5/USEPA/US
02/01/2011 12:56 PM

To Shelly Lam

cc

bcc

Subject Accepted:West Vermont Drinking Water Site Meeting

EPA-R5-2014-003611-40

Paul
Atkociunas /R5/USEPA/US
02/01/2011 01:01 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Drinking Water Site Meeting

EPA-R5-2014-003611-41

Shelly Lam/R5/USEPA/US

02/03/2011 01:55 PM

To "Adam Rickert"

cc

bcc

Subject Re: Updated Spreadsheet of GW results for Cossell Vermont

Thanks!

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

From: Adam Rickert [ARickert@HHCorp.org]

Sent: 02/03/2011 02:49 PM EST

To: Shelly Lam

Subject: Updated Spreadsheet of GW results for Cossell Vermont

Shelly,

Excel spreadsheet should be attached.

Adam Rickert, MPI, REHS
Department of Water Quality and Hazardous Materials Mgt
Marion County Health Department
3901 Meadows Drive
Indianapolis IN 46205

(317) 221-2298

Fax (317) 221-2288

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-42

"Fisher, Sarah"
<Sarah.Fisher@arcadis-us.com>

02/15/2011 07:17 AM

To Brian Schlieger, "dfavero@ameritech.net"

cc Shelly Lam

bcc

Subject RE:

Brian -

The P&T and SVE systems at Plant 12 were shut down on Friday Oct 8th prior to our gauging on Oct 13th. Let me know if you need any other information.

Thanks!
Sarah

-----Original Message-----

From: Schlieger.Brian@epamail.epa.gov [mailto:Schlieger.Brian@epamail.epa.gov]
]

Sent: Wednesday, February 09, 2011 4:11 PM

To: dfavero@ameritech.net

Cc: Fisher, Sarah; Lam.Shelly@epamail.epa.gov

Subject:

Can you please provide the amount of time that the treatment systems for Allison Transmission was down prior to the well gauging event that took place this fall?

Thank you,
Brian

Brian Schlieger
Section Chief
Remedial Response Section # 1

U.S EPA
SR-6J
77 W. Jackson
Chicago, IL 60604

Office: 312.886.0130
Cell: 312.919.4383
Fax: 312.582.5817

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or

performance of services where otherwise restricted by law.

EPA-R5-2014-003611-43

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
02/16/2011 08:18 AM

To Shelly Lam
cc "BRITTAIN, ERIN"
bcc
Subject Genuine Parts attorney info

*Hi Shelly,
I'm still trying to get Michigan Plaza's attorney information, but here is Genuine Parts attorney info:*

*Scott Smith
Genuine Parts Company
2999 Circle 75 Parkway
Atlanta, GA 30339*

The general telephone number for Genuine Parts is 770-953-1700.

Bob Lewis is my contact within Genuine Parts and he should probably be cc'ed on any correspondence, as well as Andy Gremos, the Environ consultant. Bob's address is the same as the address above. Here is Andy's address:

*Andrew Gremos
Environ
One Indiana Square, Suite 2550
Indianapolis, IN 46204*

I'll give you Michigan Plaza's info when I receive it.

Thanks,

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

EPA-R5-2014-003611-44

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
02/16/2011 11:24 AM

To Shelly Lam
cc
bcc

Subject FW: Michigan Plaza AIMCO in-house legal for EPA

*Shelly,
See below for Michigan Plaza's attorney information.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Wednesday, February 16, 2011 10:26 AM
To: BRITTAIN, ERIN
Subject: AIMCO in-house legal for EPA

Erin,

Here it is.

Eric.Hilty@aimco.com
Eric Hilty
Senior V.P. and Assistant General Counsel
AIMCO
4582 S. Ulster St. Pkwy.
Denver, CO 80237
(303) 691-4302
f: (720) 200-6880
c: (303) 324-9238

Expect QMR delivery today. Sorry for the delay.

Call with questions!
Sarah

EPA-R5-2014-003611-45

Shelly Lam/R5/USEPA/US

02/18/2011 03:42 PM

To Brian Schlieger

cc

bcc

Subject Re: Fw: Vermont Street

No.

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Brian Schlieger

----- Original Message -----

From: Brian Schlieger

Sent: 02/18/2011 03:41 PM CST

To: Shelly Lam

Subject: Re: Fw: Vermont Street

There is no analytical data from October 2010, right?

Brian Schlieger, Chief
Remedial Response Section # 1
Remedial Response Branch #1

U.S EPA
Mail Code: SR-6J
77 W. Jackson
Chicago, IL 60604

Office: 312.886.0130
Fax: 312.582.5817

Shelly Lam

Attached is a potentiometric surface m...

02/18/2011 03:01:09 PM

From: Shelly Lam/R5/USEPA/US
To: ebrittai@idem.in.gov, bholland@idem.in.gov, sfinley@idem.in.gov, omprakash.patel@westonsolutions.com
Cc: Paul Atkociunas/R5/USEPA/US@EPA, Brian Schlieger/R5/USEPA/US@EPA
Date: 02/18/2011 03:01 PM
Subject: Fw: Vermont Street

Attached is a potentiometric surface map prepared by Arcadis based on our gauging data .

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 02/18/2011 03:58 PM -----

From: Donald Heller/R5/USEPA/US
To: Paul Atkociunas/R5/USEPA/US@EPA, Shelly Lam/R5/USEPA/US@EPA, Brian Schlieger/R5/USEPA/US@EPA
Date: 02/18/2011 03:19 PM
Subject: Fw: Vermont Street

FYI - contours developed by GM / Allison Transmission's consultant

Donald A. Heller
Corrective Action Project Manager
U.S. EPA, Region 5
77 W. Jackson Boulevard (LU-9J)
Chicago, IL 60604
(312) 353-1248

----- Forwarded by Donald Heller/R5/USEPA/US on 02/18/2011 02:17 PM -----

From: "David Favero" <dfavero@ameritech.net>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "Marilyn Dedyne, GM" <marilyn.j.dedyne@gm.com>
Date: 02/18/2011 02:16 PM
Subject: Vermont Street

The attached figures show the contours developed by ARCADIS based on gauging completed in October by EPA and its consultant, and ARCADIS. Similar to the last area wide gauging event, the contours in upper unit if the area where Vermont and Cossell meet appear to generally show a south to slightly southwest flow direction. We have not yet received any analytical data from October sampling from the Superfund group.

Please let me know if you have any questions.

Thank you,
David Favero

[attachment "October 2010 GW Flow Drawings.pdf" deleted by Brian Schlieger/R5/USEPA/US]

EPA-R5-2014-003611-46

Shelly Lam/R5/USEPA/US

02/18/2011 03:47 PM

To Brian Schlieger

cc

bcc

Subject Re: Fw: Vermont Street

I don't know either. Do you want to let Don know so he can pass it on?

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Brian Schlieger

----- Original Message -----

From: Brian Schlieger

Sent: 02/18/2011 03:44 PM CST

To: Shelly Lam

Subject: Re: Fw: Vermont Street

I don't know what Favero is talking about then.

Shelly Lam

No. Shelly Lam, PG, On-Scene Coordi...

02/18/2011 03:42:48 PM

From: Shelly Lam/R5/USEPA/US
To: Brian Schlieger/R5/USEPA/US@EPA
Date: 02/18/2011 03:42 PM
Subject: Re: Fw: Vermont Street

No.

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

Brian Schlieger

----- Original Message -----

From: Brian Schlieger

Sent: 02/18/2011 03:41 PM CST

To: Shelly Lam

Subject: Re: Fw: Vermont Street

There is no analytical data from October 2010, right?

Brian Schlieger, Chief

Remedial Response Section # 1
Remedial Response Branch #1

U.S EPA
Mail Code: SR-6J
77 W. Jackson
Chicago, IL 60604

Office: 312.886.0130
Fax: 312.582.5817

Shelly Lam

Attached is a potentiometric surface m...

02/18/2011 03:01:09 PM

EPA-R5-2014-003611-47

Shelly Lam/R5/USEPA/US

02/24/2011 09:24 AM

To "BRITTAIN, ERIN"

cc

bcc

Subject Re: Genuine Parts



General Notice Letters.PDF

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

"BRITTAIN, ERIN"

Hi Shelly, I'm meeting with Andy Gr...

02/24/2011 10:22:14 AM

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 02/24/2011 10:22 AM
Subject: Genuine Parts

*Hi Shelly,
I'm meeting with Andy Gremos and Bob Lewis concerning the Genuine Parts site today . I haven't received a hard copy of the general notice letter—would you mind to send an e-copy of the letter?
Thanks so much,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

EPA-R5-2014-003611-48

"BRITTAI, ERIN"
<EBRITTAI@idem.IN.gov>
02/25/2011 08:01 AM

To Shelly Lam
cc
bcc
Subject FW: VRP 6991004-Former Allison Plt 10

*Hi Shelly,
Below is an email I asked Andy Gremos to send during discussions yesterday regarding the Genuine Parts site. It concerns the gauging event in October last year. He had some concerns about Weston's nomenclature for the wells, as you can read below. Andy specifically asked to see the field notes that Weston took during the gauging event. Would that be possible?
Bob Lewis also had questions regarding the general notice letter. I'll call you if you have a few minutes sometime today?
Thanks!*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Andy Gremos [mailto:agremos@environcorp.com]
Sent: Friday, February 25, 2011 8:54 AM
To: BRITTAI, ERIN
Cc: Bob_Lewis@genpt.com
Subject: VRP 6991004-Former Allison Plt 10

Erin,

Thank you for taking the time yesterday to discuss the status of the Genuine Parts project. The meeting was productive. We will be submitting a report detailing the remediation status along with a revised monitoring plan to you in the near future. With regards to the monitoring well survey/liquid level data provided by USEPA, we identified some apparent errors with monitoring well labeling. Per our meeting yesterday, we are providing you with the identified errors to pass along to USEPA. Well MW-SUP A is actually well MW-173, well MW-SUP B is actually MW-150, and well IW-1 is located where USEPA identified MW-150. It should be noted that we could not confirm whether water level data from the well nests is accurate. In other words, we could not tell if the shallow and deep wells in each of the nests were properly identified. Please let me know if you have any questions. Thanks,

Andrew A. Gremos, LPG, CHMM | Principal Consultant
ENVIRON | www.environcorp.com
One Indiana Square, Suite 2550 Indianapolis, IN 46204
V: 317.423.8710 | C: 317.213.4352 | F: 317.423.8720

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the

addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to email@environcorp.com and immediately delete all copies of the message.

EPA-R5-2014-003611-49

Mark Durno/R5/USEPA/US

02/25/2011 08:16 AM

To Shelly Lam

cc

bcc

Subject Re: Fw: VRP 6991004-Former Allison Plt 10

Its part of the record, so, it is FOIA-able.

So, yes, they can be provided - especially if you want to avoid a FOIA.

md

Mark Durno
Chief, Response Section 1
U.S. EPA Region V
25089 Center Ridge Road
Westlake, OH 44145
440-250-1743

Shelly Lam

Mark, What is our policy on providing fi...

02/25/2011 09:07:46 AM

From: Shelly Lam/R5/USEPA/US
To: Mark Durno/R5/USEPA/US@EPA
Date: 02/25/2011 09:07 AM
Subject: Fw: VRP 6991004-Former Allison Plt 10

Mark,

What is our policy on providing field notes to a PRP's consultant?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 02/25/2011 09:06 AM -----

From: "BRITTA, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 02/25/2011 09:01 AM
Subject: FW: VRP 6991004-Former Allison Plt 10

Hi Shelly,

Below is an email I asked Andy Gremos to send during discussions yesterday regarding the Genuine Parts site. It concerns the gauging event in October last year. He had some concerns about Weston's nomenclature for the wells, as you can read below. Andy specifically asked to see the field notes that Weston took during the gauging event. Would that be possible? Bob Lewis also had questions regarding the general notice letter. I'll call you if you have a

*few minutes sometime today?
Thanks!*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Andy Gremos [mailto:agremos@environcorp.com]
Sent: Friday, February 25, 2011 8:54 AM
To: BRITTAIN, ERIN
Cc: Bob_Lewis@genpt.com
Subject: VRP 6991004-Former Allison Plt 10

Erin,

Thank you for taking the time yesterday to discuss the status of the Genuine Parts project. The meeting was productive. We will be submitting a report detailing the remediation status along with a revised monitoring plan to you in the near future. With regards to the monitoring well survey/liquid level data provided by USEPA, we identified some apparent errors with monitoring well labeling. Per our meeting yesterday, we are providing you with the identified errors to pass along to USEPA. Well MW-SUP A is actually well MW-173, well MW-SUP B is actually MW-150, and well IW-1 is located where USEPA identified MW-150. It should be noted that we could not confirm whether water level data from the well nests is accurate. In other words, we could not tell if the shallow and deep wells in each of the nests were properly identified. Please let me know if you have any questions. Thanks,

Andrew A. Gremos, LPG, CHMM | Principal Consultant
ENVIRON | www.environcorp.com
One Indiana Square, Suite 2550 Indianapolis, IN 46204
V: 317.423.8710 | C: 317.213.4352 | F: 317.423.8720

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to email@environcorp.com and immediately delete all copies of the message.

EPA-R5-2014-003611-50

"Patel, Omprakash"
<Omprakash.Patel@WestonSolutions.com>

03/08/2011 07:52 AM

To Shelly Lam

cc

bcc

Subject RE: W. Vermont Report Figures

Will send it to you before Thursday. Thanks.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, March 08, 2011 7:28 AM
To: Patel, Omprakash
Subject: W. Vermont Report Figures

Om,

Please provide me with a date that the revised figures for the Hydro report for W. Vermont will be ready.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-51

Shelly Lam/R5/USEPA/US

03/08/2011 07:54 AM

To Brian Schlieger, Paul Atkociunas

cc

bcc

Subject Fw: W. Vermont Report Figures

See below. BTW, I may be late for the call on Thursday. I have a meeting with several attorneys downtown.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/08/2011 08:53 AM -----

From: "Patel, Omprakash" <Omprakash.Patel@WestonSolutions.com>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 03/08/2011 08:52 AM
Subject: RE: W. Vermont Report Figures

Will send it to you before Thursday. Thanks.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, March 08, 2011 7:28 AM
To: Patel, Omprakash
Subject: W. Vermont Report Figures

Om,

Please provide me with a date that the revised figures for the Hydro report for W. Vermont will be ready.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-52

Shelly Lam/R5/USEPA/US

03/09/2011 01:33 PM

To

cc

bcc

Subject West Vermont Enforcement Conference Call

Meeting

Date 03/10/2011

Time 03:00:00 PM to 04:00:00 PM

Chair Shelly Lam

Invitees

Required Brian Schlieger; Donald Heller; Nash.Thomas; Paul Atkociunas; Valerie
Mullins

Optional

FYI

Location Conference #: 866-299-3188
Conference Code: 734-692-7663

EPA-R5-2014-003611-53

Paul
Atkociunas /R5/USEPA/US
03/09/2011 01:35 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Enforcement Conference Call

EPA-R5-2014-003611-54

Thomas Nash/R5/USEPA/US

03/09/2011 01:38 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Enforcement Conference Call

EPA-R5-2014-003611-55

Valerie Mullins /R5/USEPA/US

03/09/2011 02:40 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Enforcement Conference Call

EPA-R5-2014-003611-56

Donald Heller /R5/USEPA/US

03/10/2011 08:21 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Enforcement Conference Call

EPA-R5-2014-003611-57

Shelly Lam/R5/USEPA/US

03/10/2011 06:39 PM

To Brian Schlieger

cc

bcc

Subject Re: Invitation: West Vermont Enforcement Update (Mar 30 02:00 PM CDT in R0612B/R5 Metcalfe - 06th Floor@EPA)

Call in #?

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Brian Schlieger

----- Original Message -----

From: Brian Schlieger

Sent: 03/10/2011 04:55 PM CST

To: Donald Heller; Paul Atkociunas; Shelly Lam; Thomas Nash; Valerie Mullins

Subject: Invitation: West Vermont Enforcement Update (Mar 30 02:00 PM CDT in R0612B/R5 Metcalfe - 06th Floor@EPA)

EPA-R5-2014-003611-58

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/14/2011 07:09 AM

To Shelly Lam
cc "HOLLAND, BILL"
bcc
Subject FW: AMMH ltr to Valerie Mullins

*Hi Shelly,
I'm not sure if you've received the attached letter, which is in response to the EPA's general notice letter to Michigan Plaza. It's addressed to Valerie Mullins. I haven't heard/received anything for the Genuine Parts site.
Just FYI.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: McInerny, Daniel [mailto:dmcinerny@boselaw.com]
Sent: Friday, March 11, 2011 2:58 PM
To: BRITTAIN, ERIN
Subject: FW: AMMH ltr to Valerie Mullins

Ms. Brittain,
Attached is Aimco Michigan Meadows Holdings, LLC's response to the EPA. Per the EPA letter, we were to copy you on the response. Please contact me with any questions. Thanks, Dan McInerny

Daniel P. McInerny
Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

From: Sharescan
Sent: Friday, March 11, 2011 2:37 PM
To: McInerny, Daniel
Subject: AMMH ltr to Valerie Mullins

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please

delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed



without this statement. **Ltr to Valerie Mullins-EPA.PDF**

EPA-R5-2014-003611-59

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/14/2011 07:21 AM

To Shelly Lam
cc "HOLLAND, BILL"
bcc
Subject RE: AMMH ltr to Valerie Mullins

Shelly,

As a follow-up, Michigan Plaza set up a meeting for Wednesday, March 23 at 10am with me as an "annual" site status update, even though we haven't had an annual meeting for a couple years. Would you want to attend? I'm not sure they want EPA there or not?

Thanks,

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

From: BRITTAIN, ERIN
Sent: Monday, March 14, 2011 8:09 AM
To: 'Lam.Shelly@epamail.epa.gov'
Cc: HOLLAND, BILL
Subject: FW: AMMH ltr to Valerie Mullins

Hi Shelly,

I'm not sure if you've received the attached letter, which is in response to the EPA's general notice letter to Michigan Plaza. It's addressed to Valerie Mullins. I haven't heard/received anything for the Genuine Parts site.
Just FYI.

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

From: McInerny, Daniel [mailto:dmcinerny@boselaw.com]
Sent: Friday, March 11, 2011 2:58 PM
To: BRITTAIN, ERIN
Subject: FW: AMMH ltr to Valerie Mullins

Ms. Brittain,

Attached is Aimco Michigan Meadows Holdings, LLC's response to the EPA. Per the EPA letter, we were to copy you on the response. Please contact me with any questions. Thanks, Dan McInerny

Daniel P. McInerny

Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

From: Sharescan
Sent: Friday, March 11, 2011 2:37 PM
To: McInerny, Daniel
Subject: AMMH ltr to Valerie Mullins

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-60

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/18/2011 07:02 AM

To Shelly Lam
cc
bcc

Subject FW: Vermont Street In-House treatment details

*Hi Shelly,
Below is an email from Sarah Webb regarding the treatment systems installed at the houses impacted with VC. Could you respond with a little more detail that Sarah is asking for?
Thanks!*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Thursday, March 17, 2011 4:06 PM
To: BRITTAIN, ERIN
Subject: Vermont Street In-House treatment details

Erin,

I'm having trouble finding information in Leena's old emails regarding the systems in place at the VC impacted residences.

I don't need a ton of detail, I just want to clarify where and what is there, and how long it's been there. From what I've found so far it looks as if air strippers were installed in November 2009...?

Thanks!
Sarah

EPA-R5-2014-003611-61

Shelly Lam/R5/USEPA/US

03/21/2011 08:19 AM

To Brian Schlieger

cc Paul Atkociunas

bcc

Subject Fw: Vermont Street In-House treatment details

Hey Brian,

I don't have this information. Can you respond to Erin, with a cc to me?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/21/2011 09:18 AM -----

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 03/18/2011 08:02 AM
Subject: FW: Vermont Street In-House treatment details

Hi Shelly,

*Below is an email from Sarah Webb regarding the treatment systems installed at the houses impacted with VC. Could you respond with a little more detail that Sarah is asking for?
Thanks!*

Erin Brittain

*Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Thursday, March 17, 2011 4:06 PM
To: BRITTAIN, ERIN
Subject: Vermont Street In-House treatment details

Erin,

I'm having trouble finding information in Leena's old emails regarding the systems in place at the VC impacted residences.

I don't need a ton of detail, I just want to clarify where and what is there, and how long it's been there. From what I've found so far it looks as if air strippers were installed in November 2009...?

Thanks!
Sarah

EPA-R5-2014-003611-62

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/22/2011 11:32 AM

To Shelly Lam
cc
bcc

Subject FW: Michigan Plaza - CAP-18 April Injection - Work Plan

*Hi Shelly,
Attached is Michigan Plaza's Cap 18 injection work plan. Do you want to review it or just let IDEM handle it?
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Wednesday, March 16, 2011 1:32 PM
To: BRITTAIN, ERIN
Cc: Cappel, Peter (Denver); John Mundell; Missy Brassie
Subject: Michigan Plaza - CAP-18 April Injection - Work Plan

Erin,

Per our phone call last week, attached please find our **Work Plan for the Third Round of CAP 18 METM Injections** for the Michigan Plaza Site.

A hard copy will immediately follow. Feel free to call or email should you have any questions or concerns!

When is a reasonable time frame to expect a completed review of this submittal ?

Thanks,

[Sarah E. Webb, L.P.G.](#)
[Mundell & Associates, Inc.](#)
[110 South Downey Avenue](#)
[Indianapolis, Indiana 46219](#)
[P : \(317\) 630-9060 F : \(317\) 630-9065](#)
[Website: www.mundellassociates.com](#)
[Email: swebb@mundellassociates.com](#)



M01046_CAP18WorkPlan.pdf

EPA-R5-2014-003611-63

**Patricia
Krause/R5/USEPA/US**

03/24/2011 01:54 PM

To Shelly Lam

cc

bcc

Subject Cossell Vermont Site

Hi Shelly -

Is there an ORC attorney for the site? Thanks.

Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

EPA-R5-2014-003611-64

"Patel, Omprakash"
<Omprakash.Patel@WestonSolutions.com>

03/25/2011 01:13 PM

To Shelly Lam

cc

bcc

Subject Attachment A Email 4 of 5

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.



-- Residential Well Logs.PDF Attachment A West Vermont Street Survey Data.xlsx

EPA-R5-2014-003611-65

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

03/28/2011 08:56 AM

To Shelly Lam

cc

bcc

Subject RE: West Vermont

Great, thanks!

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

-----Original Message-----

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Monday, March 28, 2011 9:54 AM
To: BRITTAIN, ERIN
Subject: West Vermont

Hi Erin,

I saw that you just called me. I am in a workshop today and tomorrow. I will try to call during a break.

Shelly

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

EPA-R5-2014-003611-66

**Patricia
Krause/R5/USEPA/US**
03/29/2011 02:39 PM

To Shelly Lam, Paul Atkociunas
cc Heriberto Leon
bcc
Subject Re: Cossell Vermont Site

Shelly/Paul - Which one of you will be on the fact sheet as the OSC?

Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

Shelly Lam

Tom Nash Shelly Lam, PG, On-Scene...

03/24/2011 01:59:19 PM

From: Shelly Lam/R5/USEPA/US
To: Patricia Krause/R5/USEPA/US@EPA
Date: 03/24/2011 01:59 PM
Subject: Re: Cossell Vermont Site

Tom Nash

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

Patricia Krause

----- Original Message -----

From: Patricia Krause
Sent: 03/24/2011 01:54 PM CDT
To: Shelly Lam
Subject: Cossell Vermont Site

Hi Shelly -

Is there an ORC attorney for the site? Thanks.

Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

EPA-R5-2014-003611-67

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

03/30/2011 11:35 AM

To Shelly Lam

cc

bcc

Subject FW: Michigan Plaza MEE Table

Shelly,

Attached is the methane, ethane and ethene table. Here is what IDEMs chemist said:

“Owners of wells with methane concentrations greater than 10 mg/L but less than 28 mg/L might also wish to contact their local county health department for further assistance and might consider removing ignition sources from the immediate area. Methane concentrations less than 10 mg/L require no action, other than periodic monitoring to see if methane concentrations are changing.”

http://pubs.usgs.gov/fs/2006/3011/pdf/Factsheet2006_3011.pdf

Michigan Plaza Site, Indianapolis, IN: MMW-1S, P-03S, P-03D, P-06, P-08, P-10 and 168D contain dissolved methane in the 10,000 – 28, 000 ppb range. Consideration for removal of ignition sources in the immediate area of the well(s).

Limit of methane solubility is between 28 – 30 mg/L: Methane can “off-gas” at the limit of methane water solubility and the gas can accumulate in confined spaces. Methane can ignite at atmospheric concentrations between 5% to 15%

The potential sources of the methane can be several including end products from chlorinated degradation.

Recommendation : Reduce both Vinyl Chloride and Methane in groundwater by appropriate means.

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]

Sent: Wednesday, March 23, 2011 4:09 PM

To: HOLLAND, BILL; BRITTAIN, ERIN

Cc: John Mundell; Cappel, Peter (Denver)

Subject: RE: Michigan Plaza MEE Table

Sorry about that, here's the attachment.

From: Sarah Webb

Sent: Wednesday, March 23, 2011 3:40 PM

To: 'bholland@idem.in.gov'; 'BRITTAIN, ERIN'

Cc: John Mundell; 'Cappel, Peter (Denver)'

Subject: Michigan Plaza MEE Table

Hi Everyone,

Thanks for taking the time to meet with us this morning.

As we discussed, here is the MEE data you requested.

Please let me know if you have any other questions...

Look for the quarterly here in a week or so.

Thanks!



Sarah MEE.pdf

EPA-R5-2014-003611-68

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/30/2011 11:51 AM

To "Sarah Webb", "John Mundell"
cc Shelly Lam
bcc
Subject Cap 18 work plan and 4th Qu 2010 comment letters,
Michigan Plaza, VRP#6061202

*Hi Sarah,
Attached are IDEM comment letters for the Cap 18 work plan and 4th Quarter 2010 monitoring report.
If you have any questions, please let me know.
Thanks,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*



Michigan Plaza 4th Qu 2010 ltr 3 30 11.pdf Michigan Plaza Cap 18 WP ltr 3 30 11.pdf

EPA-R5-2014-003611-69

Philip
Campagna/ERT/R2/USEPA/U
S

03/31/2011 09:40 AM

To Shelly Lam, Harry Allen

cc

bcc

Subject Re: Fw: Michigan Plaza MEE Table

Shelly

The reaction is converting ethane into methane which is also part of the reaction. For more info talk to Harry Allen

-----Shelly Lam/R5/USEPA/US wrote: -----

=====

To: Philip Campagna/ERT/R2/USEPA/US@EPA

From: Shelly Lam/R5/USEPA/US

Date: 03/31/2011 09:41AM

Subject: Fw: Michigan Plaza MEE Table

=====

Hi Phil,

John Gilbert suggested I contact you about a chemistry question I have on one of my sites. The site in question is a former dry cleaner that injected CAP-18, a vegetable oil product, to reductively dechlorinate PCE/TCE. The process appears to have stalled at vinyl chloride. Recently, the state asked the PRP's consultant to collect samples for ethene, ethane, and methane from groundwater (see attached). The methane levels are very high, especially compared to ethane and ethene. My question is this - why would we have methane associated with CAP-18, vinyl chloride, or chlorinated solvents in general?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/31/2011 09:39 AM -----

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 03/30/2011 12:35 PM
Subject: FW: Michigan Plaza MEE Table

Shelly,
Attached is the methane, ethane and ethene table. Here is what IDEMs chemist said:
“Owners of wells with methane concentrations greater than 10 mg/L but less than 28 mg/L might also wish to contact their local county health department for further assistance and might consider removing ignition sources

from the immediate area. Methane concentrations less than 10 mg/L require no action, other than periodic monitoring to see if methane concentrations are changing.

http://pubs.usgs.gov/fs/2006/3011/pdf/Factsheet2006_3011.pdf

Michigan Plaza Site, Indianapolis, IN: MMW-1S, P-03S, P-03D, P-06, P-08, P-10 and 168D contain dissolved methane in the 10,000 to 28,000 ppb range. Consideration for removal of ignition sources in the immediate area of the well(s).

Limit of methane solubility is between 28 to 30 mg/L: Methane can be off-gas; at the limit of methane water solubility and the gas can accumulate in confined spaces. Methane can ignite at atmospheric concentrations between 5% to 15%

The potential sources of the methane can be several including end products from chlorinated degradation.

Recommendation : Reduce both Vinyl Chloride and Methane in groundwater by appropriate means.

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov
From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Wednesday, March 23, 2011 4:09 PM
To: HOLLAND, BILL; BRITTAIN, ERIN
Cc: John Mundell; Cappel, Peter (Denver)
Subject: RE: Michigan Plaza MEE Table

Sorry about that, here's the attachment.

From: Sarah Webb
Sent: Wednesday, March 23, 2011 3:40 PM
To: 'bholland@idem.in.gov'; 'BRITTAIN, ERIN'
Cc: John Mundell; 'Cappel, Peter (Denver)'
Subject: Michigan Plaza MEE Table

Hi Everyone,

Thanks for taking the time to meet with us this morning.

As we discussed, here is the MEE data you requested.

Please let me know if you have any other questions;

Look for the quarterly here in a week or so.

Thanks!
Sarah

[attachment(s) "MEE.pdf" removed by Philip Campagna/ERT/R2/USEPA/US]

EPA-R5-2014-003611-70

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
03/31/2011 12:24 PM

To Shelly Lam
cc
bcc
Subject RE: Michigan Plaza MEE Table

Thanks!

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Thursday, March 31, 2011 11:44 AM
To: BRITTAIN, ERIN
Subject: Fw: Michigan Plaza MEE Table

See below from one of our chemists.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/31/2011 11:42 AM -----

From: Philip Campagna/ERT/R2/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA, Harry Allen/ERT/R2/USEPA/US@EPA
Date: 03/31/2011 10:40 AM
Subject: Re: Fw: Michigan Plaza MEE Table

Shelly

The reaction is converting ethane into methane which is also part of the reaction. For more info talk to Harry Allen

-----Shelly Lam/R5/USEPA/US wrote: -----

=====
To: Philip Campagna/ERT/R2/USEPA/US@EPA
From: Shelly Lam/R5/USEPA/US
Date: 03/31/2011 09:41AM

Subject: Fw: Michigan Plaza MEE Table

=====

Hi Phil,

John Gilbert suggested I contact you about a chemistry question I have on one of my sites. The site in question is a former dry cleaner that injected CAP-18, a vegetable oil product, to reductively dechlorinate PCE/TCE. The process appears to have stalled at vinyl chloride. Recently, the state asked the PRP's consultant to collect samples for ethene, ethane, and methane from groundwater (see attached). The methane levels are very high, especially compared to ethane and ethene. My question is this - why would we have methane associated with CAP-18, vinyl chloride, or chlorinated solvents in general?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/31/2011 09:39 AM -----

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 03/30/2011 12:35 PM
Subject: FW: Michigan Plaza MEE Table

Shelly,
Attached is the methane, ethane and ethene table. Here is what IDEMs chemist said:

“Owners of wells with methane concentrations greater than 10 mg/L but less than 28 mg/L might also wish to contact their local county health department for further assistance and might consider removing ignition sources from the immediate area. Methane concentrations less than 10 mg/L require no action, other than periodic monitoring to see if methane concentrations are changing.”

http://pubs.usgs.gov/fs/2006/3011/pdf/Factsheet2006_3011.pdf

Michigan Plaza Site, Indianapolis, IN: MMW-1S, P-03S, P-03D, P-06, P-08, P-10 and 168D contain dissolved methane in the 10,000 – 28, 000 ppb range. Consideration for removal of ignition sources in the immediate area of the well(s).

Limit of methane solubility is between 28 – 30 mg/L: Methane can “off-gas” at the limit of methane water solubility and the gas can accumulate in confined spaces. Methane can ignite at atmospheric concentrations between 5% to 15%

The potential sources of the methane can be several including end products from chlorinated degradation.

Recommendation : Reduce both Vinyl Chloride and Methane in groundwater by appropriate means.

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov
From: Sarah Webb [<mailto:SWEBB@MUNDELLASSOCIATES.COM>]
Sent: Wednesday, March 23, 2011 4:09 PM
To: HOLLAND, BILL; BRITTAIN, ERIN
Cc: John Mundell; Cappel, Peter (Denver)
Subject: RE: Michigan Plaza MEE Table

Sorry about that, here's the attachment.

From: Sarah Webb
Sent: Wednesday, March 23, 2011 3:40 PM
To: 'bholland@idem.in.gov'; 'BRITTAIN, ERIN'
Cc: John Mundell; 'Cappel, Peter (Denver)'
Subject: Michigan Plaza MEE Table

Hi Everyone,

Thanks for taking the time to meet with us this morning.

As we discussed, here is the MEE data you requested.

Please let me know if you have any other questions;

Look for the quarterly here in a week or so.

Thanks!
Sarah

[attachment(s) "MEE.pdf" removed by Philip Campagna/ERT/R2/USEPA/US]

EPA-R5-2014-003611-71

**Paul
Atkociunas /R5/USEPA/US**
03/31/2011 03:22 PM

To Shelly Lam
cc Brian Schlieger
bcc
Subject Re: Fw: Michigan Plaza MEE Table

Shelly / Brian,

Would it also make sense for them to bring a FID (and PID for comparison) - for any screenings (assuming they are intrinsically safe or can compare with CGI).

Thanks,
Paul

Shelly Lam	FYI. . . more information on methane at...	03/31/2011 02:12:07 PM
------------	--	------------------------

From: Shelly Lam/R5/USEPA/US
To: ebrittai@idem.in.gov
Cc: Brian Schlieger/R5/USEPA/US@EPA, Paul Atkociunas/R5/USEPA/US@EPA
Date: 03/31/2011 02:12 PM
Subject: Fw: Michigan Plaza MEE Table

FYI. . . more information on methane at Michigan Plaza. It looks like Mundell should screen the wells with a combustible gas indicator (opening them with intrinsically safe tools). I would also recommend they screen the building on-site with a CGI. If they detect anything, we need to screen other nearby structures, such as the apartments and residential properties, for explosive levels. I would recommend they do this soon. They should make sure that equipment is properly calibrated prior to screening. If they aren't able to do this early next week, please let me know.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/31/2011 03:03 PM -----

From: Philip Campagna/ERT/R2/USEPA/US
To: CherylA Hawkins/ERT/R2/USEPA/US@EPA
Cc: Harry Allen/ERT/R2/USEPA/US@EPA, Shelly Lam/R5/USEPA/US@EPA
Date: 03/31/2011 03:02 PM
Subject: Re: Fw: Michigan Plaza MEE Table

If the wells are closed of the methane will build up but there wouldn't be enough o2 for for combustion. But you would need worry when opening the well head. Also you may need to look at vapor migration into other locations thru the soil like vapor intrusion.

-----CherylA Hawkins/ERT/R2/USEPA/US wrote: -----

To: Shelly Lam/R5/USEPA/US@EPA
From: CherylA Hawkins/ERT/R2/USEPA/US
Date: 03/31/2011 02:52PM
Cc: Philip Campagna/ERT/R2/USEPA/US@EPA, Harry Allen/ERT/R2/USEPA/US@EPA
Subject: Re: Fw: Michigan Plaza MEE Table

Shelly,

Since the solubility limit for methane is around 30 ppm and your wells are measuring 28 ppm, I would expect that you are generating methane gas. I would think there would be an explosion hazard if the gas is not being adequately vented and there is an ignition source nearby.

But here I should defer back to Phil Campagna. Phil - do you think she should be worried about a possible methane explosion at the monitoring wells?

Cheryl A. Hawkins, Ph.D.
US EPA/OSWER/OSRTI/TIFSD
Environmental Response Team
MS 101
2890 Woodbridge Ave. Bldg. 18
Edison, NJ 08837-3679
Phone: (732)321-6717
Cell: (732)687-0487

Shelly Lam---03/31/2011 02:31:39 PM---Cheryl, Thank you so much. I will look at the documents you sent. One more question - are the meth

From: Shelly Lam/R5/USEPA/US
To: CherylA Hawkins/ERT/R2/USEPA/US@EPA
Cc: Harry Allen/ERT/R2/USEPA/US@EPA
Date: 03/31/2011 02:31 PM
Subject: Re: Fw: Michigan Plaza MEE Table

Cheryl,

Thank you so much. I will look at the documents you sent. One more question - are the methane levels in on-site monitoring wells a concern? In particular I'm thinking about explosive hazards at the Site and nearby residential properties.

Thanks again,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

CherylA Hawkins---03/31/2011 02:26:15 PM---Hi Shelly, Harry Allen forwarded your question about methane levels during the bioremediation of PCE

From: CherylA Hawkins/ERT/R2/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA

Cc: Harry Allen/ERT/R2/USEPA/US@EPA
Date: 03/31/2011 02:26 PM
Subject: Fw: Michigan Plaza MEE Table

Hi Shelly,

Harry Allen forwarded your question about methane levels during the bioremediation of PCE and I think I can help you with that.

The methane has developed at the site from the addition of the vegetable oil and is not generated from the reductive dechlorination of the PCE (unless chloromethanes were also a problem at the site). The vegetable oil is added to create the anaerobic conditions and to produce the hydrogen required by the microbes that reductively dechlorinate the chlorinated solvents. Unfortunately the anaerobic conditions favorable for reductive dechlorination are also favorable for methanogenic microbes which produce methane.

I've attached a couple of documents, one from the Air Force and one from ITRC, that are good references for bioremediation of chlorinated solvents.

If you would like to discuss this further or if there are any other questions I can help you with, please feel free to give me a call or email.

[attachment "principles_and_practices_bioremediation.pdf" deleted by Shelly Lam/R5/USEPA/US]
[attachment "biodnapl_1.pdf" deleted by Shelly Lam/R5/USEPA/US]

Cheryl A. Hawkins, Ph.D.
US EPA/OSWER/OSRTI/TIFSD
Environmental Response Team
MS 101
2890 Woodbridge Ave. Bldg. 18
Edison, NJ 08837-3679
Phone: (732)321-6717
Cell: (732)687-0487

----- Forwarded by CherylA Hawkins/ERT/R2/USEPA/US on 03/31/2011 01:27 PM -----

From: Harry Allen/ERT/R2/USEPA/US
To: "CherylA Hawkins" <Hawkins.CherylA@epamail.epa.gov>
Date: 03/31/2011 11:35 AM
Subject: Fw: Fw: Michigan Plaza MEE Table

Cheryl, This should be a good one for you. H

----- Original Message -----
From: Philip Campagna
Sent: 03/31/2011 10:40 AM EDT
To: Shelly Lam; Harry Allen
Subject: Re: Fw: Michigan Plaza MEE Table

Shelly

The reaction is converting ethane into methane which is also part of the reaction. For more info talk to Harry allen

-----Shelly Lam/R5/USEPA/US wrote: -----

=====
To: Philip Campagna/ERT/R2/USEPA/US@EPA
From: Shelly Lam/R5/USEPA/US
Date: 03/31/2011 09:41AM
Subject: Fw: Michigan Plaza MEE Table
=====

Hi Phil,

John Gilbert suggested I contact you about a chemistry question I have on one of my sites. The site in question is a former dry cleaner that injected CAP-18, a vegetable oil product, to reductively dechlorinate PCE/TCE. The process appears to have stalled at vinyl chloride. Recently, the state asked the PRP's consultant to collect samples for ethene, ethane, and methane from groundwater (see attached). The methane levels are very high, especially compared to ethane and ethene. My question is this - why would we have methane associated with CAP-18, vinyl chloride, or chlorinated solvents in general?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 03/31/2011 09:39 AM -----

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 03/30/2011 12:35 PM
Subject: FW: Michigan Plaza MEE Table

Shelly,
Attached is the methane, ethane and ethene table. Here is what IDEMS chemist said:

Owners of wells with methane concentrations greater than 10 mg/L but less than 28 mg/L might also wish to contact their local county health department for further assistance and might consider removing ignition sources from the immediate area. Methane concentrations less than 10 mg/L require no action, other than periodic monitoring to see if methane concentrations are changing.

http://pubs.usgs.gov/fs/2006/3011/pdf/Factsheet2006_3011.pdf

Michigan Plaza Site, Indianapolis, IN: MMW-1S, P-03S, P-03D, P-06, P-08, P-10 and 168D contain dissolved methane in the 10,000 - 28,000 ppb range. Consideration for removal of ignition sources in the immediate area of the well(s).

Limit of methane solubility is between 28 – 30 mg/L: Methane can “off-gas” at the limit of methane water solubility and the gas can accumulate in confined spaces. Methane can ignite at atmospheric concentrations between 5% to 15%

The potential sources of the methane can be several including end products from chlorinated degradation.

Recommendation : Reduce both Vinyl Chloride and Methane in groundwater by appropriate means.

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov
From: Sarah Webb [<mailto:SWEBB@MUNDELLASSOCIATES.COM>]
Sent: Wednesday, March 23, 2011 4:09 PM
To: HOLLAND, BILL; BRITTAIN, ERIN
Cc: John Mundell; Cappel, Peter (Denver)
Subject: RE: Michigan Plaza MEE Table

Sorry about that, here's the attachment.

From: Sarah Webb
Sent: Wednesday, March 23, 2011 3:40 PM
To: 'bholland@idem.in.gov'; 'BRITTAIN, ERIN'
Cc: John Mundell; 'Cappel, Peter (Denver)'
Subject: Michigan Plaza MEE Table

Hi Everyone,

Thanks for taking the time to meet with us this morning.

As we discussed, here is the MEE data you requested.

Please let me know if you have any other questions…

Look for the quarterly here in a week or so.

Thanks!
Sarah

[attachment(s) "MEE.pdf" removed by Philip Campagna/ERT/R2/USEPA/US]

EPA-R5-2014-003611-72

"Patel, Omprakash"
<Omprakash.Patel@WestonS
olutions.com>

03/31/2011 03:51 PM

To Shelly Lam

cc

bcc

Subject Re: West Vermont Report Email 1 of 5

The reports have been sent out.

Thanks,
Om

On Mar 31, 2011, at 3:07 PM, "Lam.Shelly@epamail.epa.gov"
<Lam.Shelly@epamail.epa.gov
> wrote:

>

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

EPA-R5-2014-003611-73

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

04/01/2011 12:16 PM

To Shelly Lam

cc

bcc

Subject FW: Michigan Plaza MEE Table

See John Mundell's response below. He doesn't think it's possible to ignite starting from groundwater.

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: John Mundell [<mailto:JMUNDELL@MUNDELLASSOCIATES.COM>]

Sent: Friday, April 01, 2011 10:52 AM

To: BRITTAIN, ERIN; Sarah Webb

Cc: HOLLAND, BILL; FINLEY, SARAH

Subject: RE: Michigan Plaza MEE Table

Erin: We will check our records, but none have shown anything close to reaching the LEL (15 %) near dechlorination areas. I'm also pretty sure its theoretically not possible starting from groundwater (we'll do the calculation as proof). Hope to get something back to you very soon. John

John A. Mundell, P.E., L.P.G.

MUNDELL & ASSOCIATES, INC.

Consulting Professionals for the Earth and the Environment

110 South Downey Avenue

Indianapolis, Indiana 46219

317-630-9060, fax 317-630-9065

jmundell@MundellAssociates.com

From: BRITTAIN, ERIN [<mailto:EBRITTAI@idem.IN.gov>]

Sent: Friday, April 01, 2011 9:41 AM

To: Sarah Webb; John Mundell

Cc: HOLLAND, BILL; FINLEY, SARAH

Subject: FW: Michigan Plaza MEE Table

Sarah,

I forwarded the MEE table to Shelly since we were concerned with the methane levels in the groundwater. Her response is below. She recommends screening the wells with a CGI as well as the plaza itself. Would you be able to do this next week?

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Thursday, March 31, 2011 3:12 PM

To: BRITTAIN, ERIN

Cc: Schlieger.Brian@epamail.epa.gov; Atkociunas.Paul@epamail.epa.gov

Subject: Fw: Michigan Plaza MEE Table

It looks like Mundell should screen the wells with a combustible gas indicator (opening them with intrinsically safe tools). I would also recommend they screen the building on-site with a CGI. If they detect anything, we need to screen other nearby structures, such as the apartments and residential properties, for explosive levels. I would recommend they do this soon. They should make sure that equipment is properly calibrated prior to screening. If they aren't able to do this early next week, please let me know.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

EPA-R5-2014-003611-74

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
04/06/2011 08:00 AM

To Shelly Lam
cc
bcc
Subject FW: Response to Methane Screening Request

*Shelly,
See Mundell's response below concerning the methane concentrations. I've forwarded the information to my chemist to verify the calculations.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Wednesday, April 06, 2011 8:27 AM
To: BRITTAIN, ERIN
Cc: John Mundell; Cappel, Peter (Denver)
Subject: Response to Methane Screening Request
Importance: High

Dear Erin,
Concerns regarding methane concentrations in groundwater and air have recently been expressed to Mundell by IDEM and the U.S. EPA. We have reviewed all available analytical data for methane in groundwater at the Site. Theoretical relationships between the Henry's Law Constant and equilibrium concentrations in air and water were utilized to estimate the expected methane concentrations in air as a result of the elevated methane concentrations observed in groundwater at the Site. The ratio of the aqueous-phase concentration of a chemical to its equilibrium partial pressure in the gas phase is given by the Henry's Law Constant (H):

$$H = \frac{C_{\text{air}}}{C_{\text{water}}}$$

The dimensionless Henry's Law Constant for Methane is 30 (please see attached paper, *Oh Henry! (a constant)*, by Blayne Hartman). The highest methane concentration observed in groundwater at the Site is **25,000 ug/L**. This concentration was observed at MMW-P-03D during the February 4, 2010, quarterly groundwater sampling event.

Using the above relationship and assuming:

$$\begin{aligned} H &= 30 \\ C_{\text{air}} &= H \times C_{\text{water}} \\ C_{\text{air}} &= 30 \times 25,000 \text{ ug/L} \\ C_{\text{air}} &= 750,000 \text{ ug/L} \end{aligned}$$

The theoretical concentration of methane in air due to the concentration observed in groundwater is:

$$C_{\text{air}} = 750,000 \text{ ug/L}$$

The lowest explosive limit (LEL) is defined as the gas or vapor in air capable of producing a flash of fire in presence of an ignition source. At a concentration in air below the LEL there is not enough fuel to continue and explosion. At 25 °C the LEL for Methane is 5.1% by volume (51,000 ppmV). To compare our calculated methane concentration in air with the LEL, we must convert from 0.750 g/L to parts per

million by volume. The conversion is as follows:

$$\text{ppmv} = \frac{\text{mg/L} \times 1000}{\text{MW} \times \text{Density}} \times \frac{\text{MW}_{\text{air}}}{\text{MW}_{\text{methane}}} \times \frac{\text{Pressure}_{\text{air}}}{\text{Pressure}_{\text{methane}}}$$

Where:

$$\text{mg/L} = 0.000001 \text{ g/L}$$

$$\text{MW}_{\text{air}} = 28.97 \text{ g/mol}$$

$$\text{MW}_{\text{methane}} = 16.04 \text{ g/mol}$$

$$\text{Density} = 1.225 \text{ kg/m}^3$$

$$\text{ppmv} = \frac{0.000001 \text{ g/L} \times 1000}{16.04 \text{ g/mol} \times 1.225 \text{ kg/m}^3} \times \frac{28.97 \text{ g/mol}}{16.04 \text{ g/mol}} \times \frac{101.325 \text{ kPa}}{101.325 \text{ kPa}}$$

$$\text{ppmv} = 0.000001 \text{ g/L} \times 1000 \times \frac{28.97}{16.04} \times \frac{101.325}{101.325}$$

$$\text{ppmv} = 0.000001 \text{ g/L} \times 1000 \times \frac{28.97}{16.04} \times \frac{101.325}{101.325}$$

Comparing the theoretical concentration of methane in air (1,143.8 ppmV) and the LEL for methane at 25°C (51,000 ppmV) indicates that air concentrations at the Site relative to the maximum observed methane concentration in groundwater are approximately **2% of the accepted LEL**. In addition, no significant observations of airborne methane have been noted at the Site during previous groundwater sampling events.

I've also attached a paper entitled *Enhanced Reductive Dechlorination and the Relationship Between Cis-1,2-DCE Accumulation and Methanogenesis* (2003; Kean, J., Graves, D. and M. Lodato). Kean *et al.* notes methane concentrations resulting from cis-1,2-DCE accumulation as high as 125,000 ug/L in groundwater. We expect to see elevated levels of methane as the ci-1,2-DCE continues to breakdown at the Site and our previous analytical results are within the published concentration range.

Dangerous levels of methane in air generated by reductive dechlorination processes have not been documented in any literature sources reviewed by Mundell. Theoretical calculations based on Henry's Law indicate methane concentrations in air due to the dissolved methane in groundwater at the Site will be approximately 2% of the published LEL. Based on the above, Mundell does not see a need to proceed with methane screening at the monitoring wells and structures at the Site unless otherwise directed.

Sincerely,

Sarah E. Webb, L.P.G.

Mundell & Associates, Inc.

110 South Downey Avenue

Indianapolis, Indiana 46219

P : (317) 630-9060 F : (317) 630-9065

Website: www.mundellassociates.com

Email: swebb@mundellassociates.com



image029.png



image030.png



image031.png



image032.png



image033.png



image034.png



image035.png



image036.png



image037.png



image038.png



image039.png



image040.png



image041.png



image042.png



image001.png



image002.png



image003.png



image004.png



image005.png



image006.png



image007.png



image008.png



image009.png



image010.png



image011.png



image012.png



image013.png



image014.png



methane and red_dechlor.pdf



LustLine29-Oh_Henry.pdf

EPA-R5-2014-003611-75

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
04/06/2011 09:31 AM

To Shelly Lam
cc
bcc
Subject FW: Response to Methane Screening Request

Below is the response from my chemist...

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: MCINTIRE, KRISTY
Sent: Wednesday, April 06, 2011 10:29 AM
To: BRITTAIN, ERIN; DELONG, ALLYN
Cc: HOLLAND, BILL
Subject: RE: Response to Methane Screening Request

Erin,

It appears that Mundell calculations are acceptable. However, after reviewing the literature, I am not sure we can accept the calculation as a definite answer. As stated in the LUSTLine Bulletin 29: "It is very important to remember that Henry's constants assume that equilibrium exists between the air and water phases and that the compound's solubility in the air or water has not been reached (i.e., below saturation). These conditions are often not met in the real environment, so values computed from these constants are approximations that can be used for predictive purposes, but should be used cautiously for quantitative conclusions".

It cannot be determined from the information that Mundell provided whether the compound's solubility in the air or water has been reached. The document itself recommends the use of the calculation for qualitative results but used cautiously for quantitative results. Therefore, it is recommended that measurements be taken to achieve quantitative results.

From: BRITTAIN, ERIN
Sent: Wednesday, April 06, 2011 9:00 AM
To: MCINTIRE, KRISTY; DELONG, ALLYN
Cc: HOLLAND, BILL
Subject: FW: Response to Methane Screening Request
Importance: High

FYI, please see the information below from Mundell concerning the methane in the wells at the Michigan Plaza site. Kristy—when you were off last week Bill asked Allyn to look into methane LELs for us. Could one of you verify Mundell's calculations? Shelly with EPA asked that they use a CGI this week in the wells to make sure levels were ok. They obviously don't want to do this.

Thanks,

Erin Brittain
 Voluntary Remediation Program Project Manager
 Indiana Department of Environmental Management
 317/233-2991
 ebrittai@idem.IN.gov

From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Wednesday, April 06, 2011 8:27 AM
To: BRITTAIN, ERIN
Cc: John Mundell; Cappel, Peter (Denver)
Subject: Response to Methane Screening Request
Importance: High

Dear Erin,

Concerns regarding methane concentrations in groundwater and air have recently been expressed to Mundell by IDEM and the U.S. EPA. We have reviewed all available analytical data for methane in groundwater at the Site. Theoretical relationships between the Henry's Law Constant and equilibrium concentrations in air and water were utilized to estimate the expected methane concentrations in air as a result of the elevated methane concentrations observed in groundwater at the Site.

The ratio of the aqueous-phase concentration of a chemical to its equilibrium partial pressure in the gas phase is given by the Henry's Law Constant (H):

$$H = \frac{C_{aq}}{P_{eq}}$$

The dimensionless Henry's Law Constant for Methane is 30 (please see attached paper, *Oh Henry! (a constant)*, by Blayne Hartman). The highest methane concentration observed in groundwater at the Site is **25,000 ug/L**. This concentration was observed at MMW-P-03D during the February 4, 2010, quarterly groundwater sampling event.

Using the above relationship and assuming:

$$H = 30$$

$$C_{aq} = 25,000 \frac{ug}{L}$$

$$C_{aq} = H \cdot P_{eq}$$

$$P_{eq} = \frac{C_{aq}}{H} = \frac{25,000 \frac{ug}{L}}{30} = 833.33 \frac{ug}{L}$$

The theoretical concentration of methane in air due to the concentration observed in groundwater is:

$$P_{eq} = 833.33 \frac{ug}{L} \cdot 0.001 \frac{L}{m^3} = 0.83333 \frac{g}{m^3}$$

The lowest explosive limit (LEL) is defined as the gas or vapor in air capable of producing a flash of fire in presence of an ignition source. At a concentration in air below the LEL there is not enough fuel to continue and explosion. At 25 °C the LEL for Methane is 5.1% by volume (51,000 ppmV). To compare our calculated methane concentration in air with the LEL, we must convert from 0.750 g/L to parts per million by volume. The conversion is as follows:

$$ppmV = \frac{C_{gas} \cdot 10^6}{P_{atm} \cdot M_{air}}$$

Where:

$$C_{gas} = 0.83333 \frac{g}{m^3}$$

$$P_{atm} = 101,325 \frac{Pa}{m^2}$$

$$M_{air} = 28.97 \frac{g}{mole}$$

$$ppmV = \frac{0.83333 \frac{g}{m^3} \cdot 10^6}{101,325 \frac{Pa}{m^2} \cdot 28.97 \frac{g}{mole}} = 28.97 \frac{g}{mole}$$

ppmv: 11,438.8

ppmv: 11,438.8

Comparing the theoretical concentration of methane in air (1,143.8 ppmV) and the LEL for methane at 25°C (51,000 ppmV) indicates that air concentrations at the Site relative to the maximum observed methane concentration in groundwater are approximately **2% of the accepted LEL**. In addition, no significant observations of airborne methane have been noted at the Site during previous groundwater sampling events.

I've also attached a paper entitled *Enhanced Reductive Dechlorination and the Relationship Between Cis-1,2-DCE Accumulation and Methanogenesis* (2003; Kean, J., Graves, D. and M. Lodato). Kean *et al.* notes methane concentrations resulting from cis-1,2-DCE accumulation as high as 125,000 ug/L in groundwater. We expect to see elevated levels of methane as the ci-1,2-DCE continues to breakdown at the Site and our previous analytical results are within the published concentration range.

Dangerous levels of methane in air generated by reductive dechlorination processes have not been documented in any literature sources reviewed by Mundell. Theoretical calculations based on Henry's Law indicate methane concentrations in air due to the dissolved methane in groundwater at the Site will be approximately 2% of the published LEL. Based on the above, Mundell does not see a need to proceed with methane screening at the monitoring wells and structures at the Site unless otherwise directed.

Sincerely,

Sarah E. Webb, L.P.G.

Mundell & Associates, Inc.

110 South Downey Avenue

Indianapolis, Indiana 46219

P : (317) 630-9060 F : (317) 630-9065

Website: www.mundellassociates.com

Email: swebb@mundellassociates.com



image002.png



image004.png



image006.png



image008.png



image010.png



image012.png



image014.png



image016.png



image018.png



image020.png



image022.png



image024.png



image026.png



image028.png

EPA-R5-2014-003611-76

Shelly Lam/R5/USEPA/US

04/06/2011 02:01 PM

To CherylA Hawkins

cc Philip Campagna, Shelly Lam

bcc

Subject Re: Fw: Response to Methane Screening Request

Thanks!

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

CherylA Hawkins	Hi Shelly, If you follow the emails bel...	04/06/2011 02:58:20 PM
-----------------	--	------------------------

From:	CherylA Hawkins/ERT/R2/USEPA/US
To:	Shelly Lam/R5/USEPA/US@EPA, Philip Campagna/ERT/R2/USEPA/US@EPA
Date:	04/06/2011 02:58 PM
Subject:	Re: Fw: Response to Methane Screening Request

Hi Shelly,

If you follow the emails below, Phil Campagna answered your question about methane. (Thanks Phil!)

Best Wishes,
Cheryl A. Hawkins, Ph.D.
US EPA/OSWER/OSRTI/TIFSD
Environmental Response Team
MS 101
2890 Woodbridge Ave. Bldg. 18
Edison, NJ 08837-3679
Phone: (732)321-6717
Cell: (732)687-0487

Philip Campagna	Yes it is easy to measure with out ide...	04/06/2011 02:27:59 PM
CherylA Hawkins	Would it be worth suggesting that an...	04/06/2011 02:16:43 PM
Philip Campagna	The calculation is right per liter of wat...	04/06/2011 01:55:42 PM

EPA-R5-2014-003611-77

**Philip
Campagna/ERT/R2/USEPA/U
S**

04/06/2011 02:39 PM

To Shelly Lam

cc CherylA Hawkins, Shelly Lam

bcc

Subject Re: Fw: Response to Methane Screening Request

Shelly

If there are storm or other sewers with catch basin in area methane could build there the gas should migrate to the least resistant path. i.e underground pipes. i would not be worried about open areas.

Shelly Lam

Thanks! Shelly Lam, LPG Federal On-...

04/06/2011 03:01:47 PM

From: Shelly Lam/R5/USEPA/US
To: CherylA Hawkins/ERT/R2/USEPA/US@EPA
Cc: Philip Campagna/ERT/R2/USEPA/US@EPA, Shelly Lam/R5/USEPA/US@EPA
Date: 04/06/2011 03:01 PM
Subject: Re: Fw: Response to Methane Screening Request

Thanks!

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

CherylA Hawkins Hi Shelly, If you follow the emails bel... 04/06/2011 02:58:20 PM

Philip Campagna Yes it is easy to measure with out ide... 04/06/2011 02:27:59 PM

CherylA Hawkins Would it be worth suggesting that an... 04/06/2011 02:16:43 PM

Philip Campagna The calculation is right per liter of wat... 04/06/2011 01:55:42 PM

EPA-R5-2014-003611-78

**Patricia
Krause/R5/USEPA/US**
04/06/2011 02:43 PM

To Patricia Krause, Heriberto Leon, Paul Atkociunas, bholland,
arickert, ptheveno, lam.shelly, ebrittai

cc

bcc

Subject Update to Cossell Vermont Web Page

Here's the link to the Cossell Vermont web page with an update and a link to the latest fact sheet that is now in the mail. Thanks for your input.

<http://epa.gov/region5/sites/cossellvermont/>

Patti Krause
Community Involvement Coordinator
U.S. EPA Region 5, Superfund Division
77 W. Jackson Blvd., SI-7J
Chicago, IL 60604
PH: (312) 886-9506
FAX: (312) 697-2568
krause.patricia@epa.gov

EPA-R5-2014-003611-79

Heriberto Leon /R5/USEPA/US

04/12/2011 10:35 AM

To Shelly Lam, Paul Atkociunas, ptheveno, ebrittai

cc Patricia Krause

bcc

Subject Cossell / West Vermont Site CIC

This is to let you know that Patricia and I have officially transitioned this site to me as the CIC . You may contact me directly for any community involvement follow up needed . (Patricia and I work well together, and I'm sure she'll help me out if I get stumped.) Please take a look at the updated website with the English and Spanish text and documents that were recently added.
<http://www.epa.gov/region5/sites/cossellvermont/>



Heriberto León | Community Involvement Coordinator

U.S. EPA | Superfund Division
77 W Jackson Blvd | SI-7J | Chicago, IL 60604
Phone 312.886.6163 | Fax 312.697.2754
<http://www.epa.gov/region5/>

EPA-R5-2014-003611-80

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

04/13/2011 12:29 PM

To Shelly Lam

cc

bcc

Subject RE: well sampling letter

Hi Shelly,

Thanks for the example letters!

I finally told Mundell that he needed to sample methane more frequently, submit the results to IDEM and if methane levels were higher, he would need to use the CGI at that point. They are trying to concentrate on installing the additional monitoring wells, which I understand but sometimes he can be too "know it all."

Thanks again for your help!

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Wednesday, April 13, 2011 10:28 AM

To: BRITTAIN, ERIN

Subject: Re: well sampling letter

Erin,

I think I called the residents for well sampling at W. Vermont. I don't have a residential well request letter but I do have one for vapor intrusion. You can just change the wording. Also, I have attached our VI access agreement that we attach to the letter.

I wanted to follow up with you to find out what happened with methane in the wells at Michigan Plaza? Did Mundell ever screen them with a CGI?

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>

To: Shelly Lam/R5/USEPA/US@EPA

Date: 04/13/2011 10:03 AM

Subject: well sampling letter

Hi Shelly,

Could you send me EPA's standard letter that you would send to sample residential wells ? I'm guessing you probably sent letters out to sample the private wells last summer for the Vermont /Cossell Streets sampling event?

Thanks!

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

EPA-R5-2014-003611-81

Shelly Lam/R5/USEPA/US

04/14/2011 11:26 AM

To Heriberto Leon

cc

bcc

Subject Re: Cossell / West Vermont Site CIC

Thanks for the update.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Heriberto Leon

This is to let you know that Patricia and...

04/12/2011 11:35:26 AM

From: Heriberto Leon/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA, Paul Atkociunas/R5/USEPA/US@EPA, ptheveno@hhcorp.org, ebrittai@idem.in.gov
Cc: Patricia Krause/R5/USEPA/US@EPA
Date: 04/12/2011 11:35 AM
Subject: Cossell / West Vermont Site CIC

This is to let you know that Patricia and I have officially transitioned this site to me as the CIC . You may contact me directly for any community involvement follow up needed . (Patricia and I work well together, and I'm sure she'll help me out if I get stumped.) Please take a look at the updated website with the English and Spanish text and documents that were recently added.
<http://www.epa.gov/region5/sites/cossellvermont/>



Heriberto León | Community Involvement Coordinator

U.S. EPA | Superfund Division
77 W Jackson Blvd | SI-7J | Chicago, IL 60604
Phone 312.886.6163 | Fax 312.697.2754
<http://www.epa.gov/region5/>

EPA-R5-2014-003611-82

Pam Thevenow
<PTheveno@HHCorp.org>

04/15/2011 01:56 PM

To Shelly Lam

cc

bcc

Subject Cossell Vermont Street

Shelly

Any update on the Action Memo? As I understand the EPA process this is the next step.
What was the response from the PRP letter sent with the 30 day timeline?

BTW Adam thought the Crown Laundry meeting went well. Thanks for helping us get one more site safe.

Pam Thevenow
Water Quality & Hazardous Materials Management
3901 Meadows Drive
2nd Floor
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-83

Shelly Lam/R5/USEPA/US

04/15/2011 03:15 PM

To Pam Thevenow

cc

bcc

Subject Re: Cossell Vermont Street

Pam,

I spoke with our new OSC, Paul Atkociunas, about the action memo earlier today. He needs to make some revisions and send it back to our Office of Regional Counsel. Paul and I will both be in training next week and can talk more about it then.

We did hear from all the PRPs. They all basically said that they were interested in talking to us but wanted to see a nexus document that links them to the residential site. I recently had Weston send them a report documenting that based on hydrogeological conditions they are all potentially responsible especially in light of the fact that none of them have collected any data in the residential area showing that they're not responsible. Did you get a copy of the report? If not, please let me know and I will have Weston send you one.

The Crown Laundry meeting did go very well, and it's my pleasure to help with it.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Pam Thevenow

Shelly Any update on the Action Mem...

04/15/2011 02:56:44 PM

From: Pam Thevenow <PTheveno@HHCorp.org>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 04/15/2011 02:56 PM
Subject: Cossell Vermont Street

Shelly

Any update on the Action Memo? As I understand the EPA process this is the next step.
What was the response from the PRP letter sent with the 30 day timeline?

BTW Adam thought the Crown Laundry meeting went well. Thanks for helping us get one more site safe.

Pam Thevenow
Water Quality & Hazardous Materials Management
3901 Meadows Drive
2nd Floor
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-84

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

04/21/2011 01:41 PM

To Shelly Lam

cc

bcc

Subject VRAs

Hi Shelly,

Attached are the VRAs for Genuine Parts and Michigan Plaza . The VRA for Michigan Plaza is complete; however, the VRA for Genuine Parts is missing the first page and I believe an addendum was completed at some point to add a co-applicant. I've emailed Andy Gremos to ask if he has a complete copy of the VRA.

Let me know if you need anything else.

Have a good holiday weekend,

Erin Brittain

*Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management*

317/233-2991

ebrittai@idem.IN.gov



Genuine Parts VRA.pdf Michigan Plaza VRA.pdf

EPA-R5-2014-003611-85

Shelly Lam/R5/USEPA/US

04/25/2011 08:04 AM

To

cc

bcc

Subject West Vermont Call

Meeting

Date 04/26/2011

Time 01:00:00 PM to 02:00:00 PM

Chair Shelly Lam

Invitees

Required Nash.Thomas; Paul Atkociunas; Valerie Mullins

Optional Brian Schlieger; Donald Heller

FYI

Location Call-in number: 866-299-3188

Conference Code: 734-692-7663

EPA-R5-2014-003611-86

Donald Heller /R5/USEPA/US

04/26/2011 08:06 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call

EPA-R5-2014-003611-87

Thomas Nash/R5/USEPA/US

04/26/2011 12:12 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call

EPA-R5-2014-003611-88

Shelly Lam/R5/USEPA/US

04/27/2011 10:15 AM

To Paul Atkociunas

cc

bcc

Subject Re: Conference Call

In training today and tomorrow. Will call you tomorrow afternoon.

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Paul Atkociunas

----- Original Message -----

From: Paul Atkociunas

Sent: 04/27/2011 10:12 AM CDT

To: Shelly Lam

Subject: Conference Call

Shelly,

Sorry I missed out on the call - I have had several doctor's appointments the last couple of days (the injury with my foot ended up being a stress fracture)
If there are any updates, please let me know. I will contact Valerie regarding the Enforcement Addendum.

Thanks,
Paul

EPA-R5-2014-003611-89

Thomas Nash/R5/USEPA/US

04/29/2011 02:18 PM

To terri.czajka

cc Shelly Lam

bcc

Subject West Vermont Drinking Water Contamination

Terri:

I know you told me you were going to forward a copy of the nexus document we sent you to GM; and you told me also that Allison Transmission had an agreement under which GM was obligated to indemnify AT for certain environmental liabilities. You asked if we were going to provide a general notice to GM. Can you please provide contact information for the person at GM to whom you forwarded the nexus documentation? Please indicate if there is a different contact for the entity required to indemnify AT. We want to be sure any general notices we may send are correctly addressed.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-90

Shelly Lam/R5/USEPA/US

05/04/2011 12:31 PM

To Paul Atkociunas

cc

bcc

Subject West Vermont Action Memo

Hi Paul,

I wanted to follow up with you on the West Vermont action memo. I believe you said you might be out this week. Would you be able to send it to me and I can help revise it and get it into sign-off?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-91

Shelly Lam/R5/USEPA/US

05/06/2011 10:19 AM

To Adam Rickert

cc ptheveno

bcc

Subject Re: Cossell Vermont Neighborhood

Adam,

I am the lead OSC for this site. We are moving forward with enforcement to get the PRPs to install water lines. I have given our enforcement team a schedule for activities. If the PRPs are not willing to negotiate or to do so in a timely manner, the schedule includes EPA taking action and installing water lines this fall.

If you need more information, please let me know.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

-----Adam Rickert <ARickert@HHCorp.org> wrote: -----

To: Shelly Lam/R5/USEPA/US@EPA
From: Adam Rickert <ARickert@HHCorp.org>
Date: 05/05/2011 01:17PM
cc: ptheveno@hhcorp.org
Subject: Cossell Vermont Neighborhood

Hello Shelly,

I have not heard any recent updates for the Cossell Vermont neighborhood. Also, I wasn't sure if you are still the designated OSC for this area. Thank-you.

Adam Rickert, MPI, REHS
Department of Water Quality and Hazardous Materials Mgt
Marion County Health Department
3901 Meadows Drive
Indianapolis IN 46205

(317) 221-2298
Fax (317) 221-2288

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-92

Shelly Lam/R5/USEPA/US

05/09/2011 12:59 PM

To

cc

bcc

Subject West Vermont Street Conference Call (1 p.m. Eastern/12
p.m. Central)

Meeting

Date 05/11/2011

Time 12:00:00 PM to 01:00:00 PM

Chair Shelly Lam

Invitees

Required Donald Heller; Nash.Thomas; Paul Atkociunas; Valerie Mullins

Optional JOSEPH KAWECKI; JOSEPH MALEK

FYI

Location Call in #: 866-299-3188

Conference Code: 734-692-7663

EPA-R5-2014-003611-93

Paul
Atkociunas /R5/USEPA/US
05/09/2011 01:24 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Street Conference Call (1 p.m.
Eastern/12 p.m. Central)

EPA-R5-2014-003611-94

Thomas Nash/R5/USEPA/US

05/09/2011 01:46 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Street Conference Call (1 p.m.
Eastern/12 p.m. Central)

EPA-R5-2014-003611-95

Donald Heller /R5/USEPA/US

05/10/2011 07:49 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Street Conference Call (1 p.m.
Eastern/12 p.m. Central)

EPA-R5-2014-003611-96

Shelly Lam/R5/USEPA/US

05/13/2011 09:38 AM

To omprakash.patel

cc Paul Atkociunas

bcc

Subject West Vermont Report

Om,

If you have not done so already, please send a copy of the West Vermont Report to the Records Center.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-97

Shelly Lam/R5/USEPA/US

05/13/2011 09:59 AM

To "Om Patel"

cc

bcc

Subject Re: West Vermont Report

Thanks.

Shelly Lam, PG, On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

From: "Patel, Omprakash" [Omprakash.Patel@WestonSolutions.com]
Sent: 05/13/2011 10:57 AM AST
To: Shelly Lam
Subject: RE: West Vermont Report

I will send it out today. Thanks.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Friday, May 13, 2011 9:39 AM
To: Patel, Omprakash
Cc: Atkociunas.Paul@epamail.epa.gov
Subject: West Vermont Report

Om,

If you have not done so already, please send a copy of the West Vermont Report to the Records Center.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-98

Shelly Lam/R5/USEPA/US

05/20/2011 02:14 PM

To Gary Newhart

cc

bcc

Subject West Vermont Street Reports

Gary,

I have posted a number of files to the documents section of West Vermont Street website (http://www.epaosc.org/site/doc_list.aspx?site_id=6670). The documents are all private so you will need to login to see them. Weston's Tech Memo is probably a good place to start since it will give you information on all the sites. I would appreciate if you could also look at Michigan Plaza's Response to our General Notice Letter. If there is anything else you think you need, let me know and I will get it from the state or our RCRA program.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-99

Thomas Nash/R5/USEPA/US

05/20/2011 03:42 PM

To "McInerny, Daniel"

cc Bob Mowrey, Doug Cloud, Shelly Lam, Brian Schlieger, Paul Atkociunas, terri.czajka

bcc

Subject Re: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dan:

Thanks.

About the June meeting with EPA in Chicago:

I've heard from the attorney from Genuine Parts. His client wants to meet with us the following week, in the June 14-15-16 timeframe. We'd be looking at a 10:00 am start. I'll reserve a room for four hours just in case the meeting runs a bit long, though I doubt we'll need anything like that much time.

I assume you may still not know whether your client wants you to attend, but will your schedule allow you time to make a meeting on all or any one of those dates (10:00-2:00 on June 14, 15 or 16)?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

"McInerny, Daniel"

Dear Ms. Lam and Mr. Nash, Attach...

05/20/2011 08:46:39 AM

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Shelly Lam/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: "Hilty, Eric (Denver)" <Eric.Hilty@aimco.com>
Date: 05/20/2011 08:46 AM
Subject: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dear Ms. Lam and Mr. Nash,
Attached is my client's technical response to the EPA regarding the West Vermont Drinking Water Site. I apologize for the reduced size of the second attachment. We can't figure out why it looks shrunken, but it prints regular size. Dan

Daniel P. McInerny
Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com

Direct phone: 317-684-5102

www.boselaw.com

From: Schulz, Melody

Sent: Friday, May 20, 2011 9:33 AM

To: McInerny, Daniel

Subject: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF



Melody S. Schulz

Paralegal

E-mail: MSchulz@boselaw.com

Direct phone: 317-684-5106

Direct fax: 317-223-0606

www.boselaw.com

Assistant Contact

Dannalyn G. Garner - Administrative Assistant

E-mail: DGarner@boselaw.com

Direct phone: 317-684-5227

Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204

Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.[attachment "AMMH_W. Vermont_ Letter to Valerie Mullins.PDF" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-100

Thomas Nash/R5/USEPA/US

05/20/2011 03:45 PM

To "McInerny, Daniel"

cc Bob Mowrey, Doug Cloud, Shelly Lam, Brian Schlieger, Paul
Atkociunas, terri.czajka

bcc

Subject Re: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

Dan:

Thanks.

About the June meeting with EPA in Chicago:

I've heard from the attorney from Genuine Parts. His client wants to meet with us the following week, in the June 14-15-16 timeframe. We'd be looking at a 10:00 am start. I'll reserve a room for four hours just in case the meeting runs a bit long, though I doubt we'll need anything like that much time.

I assume you may still not know whether your client wants you to attend, but will your schedule allow you time to make a meeting on all or any one of those dates (10:00-2:00 on June 14, 15 or 16)?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

"McInerny, Daniel"

Dear Ms. Lam and Mr. Nash, Attach...

05/20/2011 08:46:39 AM

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Shelly Lam/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: "Hilty, Eric (Denver)" <Eric.Hilty@aimco.com>
Date: 05/20/2011 08:46 AM
Subject: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dear Ms. Lam and Mr. Nash,
Attached is my client's technical response to the EPA regarding the West Vermont Drinking Water Site. I apologize for the reduced size of the second attachment. We can't figure out why it looks shrunken, but it prints regular size. Dan

Daniel P. McInerny

Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

From: Schulz, Melody
Sent: Friday, May 20, 2011 9:33 AM
To: McInerny, Daniel
Subject: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF



Melody S. Schulz

Paralegal
E-mail: MSchulz@boselaw.com
Direct phone: 317-684-5106
Direct fax: 317-223-0606
www.boselaw.com

Assistant Contact

Dannalyn G. Garner - Administrative Assistant
E-mail: DGarner@boselaw.com
Direct phone: 317-684-5227
Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204
Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.[attachment "AMMH_W. Vermont_ Letter to Valerie Mullins.PDF" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-101

Thomas Nash/R5/USEPA/US

05/20/2011 03:52 PM

To terri.czakja

cc Shelly Lam, Brian Schlieger, Paul Atkociunas, Bob Mowrey,
Doug Cloud

bcc

Subject West Vermont Site Meeting with EPA in Chicago

Terri:

About the June meeting with EPA in Chicago:

I've heard from the attorney from Genuine Parts. His client wants to meet with us the following week, in the June 14-15-16 timeframe. We'd be looking at a 10:00 am start. I'll reserve a room for four hours just in case the meeting runs a bit long, though I doubt we'll need anything like that much time.

I hope your schedule will allow you time to make that meeting in Chicago on all or any one of those dates (10:00-2:00 on June 14, 15 or 16)? Please let me know your availability in that time frame.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-102

Thomas Nash/R5/USEPA/US

05/20/2011 03:55 PM

To Bob Mowrey

cc Doug Cloud, Shelly Lam, Paul Atkociunas, Brian Schlieger

bcc

Subject Re: West Vermont

Bob:

I'm working on it. I'll try to arrange a meeting in that timeframe (June 14, 15 or 16) with a 10:00 am start.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

Bob Mowrey

Tom, following up our call of yesterday,...

05/20/2011 06:55:37 AM

From: Bob Mowrey <bob.mowrey@m2c2law.com>
To: Thomas Nash/R5/USEPA/US@EPA
Cc: Doug Cloud <doug.cloud@m2c2law.com>
Date: 05/20/2011 06:55 AM
Subject: West Vermont

Tom, following up our call of yesterday, one of the GPC folks who would attend any meeting is not available on June 10. Tuesday, Wednesday, or Thursday (June 15-17) of the following week are currently available. Can you let me know if it is possible to check with the other two companies and the OSC about those dates?

Thanks very much.
Bob

Atlanta * Washington
www.m2c2law.com

Robert D. Mowrey
1100 Peachtree Street, Suite 650
Atlanta, Georgia 30309
phone: (404) 969-0737
fax: (404) 335-7220
email: bob.mowrey@m2c2law.com

ADDRESS CHANGE! Our Atlanta office is expanding and relocating. Our new address is 1100 Peachtree Street, Suite 650, Atlanta, GA 30309.

NOTICE: This message (including any attachments) from Mowrey Meezan Coddington Cloud LLP may constitute an attorney-client communication and may contain information that is PRIVILEGED and CONFIDENTIAL and /or ATTORNEY WORK PRODUCT. If you are not an intended recipient, you are hereby notified that any dissemination of this message is strictly prohibited. If you have received this message in error, please do not read, copy or forward this message. Please permanently delete all copies and any attachments and notify the sender immediately via e-mail or by phone (404-969-0737).

EPA-R5-2014-003611-103

Thomas Nash/R5/USEPA/US

05/20/2011 03:58 PM

To terri.czajka

cc Shelly Lam, Brian Schlieger, Paul Atkociunas, Bob Mowrey,
Doug Cloud

bcc

Subject West Vermont Site Meeting with EPA in Chicago

Hi Terry:

Gosh, I used to think I could spell, but I've mistyped your name twice running. Please see resent message, below. My apologies to all on the cc list for the repeated messages.

Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

Terri:

About the June meeting with EPA in Chicago:

I've heard from the attorney from Genuine Parts. His client wants to meet with us the following week, in the June 14-15-16 timeframe. We'd be looking at a 10:00 am start. I'll reserve a room for four hours just in case the meeting runs a bit long, though I doubt we'll need anything like that much time.

I hope your schedule will allow you time to make that meeting in Chicago on all or any one of those dates (10:00-2:00 on June 14, 15 or 16)? Please let me know your availability in that time frame.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you

received this message in error or if you are not the intended recipient , please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful .

EPA-R5-2014-003611-104

Thomas Nash/R5/USEPA/US

05/23/2011 10:42 AM

To terri.czajka

cc Shelly Lam, Paul Atkociunas, Brian Schlieger, Bob Mowrey
bcc

Subject Fw: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Terri:

Looks like Mr. McInerny (attorney for AIMCO) can work with those days (June 14, 15 or 16), and the start time (10:00 am) I proposed to accommodate the attorneys for Genuine Parts, regarding a meeting with EPA in Chicago. I hope these days (June 14, 15 or 16) work for you as well. Please let me know your availability.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 05/23/2011 10:32 AM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 05/23/2011 07:00 AM
Subject: RE: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Hi Tom,
Yes, those dates and times work. Dan

Daniel P. McInerny

Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, May 20, 2011 4:43 PM
To: McInerny, Daniel
Cc: Bob Mowrey; Doug Cloud; Lam.Shelly@epamail.epa.gov; Schlieger.Brian@epamail.epa.gov; Atkociunas.Paul@epamail.epa.gov; terri.czajka@icemiller.com
Subject: Re: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dan:

Thanks.

About the June meeting with EPA in Chicago:

I've heard from the attorney from Genuine Parts. His client wants to meet with us the following week, in the June 14-15-16 timeframe. We'd be looking at a 10:00 am start. I'll reserve a room for four hours just in case the meeting runs a bit long, though I doubt we'll need anything like that much time.

I assume you may still not know whether your client wants you to attend, but will your schedule allow you time to make a meeting on all or any one of those dates (10:00-2:00 on June 14, 15 or 16)?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Shelly Lam/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: "Hilty, Eric (Denver)" <Eric.Hilty@aimco.com>
Date: 05/20/2011 08:46 AM
Subject: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dear Ms. Lam and Mr. Nash,
Attached is my client's technical response to the EPA regarding the West Vermont Drinking Water Site. I apologize for the reduced size of the second attachment. We can't figure out why it looks shrunken, but it prints regular size.
Dan

Daniel P. McInerny
Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

From: Schulz, Melody
Sent: Friday, May 20, 2011 9:33 AM
To: McInerny, Daniel
Subject: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF



Melody S. Schulz
Paralegal
E-mail: MSchulz@boselaw.com
Direct phone: 317-684-5106
Direct fax: 317-223-0606
www.boselaw.com

Assistant Contact
Dannalyn G. Garner - Administrative Assistant
E-mail: DGarner@boselaw.com
Direct phone: 317-684-5227
Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204
Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.[attachment "AMMH_W. Vermont_ Letter to Valerie Mullins.PDF" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-105

"Czajka, Terri A"
<Terri.Czajka@icemiller.com>

05/23/2011 10:46 AM

To Thomas Nash

cc Shelly Lam, Paul Atkociunas, Brian Schlieger, "Bob Mowrey"

bcc

Subject RE: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Good morning, Tom. Yes, I left you a voicemail message about 10 minutes ago that we can make all of those days and a 10am start time work. Thanks- Terri

-----Original Message-----

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]

Sent: Monday, May 23, 2011 11:43 AM

To: Czajka, Terri A

Cc: Lam.Shelly@epamail.epa.gov; Atkociunas.Paul@epamail.epa.gov;

Schlieger.Brian@epamail.epa.gov; Bob Mowrey

Subject: Fw: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Terri:

Looks like Mr. McInerny (attorney for AIMCO) can work with those days (June 14, 15 or 16), and the start time (10:00 am) I proposed to accommodate the attorneys for Genuine Parts, regarding a meeting with EPA in Chicago. I hope these days (June 14, 15 or 16) work for you as well. Please let me know your availability.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 05/23/2011 10:32 AM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>

To: Thomas Nash/R5/USEPA/US@EPA

Date: 05/23/2011 07:00 AM

Subject: RE: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Hi Tom,
Yes, those dates and times work. Dan

Daniel P. McInerny
Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, May 20, 2011 4:43 PM
To: McInerny, Daniel
Cc: Bob Mowrey; Doug Cloud; Lam.Shelly@epamail.epa.gov; Schlieger.Brian@epamail.epa.gov; Atkociunas.Paul@epamail.epa.gov; terri.czaijka@icemiller.com
Subject: Re: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dan:

Thanks.

About the June meeting with EPA in Chicago:

I've heard from the attorney from Genuine Parts. His client wants to meet with us the following week, in the June 14-15-16 timeframe. We'd be looking at a 10:00 am start. I'll reserve a room for four hours just in case the meeting runs a bit long, though I doubt we'll need anything like that much time.

I assume you may still not know whether your client wants you to attend, but will your schedule allow you time to make a meeting on all or any one of those dates (10:00-2:00 on June 14, 15 or 16)?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Shelly Lam/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: "Hilty, Eric (Denver)" <Eric.Hilty@aimco.com>
Date: 05/20/2011 08:46 AM
Subject: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF
:

Dear Ms. Lam and Mr. Nash,
Attached is my client's technical response to the EPA regarding the West Vermont Drinking Water Site. I apologize for the reduced size of the second attachment. We can't figure out why it looks shrunken, but it prints regular size. Dan

Daniel P. McInerny
Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102

www.boselaw.com

From: Schulz, Melody
Sent: Friday, May 20, 2011 9:33 AM
To: McInerny, Daniel
Subject: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

(Embedded
image moved to
file:
pic13007.gif)
Description:
Description:
Description:
<http://www2.boselaw.com/email/bmelogo.gif>

Melody S. Schulz
Paralegal
E-mail: MSchulz@boselaw.com
Direct phone: 317-684-5106
Direct fax: 317-223-0606
www.boselaw.com

Assistant Contact
Dannalyn G. Garner - Administrative
Assistant
E-mail: DGarner@boselaw.com
Direct phone: 317-684-5227
Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 |
Indianapolis, Indiana 46204
Main phone: 317-684-5000 | Main fax:
317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all

copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.[attachment "AMMH W. Vermont Letter to Valerie Mullins.PDF" deleted by Thomas Nash/R5/USEPA/US]

CIRCULAR 230 DISCLOSURE: Except to the extent that this advice concerns the qualification of any qualified plan, to ensure compliance with U.S. Treasury Department Regulations, we are now required to advise you that, unless otherwise expressly indicated, any federal tax advice contained in this communication, including any attachments, is not intended or written by us to be used, and cannot be used, by anyone for the purpose of avoiding federal tax penalties that may be imposed by the federal government or for promoting, marketing or recommending to another party any tax-related matters addressed herein.

CONFIDENTIALITY NOTICE:

This E-mail and any attachments are confidential and may be protected by legal privilege. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of this E-mail or any attachment is prohibited. If you have received this E-mail in error, please notify us immediately by returning it to the sender and delete this copy from your system. Thank you.

ICE MILLER LLP

EPA-R5-2014-003611-106

Shelly Lam/R5/USEPA/US

05/24/2011 08:40 AM

To ebrittai

cc

bcc

Subject Michigan Plaza Question

Hi Erin,

I'm reviewing the response from AIMCO to our general notice letter. Mundell claims that "groundwater impacts from former Allison Plant 12 operations have been identified" at their site. Is there any evidence for this? If so, how were they able to determine that the contamination was attributable to Allison and not coming from their own site?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-107

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
05/24/2011 08:46 AM

To Shelly Lam
cc
bcc
Subject RE: Michigan Plaza Question

*Hi Shelly,
Do you think they meant Allison Plant 10, which is Genuine Parts? I don't think there is any evidence pointing to Allison Plant 12. None that I have seen and none that they have shown me.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, May 24, 2011 9:41 AM
To: BRITTAIN, ERIN
Subject: Michigan Plaza Question

Hi Erin,

I'm reviewing the response from AIMCO to our general notice letter. Mundell claims that "groundwater impacts from former Allison Plant 12 operations have been identified" at their site. Is there any evidence for this? If so, how were they able to determine that the contamination was attributable to Allison and not coming from their own site?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-108

Shelly Lam/R5/USEPA/US

05/24/2011 08:48 AM

To "BRITTAI, ERIN"

cc

bcc

Subject RE: Michigan Plaza Question

Their letter says Allison Plant 12.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

-----"BRITTAI, ERIN" <EBRITTAI@idem.IN.gov> wrote: -----

To: Shelly Lam/R5/USEPA/US@EPA

From: "BRITTAI, ERIN" <EBRITTAI@idem.IN.gov>

Date: 05/24/2011 09:46AM

Subject: RE: Michigan Plaza Question

Hi Shelly,

Do you think they meant Allison Plant 10, which is Genuine Parts? I don't think there is any evidence pointing to Allison Plant 12. None that I have seen and none that they have shown me.

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Tuesday, May 24, 2011 9:41 AM

To: BRITTAI, ERIN

Subject: Michigan Plaza Question

Hi Erin,

I'm reviewing the response from AIMCO to our general notice letter. Mundell claims that "groundwater impacts from former Allison Plant 12 operations have been identified" at their site. Is there any evidence for this? If so, how were they able to determine that the

contamination was attributable to Allison and not coming from their own site ?

Thanks,

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-109

Shelly Lam/R5/USEPA/US

05/24/2011 10:49 AM

To "BRITTAİN, ERIN"

cc

bcc

Subject RE: Michigan Plaza Question

I've asked my attorney if I can share the AIMCO response with you guys. If he agrees, I would like your feedback. In my opinion, Mundell has ignored and misinterpreted data. For example, on the potentiometric surface maps, the contours are not consistent with the gauging data. There is a southwesterly component to flow that they are ignoring.

I'll let you know as soon I hear from my attorney.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

"BRITTAİN, ERIN"

Hi Shelly, Do you think they meant...

05/24/2011 09:46:10 AM

From: "BRITTAİN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 05/24/2011 09:46 AM
Subject: RE: Michigan Plaza Question

*Hi Shelly,
Do you think they meant Allison Plant 10, which is Genuine Parts? I don't think there is any evidence pointing to Allison Plant 12. None that I have seen and none that they have shown me.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, May 24, 2011 9:41 AM
To: BRITTAİN, ERIN
Subject: Michigan Plaza Question

Hi Erin,

I'm reviewing the response from AIMCO to our general notice letter. Mundell claims that "groundwater impacts from former Allison Plant 12 operations have been identified" at their site. Is there any evidence for this? If so, how were they able to determine that the contamination was attributable to Allison and not coming from their own site?

Thanks,

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-110

Thomas Nash/R5/USEPA/US

05/24/2011 03:16 PM

To terri.czajka, Bob Mowrey, "McInerney, Daniel"

cc Paul Atkociunas, Brian Schlieger, Shelly Lam

bcc

Subject West Vermont Street Drinking Water Contamination
Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Terri, Bob, Dan:

Thursday June 16, 2011 (10:00 am-2:00 pm) will be the date for the meeting in Chicago, at EPA's offices at 77 W. Jackson Blvd, to discuss the actions to be taken at the West Vermont Street Drinking Water Contamination Site. I have received responses from all of you indicating that you have that day open on your calendars to participate in a meeting with U.S. EPA here in our Chicago offices.

We will reserve a room and provide you with the room information as soon as we can. Several of you indicated that you want to bring a client, a consultant, another lawyer or some other colleague with you. We'll try to be sure we have adequate resources to accommodate all participants. Would you each please let me have a list of the people you will be or may be bringing to Chicago for this meeting? I'll reply with a message indicating who will be present for EPA.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-111

"Czajka, Terri A"
<Terri.Czajka@icemiller.com>

05/24/2011 07:49 PM

To Thomas Nash, bob.mowrey, dmcinerny
cc Paul Atkociunas, Brian Schlieger, Shelly Lam
bcc

Subject Re: West Vermont Street Drinking Water Contamination
Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Thanks, Tom. Yes, June 16 is fine for Allison Transmission, Inc. With me at the meeting will be Sue Barto with Allison's environmental team and John Houser with The Payne Firm. Please let me know if you have any questions in the meantime. Take care - Terri

----- Original Message -----

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Tuesday, May 24, 2011 04:16 PM
To: Czajka, Terri A; Bob Mowrey <bob.mowrey@m2c2law.com>; McInerny, Daniel <dmcinerny@boselaw.com>
Cc: Atkociunas.Paul@epamail.epa.gov <Atkociunas.Paul@epamail.epa.gov>; Schlieger.Brian@epamail.epa.gov <Schlieger.Brian@epamail.epa.gov>; Lam.Shelly@epamail.epa.gov <Lam.Shelly@epamail.epa.gov>
Subject: West Vermont Street Drinking Water Contamination Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Terri, Bob, Dan:

Thursday June 16, 2011 (10:00 am-2:00 pm) will be the date for the meeting in Chicago, at EPA's offices at 77 W. Jackson Blvd, to discuss the actions to be taken at the West Vermont Street Drinking Water Contamination Site. I have received responses from all of you indicating that you have that day open on your calendars to participate in a meeting with U.S. EPA here in our Chicago offices.

We will reserve a room and provide you with the room information as soon as we can. Several of you indicated that you want to bring a client, a consultant, another lawyer or some other colleague with you. We'll try to be sure we have adequate resources to accommodate all participants. Would you each please let me have a list of the people you will be or may be bringing to Chicago for this meeting? I'll reply with a message indicating who will be present for EPA.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you

are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

CIRCULAR 230 DISCLOSURE: Except to the extent that this advice concerns the qualification of any qualified plan, to ensure compliance with U.S. Treasury Department Regulations, we are now required to advise you that, unless otherwise expressly indicated, any federal tax advice contained in this communication, including any attachments, is not intended or written by us to be used, and cannot be used, by anyone for the purpose of avoiding federal tax penalties that may be imposed by the federal government or for promoting, marketing or recommending to another party any tax-related matters addressed herein.

CONFIDENTIALITY NOTICE:

This E-mail and any attachments are confidential and may be protected by legal privilege. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of this E-mail or any attachment is prohibited. If you have received this E-mail in error, please notify us immediately by returning it to the sender and delete this copy from your system. Thank you.

ICE MILLER LLP

EPA-R5-2014-003611-112

Shelly Lam/R5/USEPA/US

05/25/2011 08:36 AM

To Gary Newhart

cc

bcc

Subject Fw: West Vermont Street Drinking Water Contamination
Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Gary,

We are having a meeting with the PRPs for the West Vermont Street site on June 16 in Chicago. Would your schedule allow you to attend or participate by phone? If not, that's okay.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 05/25/2011 09:35 AM -----

From: Thomas Nash/R5/USEPA/US
To: terri.czajka@icemiller.com, Bob Mowrey <bob.mowrey@m2c2law.com>, "McInerny, Daniel" <dmcinerny@boselaw.com>
Cc: Paul Atkociunas/R5/USEPA/US@EPA, Brian Schlieger/R5/USEPA/US@EPA, Shelly Lam/R5/USEPA/US@EPA
Date: 05/24/2011 04:16 PM
Subject: West Vermont Street Drinking Water Contamination Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Terri, Bob, Dan:

Thursday June 16, 2011 (10:00 am-2:00 pm) will be the date for the meeting in Chicago, at EPA's offices at 77 W. Jackson Blvd, to discuss the actions to be taken at the West Vermont Street Drinking Water Contamination Site. I have received responses from all of you indicating that you have that day open on your calendars to participate in a meeting with U.S. EPA here in our Chicago offices.

We will reserve a room and provide you with the room information as soon as we can. Several of you indicated that you want to bring a client, a consultant, another lawyer or some other colleague with you. We'll try to be sure we have adequate resources to accommodate all participants. Would you each please let me have a list of the people you will be or may be bringing to Chicago for this meeting? I'll reply with a message indicating who will be present for EPA.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747

email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-113

Shelly Lam/R5/USEPA/US

05/25/2011 11:39 AM

To STEPHEN OSTRODKA

cc

bcc

Subject Hydrogeological Support

Steve,

I need a hydrogeologist to provide technical support on a PRP-lead project. Can you recommend someone good who is available over the next few weeks?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-114

Gary Newhart/CI/USEPA/US

05/25/2011 02:11 PM

To Shelly Lam

cc

bcc

Subject Re: Fw: West Vermont Street Drinking Water Contamination Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Hi Shelly,

Thanks for the e-mail; I hope you are well and not too busy. I'd be happy to attend, and will ask for the schedulers here to accommodate me. If not, I'll be on the phone.

Thanks,

Gary

Gary Newhart, P.G.
Geotechnical Engineer / Environmental Scientist, USEPA/ERT
Cincinnati, Ohio
513-470-8662

We must all hang together or most assuredly we shall all hang separately - Benjamin Franklin

As bad as it is, it could be a hell of a lot worse - Lance Armstrong

Shelly Lam

Gary, We are having a meeting with the...

05/25/2011 09:36:45 AM

From: Shelly Lam/R5/USEPA/US
To: Gary Newhart/CI/USEPA/US@EPA
Date: 05/25/2011 09:36 AM
Subject: Fw: West Vermont Street Drinking Water Contamination Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Gary,

We are having a meeting with the PRPs for the West Vermont Street site on June 16 in Chicago. Would your schedule allow you to attend or participate by phone? If not, that's okay.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 05/25/2011 09:35 AM -----

From: Thomas Nash/R5/USEPA/US
To: terri.czajka@icemiller.com, Bob Mowrey <bob.mowrey@m2c2law.com>, "McInerny, Daniel" <dmcinerny@boselaw.com>
Cc: Paul Atkociunas/R5/USEPA/US@EPA, Brian Schlieger/R5/USEPA/US@EPA, Shelly

Lam/R5/USEPA/US@EPA
Date: 05/24/2011 04:16 PM
Subject: West Vermont Street Drinking Water Contamination Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Terri, Bob, Dan:

Thursday June 16, 2011 (10:00 am-2:00 pm) will be the date for the meeting in Chicago, at EPA's offices at 77 W. Jackson Blvd, to discuss the actions to be taken at the West Vermont Street Drinking Water Contamination Site. I have received responses from all of you indicating that you have that day open on your calendars to participate in a meeting with U.S. EPA here in our Chicago offices.

We will reserve a room and provide you with the room information as soon as we can. Several of you indicated that you want to bring a client, a consultant, another lawyer or some other colleague with you. We'll try to be sure we have adequate resources to accommodate all participants. Would you each please let me have a list of the people you will be or may be bringing to Chicago for this meeting? I'll reply with a message indicating who will be present for EPA.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-115

**STEPHEN
OSTRODKA/R5/USEPA/US**

05/25/2011 03:29 PM

To Shelly Lam

cc Bob Kay

bcc

Subject Re: Hydrogeological Support

Shelly,

You can work with Bob Kay, the USGS geologist who works in Field Services Section .

Steve Ostrodka, Chief
Field Services Section
U. S. Environmental Protection Agency
Region 5, Superfund Division
77 West Jackson Blvd.
Chicago, IL 60604
office phone: 312-886-3011
cell phone: 312-802-5251
fax: 312-692-2162
e-mail: ostrodka.stephen@epa.gov

Shelly Lam

[Steve, I need a hydrogeologist to provi...](#)

05/25/2011 11:40:05 AM

From: Shelly Lam/R5/USEPA/US
To: STEPHEN OSTRODKA/R5/USEPA/US@EPA
Date: 05/25/2011 11:40 AM
Subject: Hydrogeological Support

Steve,

I need a hydrogeologist to provide technical support on a PRP-lead project. Can you recommend someone good who is available over the next few weeks?

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-116

"McInerny, Daniel"
<dmcinerny@boselaw.com>
05/26/2011 01:48 PM

To Thomas Nash, terri.czajka, "Bob Mowrey"
cc Paul Atkociunas, Brian Schlieger, Shelly Lam, "Hilty, Eric
(Denver)"
bcc
Subject RE: West Vermont Street Drinking Water Contamination
Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Tom,

The Michigan Plaza site is neither a source, nor a potential source, of the vinyl chloride contamination at the West Vermont St. residences. Based upon this fact, as set forth in detail in our consultant's technical response, my client respectfully declines to participate in the meeting on June 16, 2011. Dan McInerny

Daniel P. McInerny
Bose McKinney & Evans LLP
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
www.boselaw.com

-----Original Message-----

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Tuesday, May 24, 2011 4:17 PM
To: terri.czajka@icemiller.com; Bob Mowrey; McInerny, Daniel
Cc: Atkociunas.Paul@epamail.epa.gov; Schlieger.Brian@epamail.epa.gov;
Lam.Shelly@epamail.epa.gov
Subject: West Vermont Street Drinking Water Contamination Site--meeting in
Chicago, June 16, 10:00 am-2:00 pm

Terri, Bob, Dan:

Thursday June 16, 2011 (10:00 am-2:00 pm) will be the date for the meeting in Chicago, at EPA's offices at 77 W. Jackson Blvd, to discuss the actions to be taken at the West Vermont Street Drinking Water Contamination Site. I have received responses from all of you indicating that you have that day open on your calendars to participate in a meeting with U.S. EPA here in our Chicago offices.

We will reserve a room and provide you with the room information as soon as we can. Several of you indicated that you want to bring a client, a consultant, another lawyer or some other colleague with you. We'll try to be sure we have adequate resources to accommodate all participants. Would you each please let me have a list of the people you will be or may be bringing to Chicago for this meeting? I'll reply with a message indicating who will be present for EPA.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee. If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege. All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-117

Shelly Lam/R5/USEPA/US

05/31/2011 02:06 PM

To Bob Kay

cc

bcc

Subject West Vermont Street Documents

Hi Bob,

Below is the link for the website for the West Vermont Drinking Water Contamination Site .

http://www.epaossc.org/site/doc_list.aspx?site_id=6670

You need to click on Login, then Register Here to obtain an account. After you log in, you can access the reports from the Documents section of the website. The first thing to review would be the report from Weston titled West Vermont Street Tech Memo to EPA Final. The category for the map and accompanying figures is Hydro Report.

The second thing to review would be the response from AMMH to our General Notice letter . It is titled AMMH W. Vermont Letter to Valerie Mullins. After that, you should look at reports for Genuine Parts and Allison Transmission.

If you have any questions, let me know. Let's touch base on Thursday.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-118

"Patel, Omprakash"
<Omprakash.Patel@WestonSolutions.com>

06/01/2011 09:20 AM

To Shelly Lam

cc

bcc

Subject Response to PRP Letters for West Vermont Site .

Shelly,

Today I was informed by Ben Maradkel that you wanted assistant to respond to PRP letters. We would be glad to provide the support. If you want us to prepare a response to comments please send the letters to me. If you have any questions please call me. Thanks.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-119

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

06/01/2011 02:06 PM

To Shelly Lam

cc

bcc

Subject RE: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Hi Shelly,

Sarah just sent me her comments from reviewing the EPA letter from Mundell. I'm planning on sending a letter in response to that as well as their work plan approval request that they sent me a few weeks ago too. Do you want me to send you Sarah's comments or wait until I generate the formal letter with her comments?

Also, Andy Gremos left a voicemail message for me and said he is planning on sending me their additional data tomorrow, which I will forward to you as soon as I get it.

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Tuesday, May 24, 2011 12:16 PM

To: BRITTAIN, ERIN

Subject: Fw: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Erin,

I received clearance from our Office of Regional Counsel to send you AIMCO's response to the general notice letter (see attached). I would appreciate any feedback IDEM can provide.

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 05/24/2011 12:13 PM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>

To: Shelly Lam/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA

Cc: "Hilty, Eric (Denver)" <Eric.Hilty@aimco.com>

Date: 05/20/2011 09:46 AM

Subject: FW: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF

Dear Ms. Lam and Mr. Nash,
Attached is my client's technical response to the EPA regarding the West Vermont Drinking Water Site. I apologize for the reduced size of the second attachment. We can't figure out why it looks shrunken, but it prints regular size. Dan

Daniel P. McInerny

Bose McKinney & Evans LLP

E-mail: DMcInerny@boselaw.com

Direct phone: 317-684-5102

www.boselaw.com

From: Schulz, Melody

Sent: Friday, May 20, 2011 9:33 AM

To: McInerny, Daniel

Subject: AMMH_W. Vermont_ Letter to Valerie Mullins.PDF



Melody S. Schulz

Paralegal

E-mail: MSchulz@boselaw.com

Direct phone: 317-684-5106

Direct fax: 317-223-0606

www.boselaw.com

Assistant Contact

Dannalyn G. Garner - Administrative Assistant

E-mail: DGarner@boselaw.com

Direct phone: 317-684-5227

Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204

Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not

authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-120

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
06/03/2011 06:40 AM

To Shelly Lam
cc
bcc
Subject FW: Genuine Parts #6991004

*Hi Shelly,
Attached is the additional work that Genuine Parts conducted. Let me know if you have any questions.*

Thanks,

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991*

ebrittai@idem.IN.gov

From: Andy Gremos [mailto:agremos@environcorp.com]

Sent: Thursday, June 02, 2011 4:08 PM

To: BRITTAIN, ERIN

Cc: Bob_Lewis@genpt.com

Subject: Genuine Parts #6991004

Erin,

Attached is a letter report describing the findings of the push probe investigation completed in the area of MW-170D. We will also provide two hard copies by regular mail. Let me know if you have any questions regarding the report. Thanks,

Andrew A. Gremos, LPG, CHMM | Principal Consultant

ENVIRON | www.environcorp.com

One Indiana Square, Suite 2550 Indianapolis, IN 46204

V: 317.423.8710 | C: 317.213.4352 | F: 317.423.8720

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to email@environcorp.com and immediately



delete all copies of the message. Push Probe Investigation-6-2-11.pdf

EPA-R5-2014-003611-121

Shelly Lam/R5/USEPA/US

06/03/2011 09:04 AM

To "Mr. Thomas Nash", Paul Atkociunas, Brian Schlieger

cc Gary Newhart, "Bob Kay", "Om Patel"

bcc

Subject Fw: Genuine Parts #6991004

See attached.

Shelly Lam, LPG

Federal On-Scene Coordinator

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

U.S. Environmental Protection Agency

2525 N. Shadeland Avenue, Suite 100

Indianapolis, IN 46219

From: "BRITTAI, ERIN" [EBRITTAI@idem.IN.gov]

Sent: 06/03/2011 07:40 AM AST

To: Shelly Lam

Subject: FW: Genuine Parts #6991004

Hi Shelly,

Attached is the additional work that Genuine Parts conducted. Let me know if you have any questions.

Thanks,

Erin Brittain

Voluntary Remediation Program Project Manager

Indiana Department of Environmental Management

317/233-2991

ebrittai@idem.IN.gov

From: Andy Gremos [mailto:agremos@environcorp.com]

Sent: Thursday, June 02, 2011 4:08 PM

To: BRITTAI, ERIN

Cc: Bob_Lewis@genpt.com

Subject: Genuine Parts #6991004

Erin,

Attached is a letter report describing the findings of the push probe investigation completed in the area of MW-170D. We will also provide two hard copies by regular mail. Let me know if you have any questions regarding the report. Thanks,

Andrew A. Gremos, LPG, CHMM | Principal Consultant

ENVIRON | www.vironcorp.com
One Indiana Square, Suite 2550 Indianapolis, IN 46204
V: 317.423.8710 | C: 317.213.4352 | F: 317.423.8720

This message contains information that may be confidential, privileged or otherwise protected by law from disclosure. It is intended for the exclusive use of the Addressee(s). Unless you are the addressee or authorized agent of the addressee, you may not review, copy, distribute or disclose to anyone the message or any information contained within. If you have received this message in error, please contact the sender by electronic reply to email@vironcorp.com and immediately



delete all copies of the message. Push Probe Investigation-6-2-11.pdf

EPA-R5-2014-003611-122

Shelly Lam/R5/USEPA/US

06/06/2011 08:56 AM

To

cc

bcc

Subject West Vermont Call (1:30 p.m. Eastern/12:30 p.m. Central)

Meeting

Date 06/08/2011

Time 12:30:00 PM to 01:30:00 PM

Chair Shelly Lam

Invitees

Required Bob Kay; Donald Heller; Gary Newhart; Nash.Thomas; Paul Atkociunas;
Valerie Mullins

Optional

FYI

Location Call-in #: 866-299-3188

Conference Code: 734-692-7663

The time has been changed so that Bob Kay can participate on the call .

EPA-R5-2014-003611-123

Thomas Nash/R5/USEPA/US

06/06/2011 09:18 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call (3 p.m. Eastern/2 p.m. Central)

EPA-R5-2014-003611-124

Paul
Atkociunas /R5/USEPA/US
06/06/2011 01:27 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call (3 p.m. Eastern/2 p.m. Central)

EPA-R5-2014-003611-125

Gary Newhart/CI/USEPA/US

06/07/2011 06:44 AM

To Shelly Lam

cc

bcc

Subject Accepted:West Vermont Call (3 p.m. Eastern/2 p.m.Central)

EPA-R5-2014-003611-126

Gary Newhart/CI/USEPA/US

06/07/2011 08:33 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call (1:30 p.m. Eastern/12:30 p.m. Central)

EPA-R5-2014-003611-127

Thomas Nash/R5/USEPA/US

06/07/2011 08:56 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call (1:30 p.m. Eastern/12:30 p.m. Central)

EPA-R5-2014-003611-128

"Patel, Omprakash"
<Omprakash.Patel@WestonSolutions.com>

06/07/2011 02:47 PM

To Shelly Lam

cc

bcc

Subject Amendment Request

Shelly,

Per our discussion yesterday I have attached an amendment request for West Vermont Groundwater Contamination Site to provide technical support for approximately 70 hours. If you do not have any questions please sign return a copy of a signed amendment request to me. Thanks.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.



-- 110607134208.PDF

EPA-R5-2014-003611-129

Paul
Atkociunas /R5/USEPA/US
06/07/2011 04:49 PM

To Shelly Lam
cc
bcc
Subject Accepted: West Vermont Call (1:30 p.m. Eastern/12:30 p.m. Central)

EPA-R5-2014-003611-130

Shelly Lam/R5/USEPA/US

06/08/2011 07:17 AM

To "Patel, Omprakash"

cc Sam Chummar

bcc

Subject Re: Amendment Request

Om,

The signed amendment is attached. However, I have copied Sam Chummar on this message because we may need to issue a new TDD for this. The funding should be covered under Oversight instead of Fund Lead. The accounting code for this is:

[2011 T 05F 302EC7C
B5UJBB00](#)

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov



TDD Amendment 110608.pdf

"Patel, Omprakash"

Shelly, Per ;our discussion yesterd...

06/07/2011 03:47:06 PM

From: "Patel, Omprakash" <Omprakash.Patel@WestonSolutions.com>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 06/07/2011 03:47 PM
Subject: Amendment Request

Shelly,

Per ;our discussion yesterday I have attached an amendment request for West Vermont Groundwater Contamination Site to provide technical support for approximately 70 hours. If you do not have any questions please sign return a copy of a signed amendment request to me. Thanks.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary

information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

-- [attachment "110607134208.PDF" deleted by Shelly Lam/R5/USEPA/US]

EPA-R5-2014-003611-131

Donald Heller /R5/USEPA/US

06/08/2011 12:41 PM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Call (1:30 p.m. Eastern/12:30 p.m. Central)

EPA-R5-2014-003611-132

Shelly Lam/R5/USEPA/US

06/10/2011 04:08 PM

To "Erin Brittain"

cc

bcc

Subject Fw: video conference capability

Can you guys videoconference next week?

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Thomas Nash

----- Original Message -----

From: Thomas Nash

Sent: 06/10/2011 04:06 PM CDT

To: Shelly Lam

Subject: video conference capability

Hi Shelly,

Do you know if IDEM will participate next Thursday? MDH? Do they have video conference capability?
Could you find out?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-133

Shelly Lam/R5/USEPA/US

06/13/2011 06:28 AM

To

cc

bcc

Subject West Vermont Conference Call (2 p.m. Eastern/1 p.m. Central)

Meeting

Date 06/15/2011

Time 01:00:00 PM to 02:00:00 PM

Chair Shelly Lam

Invitees

Required Bob Kay; Brian Schlieger; Donald Heller; ebrittai; Gary Newhart;
Nash.Thomas; Paul Atkociunas

Optional

FYI

Location Call in #: 866-299-3188

Conference Code: 734-692-7663

EPA-R5-2014-003611-134

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

06/13/2011 06:52 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-135

Gary Newhart/CI/USEPA/US

06/13/2011 07:23 AM

To Shelly Lam

cc

bcc

Subject Accepted:West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-136

Donald Heller /R5/USEPA/US

06/13/2011 08:28 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-137

Thomas Nash/R5/USEPA/US

06/13/2011 08:58 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-138

Thomas Nash/R5/USEPA/US

06/13/2011 10:19 AM

To "McInerny, Daniel"

cc Shelly Lam

bcc

Subject RE: West Vermont Street Drinking Water Contamination
Site--meeting in Chicago, June 16, 10:00 am-2:00 pm

Dan:

Doug told me the Genuine Parts push probe investigation report is public record , and so I attach a copy hereto. I can confirm that IDEM will participate , either by phone or videoconference, in our Thursday June 16 meeting. Genuine Parts is sending four representatives, Allison is sending three people. There will be seven or eight participating for U.S. EPA.

Thanks, Tom



Push Probe Investigation-6-2-11.pdf

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential , be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law . It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient , please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful .

EPA-R5-2014-003611-139

Thomas Nash/R5/USEPA/US

06/13/2011 10:56 AM

To terri.czajka

cc Shelly Lam

bcc

Subject forwarding GP's 06-02-11 push probe investigation report

Terri:

Here's the GP report.

Thanks, Tom



Push Probe Investigation-6-2-11.pdf

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-140

"Czajka, Terri A"
<Terri.Czajka@icemiller.com>

To Thomas Nash

cc Shelly Lam

bcc

06/13/2011 11:20 AM

Subject RE: forwarding GP's 06-02-11 push probe investigation report

Report received, thank-you!

-----Original Message-----

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]

Sent: Monday, June 13, 2011 11:56 AM

To: Czajka, Terri A

Cc: Lam.Shelly@epamail.epa.gov

Subject: forwarding GP's 06-02-11 push probe investigation report

Terri:

Here's the GP report.

Thanks, Tom

(See attached file: Push Probe Investigation-6-2-11.pdf)

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

CIRCULAR 230 DISCLOSURE: Except to the extent that this advice concerns the qualification of any qualified plan, to ensure compliance with U.S. Treasury Department Regulations, we are now required to advise you that, unless otherwise expressly indicated, any federal tax advice contained in this communication, including any attachments, is not intended or written by us to be used, and cannot be used, by anyone for the purpose of avoiding federal tax penalties that may be imposed by the federal government or for promoting, marketing or recommending to another party any tax-related matters addressed herein.

CONFIDENTIALITY NOTICE:

This E-mail and any attachments are confidential and may be protected by legal privilege. If you are not the intended recipient, be aware that any

disclosure, copying, distribution, or use of this E-mail or any attachment is prohibited. If you have received this E-mail in error, please notify us immediately by returning it to the sender and delete this copy from your system. Thank you.

ICE MILLER LLP

EPA-R5-2014-003611-141

Paul
Atkociunas /R5/USEPA/US
06/13/2011 12:20 PM

To "Shelly Lam"
cc
bcc
Subject Question

Shelly,

Just to confirm - is the city of Speedway ok with connecting the residents to the municipal water supply ?

Thanks,

Paul

EPA-R5-2014-003611-142

Shelly Lam/R5/USEPA/US

06/13/2011 04:39 PM

To Paul Atkociunas

cc

bcc

Subject Re: Question

Paul,

The city is ecstatic that we want to connect the residents . It's free money for them. We pay for the water line installation and they have instant customers for life .

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Paul Atkociunas

Shelly, Just to confirm - is the city of S...

06/13/2011 01:20:50 PM

From: Paul Atkociunas/R5/USEPA/US
To: "Shelly Lam" <Lam.Shelly@epamail.epa.gov>
Date: 06/13/2011 01:20 PM
Subject: Question

Shelly,

Just to confirm - is the city of Speedway ok with connecting the residents to the municipal water supply ?

Thanks,

Paul

EPA-R5-2014-003611-143

Paul
Atkociunas /R5/USEPA/US
06/13/2011 04:49 PM

To Shelly Lam
cc
bcc
Subject Re: Question

Shelly,

Thanks, the question came from Linda / Charlie - it apparently was an issue in another instance .

Thanks,
Paul
Shelly Lam

----- Original Message -----

From: Shelly Lam
Sent: 06/13/2011 05:39 PM EDT
To: Paul Atkociunas
Subject: Re: Question

Paul,

The city is ecstatic that we want to connect the residents . It's free money for them. We pay for the water line installation and they have instant customers for life .

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Paul Atkociunas	Shelly, Just to confirm - is the city of S...	06/13/2011 01:20:50 PM
-----------------	---	------------------------

From: Paul Atkociunas/R5/USEPA/US
To: "Shelly Lam" <Lam.Shelly@epamail.epa.gov>
Date: 06/13/2011 01:20 PM
Subject: Question

Shelly,

Just to confirm - is the city of Speedway ok with connecting the residents to the municipal water supply ?

Thanks,

Paul

EPA-R5-2014-003611-144

Paul
Atkociunas /R5/USEPA/US
06/13/2011 06:26 PM

To Shelly Lam
cc
bcc
Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-145

Thomas Nash/R5/USEPA/US

06/14/2011 07:53 AM

To Elizabeth Rosado, Shelly Lam

cc Brian Schlieger, Paul Atkociunas, Donald Heller

bcc

Subject Fw: 6-16-11 West Vermont meeting

Mr. McNerny will join us this Thursday --by phone....

Liz, I'll want a conference line (10-2:00) so Mr. McNerny can call in. Please send me the conference code and password and whatever other info (leader pin?) I might need.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 06/14/2011 07:50 AM -----

From: "McNerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 06/14/2011 07:40 AM
Subject: 6-16-11 West Vermont meeting

Tom,
I am authorized to participate in the above meeting by phone. Do you have a call in number I can use? Thanks, Dan



Daniel P. McNerny

E-mail: DMcInerny@boselaw.com

Direct phone: 317-684-5102

Direct fax: 317-223-0602

www.boselaw.com

Assistant Contact

Dannalyn G. Garner - Administrative Assistant

E-mail: DGarner@boselaw.com

Direct phone: 317-684-5227

Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204

Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-146

Shelly Lam/R5/USEPA/US

06/14/2011 07:54 AM

To "Erin Brittain"

cc

bcc

Subject Fw: 6-16-11 West Vermont meeting

This is the lawyer for AIMCO.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Thomas Nash

----- Original Message -----

From: Thomas Nash

Sent: 06/14/2011 07:53 AM CDT

To: Elizabeth Rosado; Shelly Lam

Cc: Brian Schlieger; Paul Atkociunas; Donald Heller

Subject: Fw: 6-16-11 West Vermont meeting

Mr. McInerny will join us this Thursday --by phone....

Liz, I'll want a conference line (10-2:00) so Mr. McInerny can call in. Please send me the conference code and password and whatever other info (leader pin?) I might need.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 06/14/2011 07:50 AM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 06/14/2011 07:40 AM
Subject: 6-16-11 West Vermont meeting

Tom,
I am authorized to participate in the above meeting by phone. Do you have

a call in number I can use? Thanks, Dan



Daniel P. McInerny

E-mail: DMcInerny@boselaw.com

Direct phone: 317-684-5102

Direct fax: 317-223-0602

www.boselaw.com

Assistant Contact

Dannalyn G. Garner - Administrative Assistant

E-mail: DGarner@boselaw.com

Direct phone: 317-684-5227

Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204

Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-147

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

06/14/2011 09:49 AM

To Shelly Lam

cc

bcc

Subject RE: 6-16-11 West Vermont meeting

Would EPA be hosting the videoconference Thursday?

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

-----Original Message-----

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, June 14, 2011 8:54 AM
To: BRITTAIN, ERIN
Subject: Fw: 6-16-11 West Vermont meeting

This is the lawyer for AIMCO.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

----- Original Message -----

From: Thomas Nash
Sent: 06/14/2011 07:53 AM CDT
To: Elizabeth Rosado; Shelly Lam
Cc: Brian Schlieger; Paul Atkociunas; Donald Heller
Subject: Fw: 6-16-11 West Vermont meeting

Mr. McInerny will join us this Thursday--by phone....

Liz, I'll want a conference line (10-2:00) so Mr. McInerny can call in.
Please send me the conference code and password and whatever other info
(leader pin?) I might need.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information
that may be confidential, be protected by attorney work-product,
attorney-client or other applicable privileges and may be exempt from

disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 06/14/2011 07:50 AM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 06/14/2011 07:40 AM
Subject: 6-16-11 West Vermont meeting

Tom,
I am authorized to participate in the above meeting by phone. Do you have a call in number I can use? Thanks, Dan

(Embedded image moved to file: pic24407.gif)
Description: http://www2.boselaw.com/email/bmelogo.gif
Daniel P. McInerny
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
Direct fax: 317-223-0602
www.boselaw.com
Assistant Contact
Dannalyn G. Garner - Administrative Assistant
E-mail: DGarner@boselaw.com
Direct phone: 317-684-5227
Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis,
Indiana 46204
Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this

message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-148

Shelly Lam/R5/USEPA/US

06/14/2011 09:55 AM

To "Erin Brittain"

cc

bcc

Subject Re: 6-16-11 West Vermont meeting

Yes.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

----- Original Message -----
From: "BRITTAI, ERIN" [EBRITTAI@idem.IN.gov]
Sent: 06/14/2011 10:49 AM AST
To: Shelly Lam
Subject: RE: 6-16-11 West Vermont meeting

Would EPA be hosting the videoconference Thursday?

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

-----Original Message-----
From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, June 14, 2011 8:54 AM
To: BRITTAI, ERIN
Subject: Fw: 6-16-11 West Vermont meeting

This is the lawyer for AIMCO.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

----- Original Message -----
From: Thomas Nash
Sent: 06/14/2011 07:53 AM CDT

To: Elizabeth Rosado; Shelly Lam
Cc: Brian Schlieger; Paul Atkociunas; Donald Heller
Subject: Fw: 6-16-11 West Vermont meeting
Mr. McInerny will join us this Thursday--by phone....

Liz, I'll want a conference line (10-2:00) so Mr. McInerny can call in.
Please send me the conference code and password and whatever other info
(leader pin?) I might need.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information
that may be confidential, be protected by attorney work-product,
attorney-client or other applicable privileges and may be exempt from
disclosure under applicable law. It is intended to be conveyed only to
the named recipient(s). If you received this message in error or if you
are not the intended recipient, please notify the sender and delete the
message from your system. Any use, dissemination, distribution or
reproduction of this message by unintended recipients is not authorized
and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 06/14/2011 07:50 AM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 06/14/2011 07:40 AM
Subject: 6-16-11 West Vermont meeting

Tom,
I am authorized to participate in the above meeting by phone. Do you
have a call in number I can use? Thanks, Dan

(Embedded image moved to file: pic24407.gif)
Description: http://www2.boselaw.com/email/bmelogo.gif
Daniel P. McInerny
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
Direct fax: 317-223-0602
www.boselaw.com
Assistant Contact
Dannalyn G. Garner - Administrative Assistant
E-mail: DGarner@boselaw.com
Direct phone: 317-684-5227
Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis,
Indiana 46204
Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-149

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
06/14/2011 10:24 AM

To Shelly Lam
cc
bcc

Subject RE: 6-16-11 West Vermont meeting

Apparently the state only has one conference room with videoconference equipment and it's booked for Thursday. I have the conference call-in number for Wednesday but not Thursday--could you send me the info for Thursday?

Thanks,

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

-----Original Message-----

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, June 14, 2011 10:55 AM
To: BRITTAIN, ERIN
Subject: Re: 6-16-11 West Vermont meeting

Yes.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

----- Original Message -----

From: "BRITTAIN, ERIN" [EBRITTAI@idem.IN.gov]
Sent: 06/14/2011 10:49 AM AST
To: Shelly Lam
Subject: RE: 6-16-11 West Vermont meeting

Would EPA be hosting the videoconference Thursday?

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov

-----Original Message-----

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, June 14, 2011 8:54 AM
To: BRITTAIN, ERIN

Subject: Fw: 6-16-11 West Vermont meeting

This is the lawyer for AIMCO.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

----- Original Message -----

From: Thomas Nash
Sent: 06/14/2011 07:53 AM CDT
To: Elizabeth Rosado; Shelly Lam
Cc: Brian Schlieger; Paul Atkociunas; Donald Heller
Subject: Fw: 6-16-11 West Vermont meeting

Mr. McInerny will join us this Thursday--by phone....

Liz, I'll want a conference line (10-2:00) so Mr. McInerny can call in.
Please send me the conference code and password and whatever other info
(leader pin?) I might need.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 06/14/2011 07:50 AM -----

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 06/14/2011 07:40 AM
Subject: 6-16-11 West Vermont meeting

Tom,

I am authorized to participate in the above meeting by phone . Do you have a call in number I can use? Thanks, Dan

(Embedded image moved to file: pic24407.gif)
Description: http://www2.boselaw.com/email/bmelogo.gif

Daniel P. McInerny
E-mail: DMcInerny@boselaw.com
Direct phone: 317-684-5102
Direct fax: 317-223-0602
www.boselaw.com

Assistant Contact
Dannalyn G. Garner - Administrative Assistant
E-mail: DGarner@boselaw.com
Direct phone: 317-684-5227
Direct fax: 317-223-0227

111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204
Main phone: 317-684-5000 | Main fax: 317-684-5173

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.

EPA-R5-2014-003611-150

Thomas Nash/R5/USEPA/US

06/14/2011 12:28 PM

To "McInerny, Daniel"

cc "Czajka, Terri A", Doug Cloud

bcc Shelly Lam

Subject West Vermont Street Drinking Water Contamination Meeting
June 16, 10:00 a.m.-2:00 p.m.--12th floor Wisconsin
Conference Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):
(866) 299-3188

Conference code:
3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-151

Shelly Lam/R5/USEPA/US

06/14/2011 12:35 PM

To ebrittai

cc

bcc

Subject Fw: West Vermont Street Drinking Water Contamination
Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin
Conference Room

Erin,

Below is call-in information for the PRP meeting. It is different from the pre-meeting call.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 06/14/2011 01:33 PM -----

From: Thomas Nash/R5/USEPA/US
To: "McInerny, Daniel" <dmcinerny@boselaw.com>
Cc: "Czajka, Terri A" <Terri.Czajka@icemiller.com>, Doug Cloud <doug.cloud@m2c2law.com>
Date: 06/14/2011 01:28 PM
Subject: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th
floor Wisconsin Conference Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):
(866) 299-3188

Conference code:
3128867152

Thanks, Tom

(c) Thomas C. Nash

Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-152

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
06/14/2011 12:37 PM

To Shelly Lam
cc
bcc
Subject RE: West Vermont Street Drinking Water Contamination
Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin
Conference Room

Great, thanks!

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Tuesday, June 14, 2011 1:35 PM

To: BRITTAIN, ERIN

Subject: Fw: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Erin,

Below is call-in information for the PRP meeting. It is different from the pre-meeting call.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 06/14/2011 01:33 PM -----

From: Thomas Nash/R5/USEPA/US

To: "McInerny, Daniel" <dmcinerny@boselaw.com>

Cc: "Czajka, Terri A" <Terri.Czajka@icemiller.com>, Doug Cloud <doug.cloud@m2c2law.com>

Date: 06/14/2011 01:28 PM

Subject: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):
(866) 299-3188

Conference code:
3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-153

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
06/15/2011 07:24 AM

To Shelly Lam
cc
bcc
Subject RE: West Vermont Street Drinking Water Contamination
Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin
Conference Room

*Hi Shelly,
Do you know if Michigan Plaza will have anyone besides their attorney representing them
tomorrow?*

Thanks,

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Tuesday, June 14, 2011 1:35 PM

To: BRITTAIN, ERIN

Subject: Fw: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00
p.m.--12th floor Wisconsin Conference Room

Erin,

Below is call-in information for the PRP meeting. It is different from the pre-meeting call.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 06/14/2011 01:33 PM -----

From: Thomas Nash/R5/USEPA/US

To: "McInerny, Daniel" <dmcinerny@boselaw.com>

Cc: "Czajka, Terri A" <Terri.Czajka@icemiller.com>, Doug Cloud <doug.cloud@m2c2law.com>

Date: 06/14/2011 01:28 PM

Subject: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference
Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):
(866) 299-3188

Conference code:
3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-154

Shelly Lam/R5/USEPA/US

06/15/2011 07:25 AM

To "BRITTAIN, ERIN"

cc

bcc

Subject RE: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Not that they've told us but I would be very surprised if Mundell isn't on the phone.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

"BRITTAIN, ERIN"

Hi Shelly, Do you know if Michigan...

06/15/2011 08:24:28 AM

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 06/15/2011 08:24 AM
Subject: RE: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

*Hi Shelly,
Do you know if Michigan Plaza will have anyone besides their attorney representing them tomorrow?*

Thanks,

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Tuesday, June 14, 2011 1:35 PM

To: BRITTAIN, ERIN

Subject: Fw: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Erin,

Below is call-in information for the PRP meeting. It is different from the pre-meeting call.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 06/14/2011 01:33 PM -----

From: Thomas Nash/R5/USEPA/US
To: "McInerny, Daniel" <dmcinerny@boselaw.com>
Cc: "Czajka, Terri A" <Terri.Czajka@icemiller.com>, Doug Cloud <doug.cloud@m2c2law.com>
Date: 06/14/2011 01:28 PM
Subject: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):

(866) 299-3188

Conference code:

3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by

unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-155

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
06/15/2011 07:27 AM

To Shelly Lam
cc
bcc
Subject RE: West Vermont Street Drinking Water Contamination
Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin
Conference Room

That's what I was thinking. I've drafted my response letter to them but I think I'll wait to send it until after our meeting tomorrow.

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Wednesday, June 15, 2011 8:26 AM
To: BRITTAIN, ERIN
Subject: RE: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Not that they've told us but I would be very surprised if Mundell isn't on the phone.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

From: "BRITTAIN, ERIN" <EBRITTAI@idem.IN.gov>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 06/15/2011 08:24 AM
Subject: RE: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

*Hi Shelly,
Do you know if Michigan Plaza will have anyone besides their attorney representing them tomorrow ?*

Thanks,

Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991

ebrittai@idem.IN.gov

From: Lam.Shelly@epamail.epa.gov [<mailto:Lam.Shelly@epamail.epa.gov>]

Sent: Tuesday, June 14, 2011 1:35 PM

To: BRITTAIN, ERIN

Subject: Fw: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Erin,

Below is call-in information for the PRP meeting. It is different from the pre-meeting call.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 06/14/2011 01:33 PM -----

From: Thomas Nash/R5/USEPA/US

To: "McInerny, Daniel" <dmcinerny@boselaw.com>

Cc: "Czajka, Terri A" <Terri.Czajka@icemiller.com>, Doug Cloud <doug.cloud@m2c2law.com>

Date: 06/14/2011 01:28 PM

Subject: West Vermont Street Drinking Water Contamination Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):
(866) 299-3188

Conference code:
3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-156

Shelly Lam/R5/USEPA/US

06/15/2011 01:45 PM

To arickert

cc

bcc

Subject West Vermont Results

Adam,

We have a PRP meeting tomorrow on West Vermont. Do you have other analytical data from the residential properties besides VC, such as ammonia, nitrogen compounds, chlorides? Anything you can provide would be helpful.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-157

Shelly Lam/R5/USEPA/US

06/15/2011 01:47 PM

To ebrittai

cc

bcc

Subject Slides for meeting

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov



Slides for PRP Meeting.pdf

EPA-R5-2014-003611-158

Shelly Lam/R5/USEPA/US

06/16/2011 08:02 AM

To Gary Newhart

cc

bcc

Subject Fw: West Vermont Street Drinking Water Contamination
Meeting June 16, 10:00 a.m-2:00 p.m.--12th floor Wisconsin
Conference Room

See below for call-in info. Remember it's Central time.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219
Thomas Nash

----- Original Message -----

From: Thomas Nash

Sent: 06/14/2011 12:28 PM CDT

To: "McInerny, Daniel" <dmcinerny@boselaw.com>

Cc: "Czajka, Terri A" <Terri.Czajka@icemiller.com>; Doug Cloud
<doug.cloud@m2c2law.com>

Subject: West Vermont Street Drinking Water Contamination Meeting June 16,
10:00 a.m-2:00 p.m.--12th floor Wisconsin Conference Room

Dan:

I've been asked if you will have anyone (client, consultant or others) on the line with you when you call in Thursday. Could you let me know?

To reciprocate: Allison will be represented by Terri Czajka of Ice Miller, Sue Barto of Allison and John Houser with the Payne firm. Genuine Parts will be represented by Doug Cloud of Mowrey, Meezan, Coddington and Cloud, Bob Lewis and Scott Smith of Genuine Parts, and Andy Gremos of Environ. IDEM will be represented by Erin Britten and possibly one or two others from her agency. U.S. EPA will be represented by Brian Schlieger, Shelly Lam, Paul Atkociunas, Don Heller, Gary Newhart, Gerrell Williams and myself. We will have Bob Kay of the U.S. Geological Services in attendance as well.

Here is the call-in information:

Reservationless-Plus toll-free dial-in number (U.S. and Canada):
(866) 299-3188

Conference code:
3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-159

Shelly Lam/R5/USEPA/US

06/16/2011 08:02 AM

To

cc

bcc

Subject West Vermont Pre-Meeting Conference Call (Agencies Only)

Meeting

Date 06/16/2011 09:00:00 AM

Time 09:00:00 AM to 10:00:00 AM

Chair Shelly Lam

Invitees

Required ebrittai; Gary Newhart

Optional

FYI

Location Call in #: 866-299-3188Conference

Code: 440-250-1743

EPA-R5-2014-003611-160

Gary Newhart/CI/USEPA/US

06/16/2011 08:06 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Pre-Meeting Conference Call
(Agencies Only)

EPA-R5-2014-003611-161

Shelly Lam/R5/USEPA/US

06/16/2011 09:30 AM

To "Adam Rickert"

cc

bcc

Subject Re: West Vermont Results

Thanks! Do you know how many homes need to be connected to municipal water?

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

From: Adam Rickert [ARickert@HHCorp.org]

Sent: 06/16/2011 09:53 AM AST

To: Shelly Lam

Subject: Re: West Vermont Results

Shelly,

Our lab does not normally sample GW for Ammonia, however analysis is completed for Nitrates, Nitrites, and Chlorides. For the West Vermont/Cossell neighborhood, during the initial sampling events, analysis was completed for Nitrates, Nitrites, and Chlorides. To my knowledge, none of the results for the above mentioned parameters were elevated or exceeded EPA drinking water standards.

Adam Rickert, MPI, REHS
Department of Water Quality and Hazardous Materials Mgt
Marion County Health Department
3901 Meadows Drive
Indianapolis IN 46205

(317) 221-2298
Fax (317) 221-2288

-----Lam.Shelly@epamail.epa.gov wrote: -----

To: arickert@hhcorp.org
From: Lam.Shelly@epamail.epa.gov
Date: 06/15/2011 14:45
Subject: West Vermont Results

Adam,

We have a PRP meeting tomorrow on West Vermont. Do you have other analytical data from the residential properties besides VC, such as ammonia, nitrogen compounds, chlorides? Anything you can provide would be helpful.

Thanks,

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-162

"Patel, Omprakash"
<Omprakash.Patel@WestonSolutions.com>

06/20/2011 09:38 AM

To Shelly Lam

cc "Slesers, Andris"

bcc

Subject Request for a conference call

Shelly,

Weston has reviewed the Technical Response to General Notice of Potential Liability letter, dated 20 May 2011, submitted by Bose McKinney & Evans LLP, prepared by Mundell Associates, and on behalf of AIMCO Michigan Meadows Holdings, LLC (Michigan Plaza). I am requesting to have a conference call this week to first talk about the issues we have identified. I think it would also help if IDEM Site Geologist will also be on the call. I believe the conference call will help in finalizing the comments. Please let me know when you will be available for the conference call. If you have any questions please call me.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-163

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
06/21/2011 09:47 AM

To Shelly Lam
cc
bcc
Subject RE: Request for a conference call

*Hi Shelly,
The only day we are available this week is Wednesday, anytime. Let me know a time you and
Om are available.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: Lam.Shelly@epamail.epa.gov [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Tuesday, June 21, 2011 10:26 AM
To: BRITTAIN, ERIN
Subject: Fw: Request for a conference call

Erin,

Are you guys available for a call with Weston this week regarding the Michigan Plaza response? The only day I'm not available is Thursday.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 06/21/2011 10:25 AM -----

From: "Patel, Omprakash" <Omprakash.Patel@WestonSolutions.com>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: "Slesers, Andris" <Andris.Slesers@WestonSolutions.com>
Date: 06/20/2011 10:38 AM
Subject: Request for a conference call

Shelly,

Weston has reviewed the Technical Response to General Notice of Potential Liability letter , dated 20 May 2011, submitted by Bose McKinney & Evans LLP, prepared by Mundell Associates, and on behalf of AIMCO Michigan Meadows Holdings, LLC (Michigan Plaza). I am requesting to have a conference call this week to first talk about the issues we have identified. I think it would also help if IDEM Site Geologist will also be on the call. I believe the conference call will help in finalizing the comments. Please let me know when you will be available for the conference call. If you have any questions please call me.

Omprakash S. Patel
Weston Solutions Inc.
750 East Bunker Court
Vernon Hills, IL 60061
Telephone: 847-918-4051
Fax: 847-918-4055

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-164

Shelly Lam/R5/USEPA/US

06/21/2011 10:06 AM

To

cc

bcc

Subject West Vermont Conference Call (3 p.m. Eastern/2 p.m. Central)

Meeting

Date 06/22/2011

Time 02:00:00 PM to 03:00:00 PM

Chair Shelly Lam

Invitees

Required ebrittai; omprakash.patel

Optional Paul Atkociunas

FYI

Location Call in #: 866-299-3188

Conference Code: 734-692-7663

This call is to discuss Weston's findings and conclusions on the AMMH response to the general notice letter .

EPA-R5-2014-003611-165

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

06/21/2011 10:07 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (3 p.m. Eastern/2
p.m. Central)

EPA-R5-2014-003611-166

"Patel, Omprakash"
<Omprakash.Patel@WestonS
olutions.com>

06/21/2011 10:14 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (3 p.m. Eastern/2
p.m. Central)

EPA-R5-2014-003611-167

Paul
Atkociunas /R5/USEPA/US
06/22/2011 06:51 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (3 p.m. Eastern/2
p.m. Central)

EPA-R5-2014-003611-168

Shelly Lam/R5/USEPA/US

07/06/2011 01:32 PM

To Jason El-Zein, Linda Nachowicz, Mark Durno, Charles
Gebien, Brian Schlieger

cc Paul Atkociunas

bcc

Subject West Vermont Street Management Update Call

We would like to schedule a call to discuss and answer any questions about the West Vermont Street project. Please let me know your availability for Thursday, July 14th (Bastille Day). The only time I am not available that day is between 10 and 11 a.m. Eastern time.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-169

Jason El-Zein/R5/USEPA/US

07/06/2011 03:42 PM

To Shelly Lam

cc Brian Schlieger, Charles Gebien, Linda Nachowicz, Mark Durno, Paul Atkociunas

bcc

Subject Re: West Vermont Street Management Update Call

Shelly, I am available at 11:00 AM EST before I start my drive back to Michigan. I can call from the car if necessary. Thanks.

Shelly Lam

We would like to schedule a call to disc...

07/06/2011 01:32:41 PM

From: Shelly Lam/R5/USEPA/US
To: Jason El-Zein/R5/USEPA/US@EPA, Linda Nachowicz/R5/USEPA/US@EPA, Mark Durno/R5/USEPA/US@EPA, Charles Gebien/R5/USEPA/US@EPA, Brian Schlieger/R5/USEPA/US@EPA
Cc: Paul Atkociunas/R5/USEPA/US@EPA
Date: 07/06/2011 01:32 PM
Subject: West Vermont Street Management Update Call

We would like to schedule a call to discuss and answer any questions about the West Vermont Street project. Please let me know your availability for Thursday, July 14th (Bastille Day). The only time I am not available that day is between 10 and 11 a.m. Eastern time.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-170

**Linda
Nachowicz/R5/USEPA/US**
07/06/2011 04:05 PM

To Jason El-Zein
cc Brian Schlieger, Charles Gebien, Mark Durno, Paul
Atkociunas, Shelly Lam
bcc
Subject Re: West Vermont Street Management Update Call

I won't be in at that time. Maybe Charlie can cover for me

Jason El-Zein	Shelly, I am available at 11:00 AM ES...	07/06/2011 03:43:58 PM
---------------	--	------------------------

From: Jason El-Zein/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Brian Schlieger/R5/USEPA/US@EPA, Charles Gebien/R5/USEPA/US@EPA, Linda
Nachowicz/R5/USEPA/US@EPA, Mark Durno/R5/USEPA/US@EPA, Paul
Atkociunas/R5/USEPA/US@EPA
Date: 07/06/2011 03:43 PM
Subject: Re: West Vermont Street Management Update Call

Shelly, I am available at 11:00 AM EST before I start my drive back to Michigan. I can call from the car if necessary. Thanks.

Shelly Lam	We would like to schedule a call to disc...	07/06/2011 01:32:41 PM
------------	---	------------------------

EPA-R5-2014-003611-171

Shelly Lam/R5/USEPA/US

07/07/2011 10:29 AM

To blawrence

cc

bcc

Subject EPA Time-Critical Removal Action - West Vermont Avenue
and Cossell Road

Hi Barbara,

I was given your name by Pam Thevenow at Marion County Health Department as someone who could help me. I am a Federal On-Scene Coordinator with the Environmental Protection Agency working on a groundwater contamination problem in the area of West Vermont Street and Cossell Road. The residents in the area use groundwater from private wells as their drinking water source. Several of those wells have been contaminated with vinyl chloride from one or more nearby industrial sites.

EPA was recently notified by the Potentially Responsible Parties that they do not intend to address contamination in the residential area. As such, EPA is planning to connect these affected and potentially affected residents to a municipal water supply, and then recover our costs from the PRPs after the fact.

Pam suggested that I speak with you about possibly connecting the residents to the City of Speedway water. I would appreciate the opportunity to speak with you about this at your earliest convenience. I can be reached by cell phone at 317-417-0980.

Thank you,
Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-172

Shelly Lam/R5/USEPA/US

07/07/2011 01:30 PM

To "Barbara Lawrence"

cc

bcc

Subject Re: EPA Time-Critical Removal Action - West Vermont Avenue and Cossell Road

Absolutely. Call me at your convenience.

Shelly Lam, LPG
Federal On-Scene Coordinator
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

From: Barbara Lawrence [blawrence@townofspeedway.org]

Sent: 07/07/2011 02:29 PM AST

To: Shelly Lam

Subject: RE: EPA Time-Critical Removal Action - West Vermont Avenue and Cossell Road

Shelly-

I'm on a deadline today—can we talk tomorrow or Monday?

Thanks.

Barbara

Barbara A. Lawrence | Town Manager | Speedway, IN

Mail: 1450 North Lynhurst Drive | Speedway, IN 46224 | blawrence@townofspeedway.org

Office: 1010 Main Street | Speedway, IN 46224 |

Phone: 317.246.4100 | Fax: 317.240.1322

From: Shelly Lam [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Thursday, July 07, 2011 11:29 AM

To: Barbara Lawrence

Subject: EPA Time-Critical Removal Action - West Vermont Avenue and Cossell Road

Hi Barbara,

I was given your name by Pam Thevenow at Marion County Health Department as someone who could help me. I am a Federal On-Scene Coordinator with the Environmental Protection Agency working on a groundwater contamination problem in the area of West Vermont Street and Cossell Road. The residents in the area use groundwater from private wells as their drinking water source. Several of those wells have been contaminated with vinyl chloride from one or more nearby industrial sites.

EPA was recently notified by the Potentially Responsible Parties that they do not intend to address

contamination in the residential area. As such, EPA is planning to connect these affected and potentially affected residents to a municipal water supply, and then recover our costs from the PRPs after the fact.

Pam suggested that I speak with you about possibly connecting the residents to the City of Speedway water. I would appreciate the opportunity to speak with you about this at your earliest convenience. I can be reached by cell phone at 317-417-0980.

Thank you,
Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-173

Donald Heller /R5/USEPA/US
07/07/2011 04:05 PM

To Shelly Lam, Paul Atkociunas, EBRITTAI, Brian Schlieger,
Bob Kay

cc

bcc

Subject Fw: Allison Transmission - Proposed Field Investigation

Donald A. Heller
Corrective Action Project Manager
U.S. EPA, Region 5
77 W. Jackson Boulevard (LU-9J)
Chicago, IL 60604
(312) 353-1248

----- Forwarded by Donald Heller/R5/USEPA/US on 07/07/2011 04:04 PM -----

From: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "dfavero@ameritech.net" <dfavero@ameritech.net>, "marilyn.j.dedyne@gm.com" <marilyn.j.dedyne@gm.com>
Date: 07/07/2011 03:58 PM
Subject: RE: Allison Transmission - Proposed Field Investigation

Don –

Please find attached an updated databox figure for the investigation south of the Allison Transmission Plant 12. Additionally, I've included the validation report for the sample results. Please let us know if you have any questions regarding this data.

Thanks!
Sarah

From: Fisher, Sarah
Sent: Wednesday, June 15, 2011 1:53 PM
To: Heller.Donald@epamail.epa.gov
Cc: dfavero@ameritech.net; 'marilyn.j.dedyne@gm.com'
Subject: RE: Allison Transmission - Proposed Field Investigation

Don – Attached is the figure that Marilyn is referencing below. Please let us know if you have any questions.

Thanks!
Sarah

From: marilyn.j.dedyne@gm.com [mailto:marilyn.j.dedyne@gm.com]
Sent: Tuesday, June 14, 2011 2:35 PM
To: Heller.Donald@epamail.epa.gov
Cc: dfavero@ameritech.net; Fisher, Sarah
Subject: Re: Allison Transmission - Proposed Field Investigation

Don, We have completed the installation of the monitoring wells and received lab data from most of the

samples. Arcadis is preparing a simplified data-box figure that we are planning to get to you tomorrow. We will be marking the figure "preliminary" because we have not validated the data yet.

Thanks,

Marilyn

Marilyn J. Dedyne, P.E.
General Motors LLC
Real Estate & Facilities
MC 480-206-1E0
30009 Van Dyke Road
Warren, Michigan 48090
email: marilyn.j.dedyne@gm.com
fax: 586-575-5203
office/cell: 313-506-9461

From: Heller.Donald@epamail.epa.gov
To: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
Cc: "arickert@hhcorp.org" <arickert@hhcorp.org>, "dfavero@ameritech.net" <dfavero@ameritech.net>, "OAKES, GLYNDA" <GOAKES@idem.IN.gov>, "jean.e.caufield@gm.com" <jean.e.caufield@gm.com>, "marilyn.j.dedyne@gm.com" <marilyn.j.dedyne@gm.com>, "marthasue.barto@allisontransmission.com" <marthasue.barto@allisontransmission.com>, "Pam Thevenow, MCHD" <PTheveno@hhcorp.org>
Date: 05/26/2011 04:32 PM
Subject: Re: Allison Transmission - Proposed Field Investigation

I have no objection to your proceeding with the study.

Donald A. Heller
Corrective Action Project Manager
U.S. EPA, Region 5
77 W. Jackson Boulevard (LU-9J)
Chicago, IL 60604
(312) 353-1248

From: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "dfavero@ameritech.net" <dfavero@ameritech.net>, "marilyn.j.dedyne@gm.com" <marilyn.j.dedyne@gm.com>, "jean.e.caufield@gm.com" <jean.e.caufield@gm.com>, "OAKES, GLYNDA" <GOAKES@idem.IN.gov>, "arickert@hhcorp.org" <arickert@hhcorp.org>, "Pam Thevenow, MCHD" <PTheveno@HHCorp.org>, "'marthasue.barto@allisontransmission.com'" <marthasue.barto@allisontransmission.com>
Date: 05/26/2011 03:15 PM
Subject: Allison Transmission - Proposed Field Investigation

Don -

Please find attached a memo outlining a scope of work for the installation of five monitoring wells and collection of groundwater samples from these plus ten existing monitoring wells/piezometers in association with the Corrective Action Activities at Allison Transmission.

If you have any questions, please let us know.

Thanks!
Sarah

.....
.....
Sarah Fisher | Senior Scientist | sarah.fisher@arcadis-us.com
ARCADIS U.S., Inc. | 251 East Ohio Street, Suite 800 | Indianapolis, IN
46204
T. 317.236.5213 | M. 317.691.4011 | F. 317.231.6514
www.arcadis-us.com
ARCADIS, Imagine the result
Please consider the environment before printing this email.

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law. (See attached file: Allison Proposed Well Memo_05-26-2011_w bcc.pdf)

[attachment "Allison Proposed Well Memo_05-26-2011_w bcc.pdf" deleted by Marilyn J. Dedyne/US/GM/GMC]

Nothing in this message is intended to constitute an electronic signature unless a specific statement to the contrary is included in this message.

Confidentiality Note: This message is intended only for the person or entity to which it is addressed. It may contain confidential and/or privileged material. Any review, transmission, dissemination or other use, or taking of any action in reliance upon this message by persons or entities other than the intended recipient is prohibited and may be unlawful. If you received this

message in error, please contact the sender and delete it from your computer.

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise



restricted by law. Monitoring Well Locations with Data_07-07-2011.pdf 017307Memo-34.pdf

EPA-R5-2014-003611-174

Shelly Lam/R5/USEPA/US

07/08/2011 07:24 AM

To

cc

bcc

Subject West Vermont Update Call (11:30 Eastern/10:30 Central)

Meeting

Date 07/14/2011

Time 10:30:00 AM to 11:30:00 AM

Chair Shelly Lam

Invitees

Required Brian Schlieger; Charles Gebien; Jason El-Zein; Linda Nachowicz; Mark Durno; Paul Atkociunas

Optional

FYI

Location Call-in Number: 866-299-3188

Conference Code: 734-692-7663

I have scheduled the call for 11:30 Eastern/10:30 Central time. I will be in a Super Bowl meeting until at least 11 a.m.

EPA-R5-2014-003611-175

Mark Durno/R5/USEPA/US

07/08/2011 07:48 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Update Call (11:30 Eastern/10:30 Central)

EPA-R5-2014-003611-176

Paul
Atkociunas /R5/USEPA/US
07/08/2011 08:03 AM

To Shelly Lam
cc
bcc
Subject Accepted: West Vermont Update Call (11:30 Eastern/10:30 Central)

EPA-R5-2014-003611-177

Jason El-Zein/R5/USEPA/US

07/08/2011 09:02 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Update Call (11:30 Eastern/10:30 Central)

EPA-R5-2014-003611-178

"Mike L. Woodruff"
<MLW@paynefirm.com>
07/08/2011 04:42 PM

To Shelly Lam
cc Thomas Nash, Donald Heller, "ebrittai@idem.in.gov",
"Czajka, Terri A",
"marthasue.barto@allisontransmission.com", "John G.
Houser"
bcc
Subject West Vermont Street Drinking Water Site, Speedway,
Indiana; Site ID#B5UJ

All,
Please see the attached which is being submitted on behalf of Allison Transmission, Inc.
regarding the above-referenced matter. A hardcopy will follow in the mail.

Thanks

Michael L. Woodruff
(513) 489.2255
(513) 489.2533 fax
(800) 229.1443 toll free
www.paynefirm.com

The Payne Firm, Inc.
11231 Cornell Park Drive
Cincinnati, Ohio 45242

The Payne Firm, Inc.
20-22 Bedford Row
London WC1R 4JS

Cincinnati Chicago Cleveland London Troy, NY

Confidentiality Notice: This e-mail message is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. If you are the intended recipient but do not wish to receive communications through this medium, please so advise the sender immediately.



2011.07.08 Payne Comments on Weston Report 11-1023LTR.pdf

EPA-R5-2014-003611-179

Charles
Gebien/R5/USEPA/US
07/11/2011 09:27 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Update Call (11:30 Eastern/10:30 Central)

EPA-R5-2014-003611-180

Shelly Lam/R5/USEPA/US

07/11/2011 10:14 AM

To Paul Atkociunas

cc

bcc

Subject Fw: West Vermont Street Drinking Water Site, Speedway,
Indiana; Site ID#B5UJ

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/11/2011 11:12 AM -----

From: "Mike L. Woodruff" <MLW@paynefirm.com>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Thomas Nash/R5/USEPA/US@EPA, Donald Heller/R5/USEPA/US@EPA, "ebrittai@idem.in.gov" <ebrittai@idem.in.gov>, "Czajka, Terri A" <Terri.Czajka@icemiller.com>, "marthasue.barto@allisontransmission.com" <marthasue.barto@allisontransmission.com>, "John G. Houser" <jgh@paynefirm.com>
Date: 07/08/2011 05:45 PM
Subject: West Vermont Street Drinking Water Site, Speedway, Indiana; Site ID#B5UJ

All,

Please see the attached which is being submitted on behalf of Allison Transmission, Inc. regarding the above-referenced matter. A hardcopy will follow in the mail.

Thanks

Michael L. Woodruff
(513) 489.2255
(513) 489.2533 fax
(800) 229.1443 toll free
www.paynefirm.com

The Payne Firm, Inc.
11231 Cornell Park Drive
Cincinnati, Ohio 45242

The Payne Firm, Inc.
20-22 Bedford Row
London WC1R 4JS

Cincinnati Chicago Cleveland London Troy, NY

Confidentiality Notice: This e-mail message is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. If you are the intended recipient but do not wish to receive communications through this medium, please so advise the sender immediately.



2011.07.08 Payne Comments on Weston Report 11-1023LTR.pdf

EPA-R5-2014-003611-181

Shelly Lam/R5/USEPA/US

07/12/2011 01:24 PM

To ptheveno

cc

bcc

Subject Indianapolis Water

Hi Pam,

When I saw you at the BAC meeting last week, you gave me Ed Malone's name as a contact for Indianapolis water. Do you have a phone number or e-mail address for him? It's not on their website.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-182

Pam Thevenow
<PTheveno@HHCorp.org>

07/13/2011 06:49 AM

To Shelly Lam

cc

bcc

Subject Fw: Re: Ed Malone

Here is contact info you requested. Let me know if there is anything else I can do.

Thanks

Pam Thevenow
Water Quality & Hazardous Materials Management
3901 Meadows Drive
2nd Floor
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

-----Forwarded by Pam Thevenow/HHCorp on 07/13/2011 07:49AM -----

To: <ptheveno@hhcorp.org>
From: "Wiseman, Alan" <alan.wiseman@veoliawaterna.com>
Date: 07/12/2011 05:48PM
Subject: Re: Ed Malone

Yes Pam, his cell phone is probably best to reach him these days. It is (317) 716-5687. His email is ed.malone@veoliawaterna.com.

Let me know if you need additional info.
Alan (919-6521)

Sent from my HTC Inspire™ 4G on AT&T

----- Reply message -----

From: "Pam Thevenow" <PTheveno@HHCorp.org>
To: "alan.wiseman@veoliawaterna.com" <alan.wiseman@veoliawaterna.com>
Subject: Ed Malone
Date: Tue, Jul 12, 2011 5:00 pm

Alan

Can you give me Ed's office # and email?
for some reason it is not in my contacts.

I want to pass his contact information to EPA On scene coordinator who is working in a neighborhood at Cossell and Vermont Street. I believe this location is in the speedway water area, but epa wants to talk with Indianapolis water as well...thanks

Pam Thevenow
Water Quality & Hazardous Materials Management
3901 Meadows Drive

2nd Floor
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

EPA-R5-2014-003611-183

"Koch, Dale A."
<dale.koch@veoliawatema.com>

07/13/2011 12:29 PM

To Shelly Lam

cc

bcc

Subject Cossell Road well containmation

As per our phone conversation earlier please provide the reports of the contaminated well (address) along with letter of your requested and I'll pass them along.

Thanks and Have A Great Day!

Dale Koch
Veolia Water Indianapolis LLC
1220 Waterway Blvd.
Indianapolis, IN 46202
(317)-264-7715

EPA-R5-2014-003611-184

Shelly Lam/R5/USEPA/US

07/14/2011 06:11 AM

To "Koch, Dale A."

cc

bcc

Subject Re: Cossell Road well containmation

Dale,

One thing I forgot to mention yesterday is that EPA is willing to pay for the cost of installation including the main, laterals to the homes, fire hydrants, etc. Would you be able to provide me with a rough cost for this? Or at least a cost per foot for the main installation?

By the way, I heard the regulatory commission approved the sale yesterday. Do you know when that will go through? Any way we can get this pushed through before then?

I will send you the letter later today.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

"Koch, Dale A."

As per our phone conversation earlier...

07/13/2011 01:38:30 PM

From: "Koch, Dale A." <dale.koch@veoliawaterna.com>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/13/2011 01:38 PM
Subject: Cossell Road well containmation

As per our phone conversation earlier please provide the reports of the contaminated well (address) along with letter of your requested and I'll pass them along.

Thanks and Have A Great Day!

Dale Koch
Veolia Water Indianapolis LLC
1220 Waterway Blvd.
Indianapolis, IN 46202
(317)-264-7715

EPA-R5-2014-003611-185

Donald Heller /R5/USEPA/US

07/14/2011 08:30 AM

To Shelly Lam, Paul Atkociunas, EBRITTAI

cc

bcc

Subject Fw: Vermont Street logs

From: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "marilyn.j.dedyne@GM.COM" <marilyn.j.dedyne@GM.COM>, "dfavero@ameritech.net" <dfavero@ameritech.net>
Date: 07/13/2011 03:53 PM
Subject: RE: Vermont Street logs

Don - Attached are the logs for the wells installed during the investigation .
Please let us know if there is anything else you need .

Thanks!
Sarah

-----Original Message-----

From: Donald Heller [mailto:Heller.Donald@epamail.epa.gov]
Sent: Friday, July 08, 2011 2:07 PM
To: Fisher, Sarah
Subject: RE: Vermont Street logs

Thanks Sarah.

Donald A. Heller
Corrective Action Project Manager
U.S. EPA, Region 5
77 W. Jackson Boulevard (LU-9J)
Chicago, IL 60604
(312) 353-1248

From: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "dfavero@ameritech.net" <dfavero@ameritech.net>, "marilyn.j.dedyne@gm.com" <marilyn.j.dedyne@gm.com>
Date: 07/08/2011 12:54 PM
Subject: RE: Vermont Street logs

Don - I have the draft boring logs, but have not reviewed them for

accuracy yet. I can get these out to you next week.

The depth to water during the sampling of the monitoring wells are listed below.

MW-1101-S4 - 29.54 - 6/22/2011

MW-1102-S4 - 30.41 - 6/13/2011

MW-1103-S3/4 - 24.89 - 6/13/2011

MW-1105-S3/4 - 17.03 - 6/13/2011

We haven't surveyed the wells in yet. This is scheduled for next week.

Thanks!
Sarah

-----Original Message-----

From: Donald Heller [mailto:Heller.Donald@epamail.epa.gov]

Sent: Friday, July 08, 2011 11:53 AM

To: Fisher, Sarah

Cc: dfaveroameritech.net@epamail.epa.gov

Subject: Vermont Street logs

Hi Sarah.

Would you also send the boring logs and depths to ground water for the recently installed wells?

Thanks!

Donald A. Heller
Corrective Action Project Manager
U.S. EPA, Region 5
77 W. Jackson Boulevard (LU-9J)
Chicago, IL 60604
(312) 353-1248

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.



Allison June 2011 Boring Logs.pdf

EPA-R5-2014-003611-186

Donald Heller /R5/USEPA/US

07/14/2011 08:34 AM

To Shelly Lam, Paul Atkociunas, EBRITTAI

cc

bcc

Subject Fw: Allison Transmission Second Quarter 2011 Progress Report

From: "Fisher, Sarah" <Sarah.Fisher@arcadis-us.com>
To: Donald Heller/R5/USEPA/US@EPA
Cc: "OAKES, GLYNDA" <GOAKES@idem.IN.gov>, "arickert@hhcorp.org" <arickert@hhcorp.org>, "Pam Thevenow, MCHD" <PTheveno@HHC Corp.org>, "marilyn.j.dedyne@GM.COM" <marilyn.j.dedyne@GM.COM>, "jean.e.caufield@gm.com" <jean.e.caufield@gm.com>, "kimberly.crame@allisontransmission.com" <kimberly.crame@allisontransmission.com>, "marthasue.barto@allisontransmission.com" <marthasue.barto@allisontransmission.com>
Date: 07/14/2011 07:57 AM
Subject: Allison Transmission Second Quarter 2011 Progress Report

Don –

Please find attached the Second Quarter 2011 Progress Report for the Allison Transmission facility in Speedway/Indianapolis, Indiana. Please let me know if you have any questions or if you would like a hard copy of the letter.

Thanks!

Sarah

Sarah Fisher | Senior Scientist | sarah.fisher@arcadis-us.com
ARCADIS U.S., Inc. | 251 East Ohio Street, Suite 800 | Indianapolis, IN 46204
T. 317.236.5213 | M. 317.691.4011 | F. 317.231.6514
www.arcadis-us.com

ARCADIS, Imagine the result

Please consider the environment before printing this email.

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise



restricted by law. Allison 2Q11 Progress Report.pdf

EPA-R5-2014-003611-187

Shelly Lam/R5/USEPA/US

07/14/2011 02:49 PM

To

cc

bcc

Subject West Vermont Conference Call (10 a.m. Eastern/9 a.m. Central)

Meeting

Date 07/15/2011

Time 09:00:00 AM to 10:00:00 AM

Chair Shelly Lam

Invitees

Required Nash.Thomas; Paul Atkociunas

Optional Donald Heller; Valerie Mullins

FYI

Location Call in #: 866-299-3188

Conference code: 734-692-7663

EPA-R5-2014-003611-188

Paul
Atkociunas /R5/USEPA/US
07/14/2011 02:49 PM

To Shelly Lam
cc
bcc
Subject Accepted: West Vermont Conference Call (10 a.m. Eastern/9
a.m. Central)

EPA-R5-2014-003611-189

"Koch, Dale A."
<dale.koch@veoliawaterna.com>

07/14/2011 03:36 PM

To Shelly Lam

cc

bcc

Subject RE: Cossell Road well containnation

Yeah the sale was approved and I think we will switch late August. I will have passed this on and we will still need addresses so we know the boundry. As getting this through before the switch I don't it and not sure about the estimate. I have passed this on to Terry Ratliff and he is out of the office till Tuesday.

Thanks and Have A Great Week!

Dale Koch

Veolia Water Indianapolis LLC
1220 Waterway Blvd.
Indianapolis, IN 46202
(317)-264-7715

-----Original Message-----

From: Shelly Lam [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Thursday, July 14, 2011 7:11 AM

To: Koch, Dale A.

Subject: Re: Cossell Road well containnation

Dale,

One thing I forgot to mention yesterday is that EPA is willing to pay for the cost of installation including the main, laterals to the homes, fire hydrants, etc. Would you be able to provide me with a rough cost for this? Or at least a cost per foot for the main installation?

By the way, I heard the regulatory commission approved the sale yesterday. Do you know when that will go through? Any way we can get this pushed through before then?

I will send you the letter later today.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

From: "Koch, Dale A." <dale.koch@veoliawaterna.com>

To: Shelly Lam/R5/USEPA/US@EPA

Date: 07/13/2011 01:38 PM

Subject:

Cossell Road well contamination

As per our phone conversation earlier please provide the reports of the contaminated well (address) along with letter of your requested and I'll pass them along.

Thanks and Have A Great Day!

Dale Koch

Veolia Water Indianapolis LLC

1220 Waterway Blvd.

Indianapolis, IN 46202

(317)-264-7715

EPA-R5-2014-003611-190

Thomas Nash/R5/USEPA/US

07/15/2011 08:06 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (10 a.m. Eastern/9
a.m. Central)

EPA-R5-2014-003611-191

Shelly Lam/R5/USEPA/US

07/15/2011 12:53 PM

To arickert

cc

bcc

Subject Cossell-Vermont neighborhood sampling

Hi Adam,

I have a few questions about the Vermont-Cossell neighborhood. How frequently do you sample the drinking water for VC? Do you sample all the homes? I ask because we are going to do some investigation work prior to the water line installation. We want to make sure that during that time the VC plume doesn't migrate and impact additional residents. If you don't sample all the houses routinely, i.e. quarterly or semi-annually, let me know and we may be able to do that.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-192

Shelly Lam/R5/USEPA/US

07/20/2011 10:17 AM

To randy.kirkland

cc

bcc

Subject Cost estimate

Randy,

Please send me average cost estimates for the following :

Geoprobe, per day including average # feet they can drill per day

VOC soil sample

VOC groundwater sample

VOC soil gas sample

Utility markout, per day

Rental costs for the following:

Oil/water interface probe, per week

ppbRAE, per week

Groundwater pump, per week

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

EPA-R5-2014-003611-193

Shelly Lam/R5/USEPA/US

07/20/2011 12:21 PM

To randy.kirkland

cc

bcc

Subject Fw: Cost estimate

Can you also give me estimates for:

Time to sample 100 wells using low-flow methods and 2 people, i.e. how many wells could be sampled per day

Cost for T&D of non-haz drum

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/20/2011 01:19 PM -----

From: Shelly Lam/R5/USEPA/US
To: randy.kirkland@westonsolutions.com
Date: 07/20/2011 11:17 AM
Subject: Cost estimate

Randy,

Please send me average cost estimates for the following:

Geoprobe, per day including average # feet they can drill per day

VOC soil sample

VOC groundwater sample

VOC soil gas sample

Utility markout, per day

Rental costs for the following:

Oil/water interface probe, per week

ppbRAE, per week

Groundwater pump, per week

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-194

"Kirkland, Randy"
<Randy.Kirkland@WestonSolutions.com>

07/20/2011 12:30 PM

To Shelly Lam

cc

bcc

Subject RE: Cost estimate

Are they existing wells, or would we be drilling/installing them?

Randy Kirkland

Project Manager

Weston Solutions, Inc

4710-A Interstate Drive

Cincinnati, OH 45246

Office: (513) 860-9102

Mobile: (937) 602-3089

From: Shelly Lam [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Wednesday, July 20, 2011 1:21 PM

To: Kirkland, Randy

Subject: Fw: Cost estimate

Can you also give me estimates for:

Time to sample 100 wells using low-flow methods and 2 people, i.e. how many wells could be sampled per day

Cost for T&D of non-haz drum

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/20/2011 01:19 PM -----

From: Shelly Lam/R5/USEPA/US

To: randy.kirkland@westonsolutions.com

Date: 07/20/2011 11:17 AM

Subject: Cost estimate

Randy,

Please send me average cost estimates for the following:

Geoprobe, per day including average # feet they can drill per day

VOC soil sample

VOC groundwater sample

VOC soil gas sample

Utility markout, per day

Rental costs for the following:

Oil/water interface probe, per week

ppbRAE, per week

Groundwater pump, per week

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-195

Shelly Lam/R5/USEPA/US

07/20/2011 12:33 PM

To "Kirkland, Randy"

cc

bcc

Subject RE: Cost estimate

Existing and temporary piezometers in some of the soil borings . BTW, what is Weston's G&A? I need to add that to the top of the estimates you gave me.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

"Kirkland, Randy"

Are they existing wells, or would we...

07/20/2011 01:31:05 PM

From: "Kirkland, Randy" <Randy.Kirkland@WestonSolutions.com>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/20/2011 01:31 PM
Subject: RE: Cost estimate

Are they existing wells, or would we be drilling/installing them?

Randy Kirkland

Project Manager

Weston Solutions, Inc

4710-A Interstate Drive
Cincinnati, OH 45246
Office: (513) 860-9102
Mobile: (937) 602-3089

From: Shelly Lam [mailto:Lam.Shelly@epamail.epa.gov]
Sent: Wednesday, July 20, 2011 1:21 PM
To: Kirkland, Randy
Subject: Fw: Cost estimate

Can you also give me estimates for:

Time to sample 100 wells using low-flow methods and 2 people, i.e. how many wells could be sampled per day

Cost for T&D of non-haz drum

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator

United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/20/2011 01:19 PM -----

From: Shelly Lam/R5/USEPA/US
To: randy.kirkland@westonsolutions.com
Date: 07/20/2011 11:17 AM
Subject: Cost estimate

Randy,

Please send me average cost estimates for the following:

Geoprobe, per day including average # feet they can drill per day
VOC soil sample
VOC groundwater sample
VOC soil gas sample
Utility markout, per day
Rental costs for the following:
 Oil/water interface probe, per week
 ppbRAE, per week
 Groundwater pump, per week

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-196

"Kirkland, Randy"
<Randy.Kirkland@WestonSolutions.com>

07/20/2011 12:42 PM

To Shelly Lam

cc

bcc

Subject RE: Cost estimate

Oh nevermind...this is the West Vermont stuff...sorry I forgot for a moment .

But you are hoping the PRP does most of this right ?

Randy Kirkland

Project Manager

Weston Solutions, Inc

4710-A Interstate Drive

Cincinnati, OH 45246

Office: (513) 860-9102

Mobile: (937) 602-3089

From: Shelly Lam [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Wednesday, July 20, 2011 1:34 PM

To: Kirkland, Randy

Subject: RE: Cost estimate

Existing and temporary piezometers in some of the soil borings. BTW, what is Weston's G&A? I need to add that to the top of the estimates you gave me.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

From: "Kirkland, Randy" <Randy.Kirkland@WestonSolutions.com>

To: Shelly Lam/R5/USEPA/US@EPA

Date: 07/20/2011 01:31 PM

Subject: RE: Cost estimate

Are they existing wells, or would we be drilling/installing them?

Randy Kirkland

Project Manager

Weston Solutions, Inc

4710-A Interstate Drive

Cincinnati, OH 45246

Office: (513) 860-9102

Mobile: (937) 602-3089

From: Shelly Lam [<mailto:Lam.Shelly@epamail.epa.gov>]

Sent: Wednesday, July 20, 2011 1:21 PM

To: Kirkland, Randy

Subject: Fw: Cost estimate

Can you also give me estimates for:

Time to sample 100 wells using low-flow methods and 2 people, i.e. how many wells could be sampled per day

Cost for T&D of non-haz drum

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/20/2011 01:19 PM -----

From: Shelly Lam/R5/USEPA/US
To: randy.kirkland@westonsolutions.com
Date: 07/20/2011 11:17 AM
Subject: Cost estimate

Randy,

Please send me average cost estimates for the following:

Geoprobe, per day including average # feet they can drill per day

VOC soil sample

VOC groundwater sample

VOC soil gas sample

Utility markout, per day

Rental costs for the following:

Oil/water interface probe, per week

ppbRAE, per week

Groundwater pump, per week

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-197

Shelly Lam/R5/USEPA/US

07/20/2011 12:43 PM

To "Randy Kirkland"

cc

bcc

Subject Re: Cost estimate

Right. We want a PRP to do it but if they won't go for it it's fund lead.

Shelly Lam, LPG

Federal On-Scene Coordinator

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

U.S. Environmental Protection Agency

2525 N. Shadeland Avenue, Suite 100

Indianapolis, IN 46219

From: "Kirkland, Randy" [Randy.Kirkland@WestonSolutions.com]

Sent: 07/20/2011 01:42 PM AST

To: Shelly Lam

Subject: RE: Cost estimate

Oh nevermind...this is the West Vermont stuff...sorry I forgot for a moment.

But you are hoping the PRP does most of this right?

Randy Kirkland

Project Manager

Weston Solutions, Inc

4710-A Interstate Drive

Cincinnati, OH 45246

Office: (513) 860-9102

Mobile: (937) 602-3089

From: Shelly Lam [mailto:Lam.Shelly@epamail.epa.gov]

Sent: Wednesday, July 20, 2011 1:34 PM

To: Kirkland, Randy

Subject: RE: Cost estimate

Existing and temporary piezometers in some of the soil borings. BTW, what is Weston's G&A? I need to add that to the top of the estimates you gave me.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

From: "Kirkland, Randy" <Randy.Kirkland@WestonSolutions.com>
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/20/2011 01:31 PM
Subject: RE: Cost estimate

Are they existing wells, or would we be drilling/installing them?

Randy Kirkland
Project Manager
Weston Solutions, Inc
4710-A Interstate Drive
Cincinnati, OH 45246
Office: (513) 860-9102
Mobile: (937) 602-3089

From: Shelly Lam [<mailto:Lam.Shelly@epamail.epa.gov>]
Sent: Wednesday, July 20, 2011 1:21 PM
To: Kirkland, Randy
Subject: Fw: Cost estimate

Can you also give me estimates for:

Time to sample 100 wells using low-flow methods and 2 people, i.e. how many wells could be sampled per day
Cost for T&D of non-haz drum

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/20/2011 01:19 PM -----

From: Shelly Lam/R5/USEPA/US
To: randy.kirkland@westonsolutions.com

Date: 07/20/2011 11:17 AM
Subject: Cost estimate

Randy,

Please send me average cost estimates for the following:

Geoprobe, per day including average # feet they can drill per day

VOC soil sample

VOC groundwater sample

VOC soil gas sample

Utility markout, per day

Rental costs for the following:

Oil/water interface probe, per week

ppbRAE, per week

Groundwater pump, per week

Thanks,

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

EPA-R5-2014-003611-198

"Kirkland, Randy"
<Randy.Kirkland@WestonSolutions.com>

07/20/2011 01:02 PM

To Shelly Lam

cc

bcc

Subject RE: Cost estimate

For existing but over a large area where you have to setup and breakdown the sampling area between locations you are looking at 4-6 per day (so 3 to 4 weeks is a good estimate)...and that probably working 10 hrs per day

T&D of drum could be \$200 per drum...although if it just water, you could possibly use a portable AST of some kind and dispose at the WWTP for little money.

Cost of drum is about \$100 each to purchase them (recondition can be \$30/drum but must be DOT approved)

Randy Kirkland

Project Manager

Weston Solutions, Inc

4710-A Interstate Drive

Cincinnati, OH 45246

Office: (513) 860-9102

Mobile: (937) 602-3089

Time to sample 100 wells using low-flow methods and 2 people, i.e. how many wells could be sampled per day

Cost for T&D of non-haz drum

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/20/2011 01:19 PM -----

From: Shelly Lam/R5/USEPA/US

To: randy.kirkland@westonsolutions.com

Date: 07/20/2011 11:17 AM

Subject: Cost estimate

Randy,

Please send me average cost estimates for the following:

Geoprobe, per day including average # feet they can drill per day

VOC soil sample

VOC groundwater sample

VOC soil gas sample

Utility markout, per day

Rental costs for the following:

Oil/water interface probe, per week

ppbRAE, per week

Groundwater pump, per week

Thanks,

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

--

EPA-R5-2014-003611-199

Shelly Lam/R5/USEPA/US

07/21/2011 08:14 AM

To Gordon Clarke

cc

bcc

Subject Admin Record - West Vermont (B5UJ)

I have added a report to the West Vermont OSC website that should be added to the admin record. The report name is Michigan Plaza Sewer Line Investigation and you can access it by logging in at www.epaosc.org/westvermont. Please let me know if you have any questions.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-200

Gordon Clarke /R5/USEPA/US

07/21/2011 08:30 AM

To Shelly Lam

cc

bcc

Subject Re: Admin Record - West Vermont (B5UJ)

Ms. Lam:

When you down load the Michigan Plaza Sewer Line Investigation you get the FSI Addendum. Unfortunately, when you down load the FSI Addendum you get the FSI Addendum and not the Sewer Line Investigation.

G. Weade Clarke
ASRCMS Contractor
77 W. Jackson Blvd., #SRC-7J
Chicago, IL 60604
Phone: (312) 353-7626
Fax: (312) 408-2217
Email: clarke.gordon@epamail.epa.gov

Shelly Lam

I have added a report to the West Verm...

07/21/2011 08:14:28 AM

From: Shelly Lam/R5/USEPA/US
To: Gordon Clarke/R5/USEPA/US@EPA
Date: 07/21/2011 08:14 AM
Subject: Admin Record - West Vermont (B5UJ)

I have added a report to the West Vermont OSC website that should be added to the admin record. The report name is Michigan Plaza Sewer Line Investigation and you can access it by logging in at www.epaosc.org/westvermont. Please let me know if you have any questions.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-201

Shelly Lam/R5/USEPA/US

07/21/2011 08:33 AM

To Gordon Clarke

cc

bcc

Subject Re: Admin Record - West Vermont (B5UJ)

The actual report title is Further Site Investigation Addendum I.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Gordon Clarke

[Ms. Lam: When you down load the Mic...](#)

07/21/2011 09:30:01 AM

From: Gordon Clarke/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/21/2011 09:30 AM
Subject: Re: Admin Record - West Vermont (B5UJ)

Ms. Lam:

When you down load the Michigan Plaza Sewer Line Investigation you get the FSI Addendum.
Unfortunately, when you down load the FSI Addendum you get the FSI Addendum and not the Sewer Line Investigation.

G. Weade Clarke
ASRCMS Contractor
77 W. Jackson Blvd., #SRC-7J
Chicago, IL 60604
Phone: (312) 353-7626
Fax: (312) 408-2217
Email: clarke.gordon@epamail.epa.gov

Shelly Lam

[I have added a report to the West Verm...](#)

07/21/2011 08:14:28 AM

EPA-R5-2014-003611-202

Thomas Nash/R5/USEPA/US

07/22/2011 12:37 PM

To Doug Cloud

cc Bob Mowrey, Shelly Lam

bcc

Subject Re: West Vermont Street

Doug:

I've arranged the conference call as you requested for next Tuesday, July 26. I'll initiate the call at 10:00 a.m. CDT; 11:00 a.m. EDT. I'm copying Bob Mowrey on this because I understand you're out until next Tuesday. I thought Bob could forward this to Andy Gremos and Bob Lewis. I know you told me that all three of you were available that day, but I thought you'd all appreciate getting this confirmation this week. The conference call information you'll need to call in is below:

conference #: 866-299-3188

password: 3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

Doug Cloud

On behalf of Genuine Parts Company,...

06/30/2011 02:35:39 PM

From: Doug Cloud <doug.cloud@m2c2law.com>
To: Valerie Mullins/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: Bob Mowrey <bob.mowrey@m2c2law.com>
Date: 06/30/2011 02:35 PM
Subject: West Vermont Street

On behalf of Genuine Parts Company, attached is correspondence and two Environ reports regarding the West Vermont Street matter. A drawing that is referenced in the correspondence also is attached. One original and a copy of this submittal are being sent to your attention by overnight delivery. As indicated, please let us know if there are questions or if you would like to discuss the information that is presented.

Douglas E. Cloud
1100 Peachtree Street, Suite
650

**MOWREY
MEEZAN
CODDINGTON
CLOUD
LLP**

Atlanta * Washington
www.m2c2law.com

Atlanta, Georgia 30309

Direct phone: (404) 969-0736

Mobile phone: (404) 272-4072

fax: (404) 335-7220

doug.cloud@m2c2law.com

NOTICE: This e-mail message and all attachments transmitted with it may contain legally privileged and confidential information intended solely for the use of the addressee. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited. If you have received this message in error, please notify the sender immediately by telephone or by electronic mail, and delete this message and all copies and backups thereof. Thank you.

[attachment "20110630132122249.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "Final EPA Tech Memo Resp-6-30-11.pdf" deleted by Thomas Nash/R5/USEPA/US]
[attachment "Final Allison Submittal Rebuttal-6-30-11.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "DOC122.pdf" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-203

Shelly Lam/R5/USEPA/US

07/22/2011 12:46 PM

To Paul Atkociunas

cc

bcc

Subject Fw: West Vermont Street

Below is information on a call with Genuine Parts. They want to discuss performing an investigation with us.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 07/22/2011 01:45 PM -----

From: Thomas Nash/R5/USEPA/US
To: Doug Cloud <doug.cloud@m2c2law.com>
Cc: Bob Mowrey <bob.mowrey@m2c2law.com>, Shelly Lam/R5/USEPA/US@EPA
Date: 07/22/2011 01:37 PM
Subject: Re: West Vermont Street

Doug:

I've arranged the conference call as you requested for next Tuesday, July 26. I'll initiate the call at 10:00 a.m. CDT; 11:00 a.m. EDT. I'm copying Bob Mowrey on this because I understand you're out until next Tuesday. I thought Bob could forward this to Andy Gremos and Bob Lewis. I know you told me that all three of you were available that day, but I thought you'd all appreciate getting this confirmation this week. The conference call information you'll need to call in is below:

conference #: 866-299-3188

password: 3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

Doug Cloud


On behalf of Genuine Parts Company,...

06/30/2011 02:35:39 PM

From: Doug Cloud <doug.cloud@m2c2law.com>

To: Valerie Mullins/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: Bob Mowrey <bob.mowrey@m2c2law.com>
Date: 06/30/2011 02:35 PM
Subject: West Vermont Street

On behalf of Genuine Parts Company, attached is correspondence and two Environ reports regarding the West Vermont Street matter. A drawing that is referenced in the correspondence also is attached. One original and a copy of this submittal are being sent to your attention by overnight delivery. As indicated, please let us know if there are questions or if you would like to discuss the information that is presented.



Douglas E. Cloud
1100 Peachtree Street, Suite
650
Atlanta, Georgia 30309
Direct phone: (404) 969-0736
Mobile phone: (404) 272-4072
fax: (404) 335-7220
doug.cloud@m2c2law.com

NOTICE: This e-mail message and all attachments transmitted with it may contain legally privileged and confidential information intended solely for the use of the addressee. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited. If you have received this message in error, please notify the sender immediately by telephone or by electronic mail, and delete this message and all copies and backups thereof. Thank you.

[attachment "20110630132122249.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "Final EPA Tech Memo Resp-6-30-11.pdf" deleted by Thomas Nash/R5/USEPA/US]
[attachment "Final Allison Submittal Rebuttal-6-30-11.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "DOC122.pdf" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-204

Doug Cloud
<doug.cloud@m2c2law.com>
07/22/2011 12:47 PM

To Thomas Nash
cc Bob Mowrey, Shelly Lam
bcc
Subject RE: West Vermont Street

Thanks, Thomas, for setting this up. We look forward to speaking with you next Tuesday.

From: Thomas Nash [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, July 22, 2011 1:38 PM
To: Doug Cloud
Cc: Bob Mowrey; Shelly Lam
Subject: Re: West Vermont Street

Doug:

I've arranged the conference call as you requested for next Tuesday, July 26. I'll initiate the call at 10:00 a.m. CDT; 11:00 a.m. EDT. I'm copying Bob Mowrey on this because I understand you're out until next Tuesday. I thought Bob could forward this to Andy Gremos and Bob Lewis. I know you told me that all three of you were available that day, but I thought you'd all appreciate getting this confirmation this week. The conference call information you'll need to call in is below:

conference #: 866-299-3188

password: 3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

From: Doug Cloud <doug.cloud@m2c2law.com>
To: Valerie Mullins/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA
Cc: Bob Mowrey <bob.mowrey@m2c2law.com>
Date: 06/30/2011 02:35 PM
Subject: West Vermont Street

On behalf of Genuine Parts Company, attached is correspondence and two Environ reports regarding the West Vermont Street matter. A drawing that is referenced in the correspondence also is attached. One original and a copy of this submittal are being sent to your attention by overnight delivery. As indicated, please let us know if there are questions or if you would like to discuss the information that is presented.

MOWREY MEEZAN CODDINGTON CLOUD LLP Atlanta * Washington www.m2c2law.com	Douglas E. Cloud 1100 Peachtree Street, Suite 650 Atlanta, Georgia 30309 Direct phone: (404) 969-0736 Mobile phone: (404) 272-4072 fax: (404) 335-7220 doug.cloud@m2c2law.com
---	--

NOTICE: This e-mail message and all attachments transmitted with it may contain legally privileged and confidential information intended solely for the use of the addressee. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited. If you have received this message in error, please notify the sender immediately by telephone or by electronic mail, and delete this message and all copies and backups thereof. Thank you.

[attachment "20110630132122249.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "Final EPA Tech Memo Resp-6-30-11.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "Final Allison Submittal Rebuttal-6-30-11.pdf" deleted by Thomas Nash/R5/USEPA/US] [attachment "DOC122.pdf" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-205

Shelly Lam/R5/USEPA/US

07/27/2011 03:22 PM

To Gordon Clarke

cc

bcc

Subject Re: West Vermont Drinking Water Contamination Site -
Update #1

Weade,

The admin record for this site should also include a Technical Memorandum : Analytical and Hydrogeological Evaluation prepared by Weston Solutions . Weston was supposed to submit this directly to the Records Center. Please let me know if you don't have it.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Gordon Clarke

Ms. Lam, Here is what I have so far. L...

07/21/2011 01:10:27 PM

From: Gordon Clarke/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/21/2011 01:10 PM
Subject: West Vermont Drinking Water Contamination Site - Update #1

Ms. Lam,

Here is what I have so far. Let me know when you want to finalize the update and have it sent to the repository.

[attachment "West Vermont.doc" deleted by Shelly Lam/R5/USEPA/US]

G. Weade Clarke
ASRCMS Contractor
77 W. Jackson Blvd., #SRC-7J
Chicago, IL 60604
Phone: (312) 353-7626
Fax: (312) 408-2217
Email: clarke.gordon@epamail.epa.gov

EPA-R5-2014-003611-206

Gordon Clarke /R5/USEPA/US

07/27/2011 03:35 PM

To Shelly Lam

cc

bcc

Subject Re: West Vermont Drinking Water Contamination Site -
Update #1

Ms. Lam,

I checked the site files and I believe we have it. It's dated March 27, 2011. Does that sound right?

G. Weade Clarke
ASRCMS Contractor
77 W. Jackson Blvd., #SRC-7J
Chicago, IL 60604
Phone: (312) 353-7626
Fax: (312) 408-2217
Email: clarke.gordon@epamail.epa.gov

Shelly Lam

Weade, The admin record for this site s...

07/27/2011 03:23:07 PM

From: Shelly Lam/R5/USEPA/US
To: Gordon Clarke/R5/USEPA/US@EPA
Date: 07/27/2011 03:23 PM
Subject: Re: West Vermont Drinking Water Contamination Site - Update #1

Weade,

The admin record for this site should also include a Technical Memorandum : Analytical and Hydrogeological Evaluation prepared by Weston Solutions . Weston was supposed to submit this directly to the Records Center. Please let me know if you don't have it.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Gordon Clarke

Ms. Lam, Here is what I have so far. L...

07/21/2011 01:10:27 PM

EPA-R5-2014-003611-207

Shelly Lam/R5/USEPA/US

07/27/2011 03:35 PM

To Gordon Clarke

cc

bcc

Subject Re: West Vermont Drinking Water Contamination Site -
Update #1

That sounds right. Thanks!

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Gordon Clarke

Ms. Lam, I checked the site files and I b...

07/27/2011 04:35:23 PM

From: Gordon Clarke/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/27/2011 04:35 PM
Subject: Re: West Vermont Drinking Water Contamination Site - Update #1

Ms. Lam,

I checked the site files and I believe we have it. It's dated March 27, 2011. Does that sound right?

G. Weade Clarke
ASRCMS Contractor
77 W. Jackson Blvd., #SRC-7J
Chicago, IL 60604
Phone: (312) 353-7626
Fax: (312) 408-2217
Email: clarke.gordon@epamail.epa.gov

Shelly Lam

Weade, The admin record for this site s...

07/27/2011 03:23:07 PM

Gordon Clarke

Ms. Lam, Here is what I have so far. L...

07/21/2011 01:10:27 PM

EPA-R5-2014-003611-208

Shelly Lam/R5/USEPA/US

07/29/2011 11:49 AM

To Bob Kay

cc

bcc

Subject Re: Speedway Site

The Site ID is B5UJ.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Bob Kay

Shelly--can i get the accounting code fo...

07/29/2011 12:04:29 PM

From: Bob Kay/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 07/29/2011 12:04 PM
Subject: Speedway Site

Shelly--can i get the accounting code for the Vermont Street site in Speedway, IN? i do my billing quarterly and i've got to input the info.

thanks

EPA-R5-2014-003611-209

Thomas Nash/R5/USEPA/US

07/29/2011 12:19 PM

To "McInerny, Daniel"

cc Shelly Lam

bcc

Subject Re: FW: Michigan Plaza Injection and VI Work Plan

Hello Dan:

Thanks for sending the Injection and VI Work Plan. I forwarded the document to Shelly Lam.

Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

"McInerny, Daniel" Tom, Per my previous email to you,... 07/28/2011 03:15:33 PM

From: "McInerny, Daniel" <dmcinerny@boselaw.com>
To: Thomas Nash/R5/USEPA/US@EPA
Cc: "Nick Billings" <Nick.Billings@aimco.com>, "Scott Reisch" <scott.reisch@hoganlovells.com>, "Peter Cappel" <Peter.Cappel@aimco.com>
Date: 07/28/2011 03:15 PM
Subject: FW: Michigan Plaza Injection and VI Work Plan

Tom,
Per my previous email to you, attached is Mundell's work plan. Please contact me with any questions. Thanks, Dan

Daniel P. McInerny
Bose McKinney & Evans LLP | www.boselaw.com
111 Monument Circle | Suite 2700 | Indianapolis, Indiana 46204
DMcInerny@boselaw.com | P 317-684-5102 | F 317-223-0602

Assistant Contact | Dannalyn G. Garner | DGarner@boselaw.com | P 317-684-5227 | F 317-223-0227

From: Cappel, Peter (Denver) [mailto:Peter.Cappel@aimco.com]
Sent: Thursday, July 28, 2011 4:02 PM
To: McInerny, Daniel
Subject: FW: Michigan Plaza Injection and VI Work Plan

Attached is the work plan.

THIS E-MAIL MESSAGE IS CONFIDENTIAL, ATTORNEY-CLIENT PRIVILEGED, AND INTENDED FOR THE PERSON(S) NAMED ABOVE ONLY. ALL OTHER USE, COPYING, OR DISTRIBUTION IS STRICTLY PROHIBITED.

Pete Cappel
V.P. of Environmental Health and Safety
AIMCO
4582 S. Ulster St. Pkwy., Suite 1100
Denver, CO 80237
Desk (303) 691-4560
Mobile (720) 635-6864

From: Sarah Webb [mailto:SWEBB@MUNDELLASSOCIATES.COM]
Sent: Friday, July 22, 2011 1:59 PM
To: BRITTAIN, ERIN
Cc: Cappel, Peter (Denver); John Mundell
Subject: Michigan Plaza Injection and VI Work Plan
Erin,

Attached is a PDF copy of the *Revised Work Plan for Third Round of CAP 18 ME Injections-Michigan Plaza*. A hard copy will be delivered to IDEM by the end of the day.

Included in this work plan are the previously discussed three nested well sets, vapor intrusion evaluation of the nearest western residence and details pertaining to the third CAP 18 ME injection at the Site.

Please let me know if you have any questions!

Have a great weekend,
Sarah

Sarah E. Webb, L.P.G.
Mundell & Associates, Inc.
110 South Downey Avenue
Indianapolis, Indiana 46219
P : (317) 630-9060 F : (317) 630-9065
Website: www.mundellassociates.com
Email: swebb@mundellassociates.com

—

This message and any attachments may contain legally privileged or confidential information, and are intended only for the individual or entity identified above as the addressee.

If you are not the addressee, or if this message has been addressed to you in error, you are not authorized to read, copy, or distribute this message and any attachments, and we ask that you please delete this message and attachments (including all copies) and notify the sender. Delivery of this message and any attachments to any person other than the intended recipient(s) is not intended in any way to waive confidentiality or a privilege.

All personal messages express views only of the individual sender, and may not be copied or distributed without this statement.[attachment "July_2011_InjWrkPlan.pdf" deleted by Thomas Nash/R5/USEPA/US]

EPA-R5-2014-003611-210

"John G. Houser"
<jgh@paynefirm.com>
07/29/2011 04:00 PM

To Shelly Lam
cc Thomas Nash, Donald Heller, "ebrittai@idem.in.gov",
"Czajka, Terri A", Martha Sue Barto, "Mike L. Woodruff"
bcc
Subject West Vermont Street Drinking Water Site, Speedway,
Indiana; Site ID#B5UJ

All,

Please see the attached which is being submitted on behalf of Allison Transmission, Inc. regarding the above-referenced matter. A hardcopy will follow in the mail.

Thanks,

John G. Houser, L.P.G.

The Payne Firm, Inc.

325 West Huron Street, Suite 410
Chicago, Illinois 60610
(312) 475-9055
(312) 475-9059 fax
(800) 229.1443 toll free
www.paynefirm.com

The Payne Firm UK, Ltd.

20-22 Bedford Row
London WC1R 4EJ

Cincinnati Chicago Cleveland London Troy, NY

Confidentiality Notice: This e-mail message is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. If you are the intended recipient but do not wish to receive communications through this medium, please so advise the sender immediately.



07 29 2011 Payne Response to ENVIRON June 30 Letters 11-0528LTR (2).pdf

EPA-R5-2014-003611-211

Shelly Lam/R5/USEPA/US

08/01/2011 06:24 AM

To Paul Atkociunas

cc

bcc

Subject Fw: West Vermont Street Drinking Water Site, Speedway,
Indiana; Site ID#B5UJ

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 08/01/2011 07:24 AM -----

From: "John G. Houser" <jgh@paynefirm.com>
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Thomas Nash/R5/USEPA/US@EPA, Donald Heller/R5/USEPA/US@EPA, "ebrittai@idem.in.gov" <ebrittai@idem.in.gov>, "Czajka, Terri A" <Terri.Czajka@icemiller.com>, Martha Sue Barto <marthasue.barto@allisontransmission.com>, "Mike L. Woodruff" <MLW@paynefirm.com>
Date: 07/29/2011 05:03 PM
Subject: West Vermont Street Drinking Water Site, Speedway, Indiana; Site ID#B5UJ

All,

Please see the attached which is being submitted on behalf of Allison Transmission, Inc. regarding the above-referenced matter. A hardcopy will follow in the mail.

Thanks,

John G. Houser, L.P.G.

The Payne Firm, Inc.

325 West Huron Street, Suite 410
Chicago, Illinois 60610
(312) 475-9055
(312) 475-9059 fax
(800) 229.1443 toll free
www.paynefirm.com

The Payne Firm UK, Ltd.

20-22 Bedford Row
London WC1R 4EJ

Cincinnati Chicago Cleveland London Troy, NY

Confidentiality Notice: This e-mail message is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. If you are the intended recipient but do not wish to receive communications through this medium, please so advise the sender immediately.



07 29 2011 Payne Response to ENVIRON June 30 Letters 11-0528LTR (2).pdf

EPA-R5-2014-003611-212

Thomas Nash/R5/USEPA/US

08/19/2011 09:49 AM

To scott.reisch

cc Shelly Lam, Paul Atkociunas

bcc

Subject Re: AIMCO

Scott:

I got your voice mail this morning. I am confirming that I will be available in Chicago between 12:00 and 3:00 pm CDT next Thursday if you want to meet with me then.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

-----"Reisch, Scott H." <scott.reisch@hoganlovells.com> wrote: -----

To: Thomas Nash/R5/USEPA/US@EPA
From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
Date: 08/09/2011 06:07PM
Cc: "DMcInerny@boselaw.com" <DMcInerny@boselaw.com>
Subject: AIMCO

Tom: Per my voicemail last week, I have recently been retained to assist AIMCO in connection with the West Vermont Street Drinking Water Site. I would like to explain my role and set up a time to meet with you in Chicago. I am traveling this week but available on my cell. Please call me at 303 249 2874 at your earliest convenience. Thanks, Scott

Scott H. Reisch
Partner
Hogan Lovells US
One Tabor Center, Suite 1500
Denver, Colorado. 80202
(303) 899 7355
scott.reisch@hoganlovells.com

Hogan Lovells refers to the international legal practice comprising Hogan Lovells International LLP, Hogan Lovells US LLP, Hogan Lovells Worldwide Group (a Swiss Verein), and their affiliated

businesses. Hogan Lovells International LLP is a limited liability partnership registered in England and Wales with registered number OC323639. Registered office and principal place of business: Atlantic House, Holborn Viaduct, London EC1A 2FG. Hogan Lovells US LLP is a limited liability partnership registered in the District of Columbia.

The word "partner" is used to refer to a member of Hogan Lovells International LLP or a partner of Hogan Lovells US LLP, or an employee or consultant with equivalent standing and qualifications, and to a partner, member, employee or consultant in any of their affiliated businesses who has equivalent standing. A list of the members of Hogan Lovells International LLP and of the non-members who are designated as partners, and of their respective professional qualifications, is open to inspection at the above address. Further important information about Hogan Lovells can be found on www.hoganlovells.com.

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed, it may also be privileged. If received in error, please do not disclose the contents to anyone, but notify the sender by return email and delete this email (and any attachments) from your system.

EPA-R5-2014-003611-213

"Reisch, Scott H."
<scott.reisch@hoganlovells.com>

08/22/2011 03:14 PM

To: Thomas Nash
cc: Shelly Lam, Paul Atkociunas
bcc:
Subject: RE: AIMCO

Thanks, Tom. Pete Cappell, AIMCO's VP of Environmental Health and Safety, will be with me. My plane is scheduled to arrive at Midway at 11:47. We will come right to your offices (77 West Jackson Blvd, right?) and hope to be there by 12:30-1245.

I look forward to meeting you in person.

Regards, Scott

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, August 19, 2011 8:50 AM
To: Reisch, Scott H.
Cc: Lam.Shelly@epamail.epa.gov; Atkociunas.Paul@epamail.epa.gov
Subject: Re: AIMCO

Scott:

I got your voice mail this morning. I am confirming that I will be available in Chicago between 12:00 and 3:00 pm CDT next Thursday if you want to meet with me then.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

-----"Reisch, Scott H." <scott.reisch@hoganlovells.com> wrote: -----
To: Thomas Nash/R5/USEPA/US@EPA
From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
Date: 08/09/2011 06:07PM

Cc: "DMcInerny@boselaw.com" <DMcInerny@boselaw.com>
Subject: AIMCO

Tom: Per my voicemail last week, I have recently been retained to assist AIMCO in connection with the West Vermont Street Drinking Water Site. I would like to explain my role and set up a time to meet with you in Chicago. I am traveling this week but available on my cell. Please call me at 303 249 2874 at your earliest convenience. Thanks,
Scott

Scott H. Reisch
Partner
Hogan Lovells US
One Tabor Center, Suite 1500
Denver, Colorado. 80202
(303) 899 7355
scott.reisch@hogsanlovells.com

Hogan Lovells refers to the international legal practice comprising Hogan Lovells International LLP, Hogan Lovells US LLP, Hogan Lovells Worldwide Group (a Swiss Verein), and their affiliated businesses. Hogan Lovells International LLP is a limited liability partnership registered in England and Wales with registered number OC323639. Registered office and principal place of business: Atlantic House, Holborn Viaduct, London EC1A 2FG. Hogan Lovells US LLP is a limited liability partnership registered in the District of Columbia.

The word "partner" is used to refer to a member of Hogan Lovells International LLP or a partner of Hogan Lovells US LLP, or an employee or consultant with equivalent standing and qualifications, and to a partner, member, employee or consultant in any of their affiliated businesses who has equivalent standing. A list of the members of Hogan Lovells International LLP and of the non-members who are designated as partners, and of their respective professional qualifications, is open to inspection at the above address. Further important information about Hogan Lovells can be found on www.hoganlovells.com.

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed, it may also be privileged. If received in error, please do not disclose the contents to anyone, but notify the sender by return email and delete this email (and any attachments) from your system.

EPA-R5-2014-003611-214

Thomas Nash/R5/USEPA/US

08/25/2011 09:30 AM

To "Czajka, Terri A"

cc Shelly Lam

bcc

Subject Re: West Vermont Street Drinking Water Site

Terri:

Here's the conference line information; please forward it to whoever will join you on the call.

Reservationless-Plus toll-free dial-in number (U.S. and Canada):

(866) 299-3188

Conference code:

3128867152

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

"Czajka, Terri A"	FOR SETTLEMENT AND COMPROMISE NEGOTIATION PURPOSES ONLY	08/23/2011 11:47:18 AM
-------------------	---	------------------------

From: "Czajka, Terri A" <Terri.Czajka@icemiller.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 08/23/2011 11:47 AM
Subject: West Vermont Street Drinking Water Site

FOR SETTLEMENT AND COMPROMISE NEGOTIATION PURPOSES ONLY

Hi, Tom. Thanks for agreeing to talk with Allison Transmission, Inc. ("ATI") representatives about the proposed scope of work for further investigation related to the West Vermont Street Drinking Water Site. John Houser of The Payne Firm, Sue Barto with ATI, and I can make ourselves available any time that works for Shelly and you in the next 3 days. Take care- Terri

Terri Czajka
Partner
Ice Miller LLP

(317) 236-2262 (office)
(317) 507-0982 (cell)
terri.czajka@icemiller.com

CIRCULAR 230 DISCLOSURE: Except to the extent that this advice concerns the qualification of any qualified plan, to ensure compliance with U.S. Treasury Department Regulations, we are now required to advise you that, unless otherwise expressly indicated, any federal tax advice contained in this communication, including any attachments, is not intended or written by us to be used, and cannot be used, by anyone for the purpose of avoiding federal tax penalties that may be imposed by the federal government or for promoting, marketing or recommending to another party any tax-related matters addressed herein.

CONFIDENTIALITY NOTICE: This E-mail and any attachments are confidential and may be protected by legal privilege. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of this E-mail or any attachment is prohibited. If you have received this E-mail in error, please notify us immediately by returning it to the sender and delete this copy from your system.

Thank you.

ICE MILLER LLP

EPA-R5-2014-003611-215

"Cappel, Peter (Denver)"
<Peter.Cappel@aimco.com>

08/26/2011 10:25 AM

To Thomas Nash, "Reisch, Scott H.", "John Mundell", Shelly
Lam, lam.shelley

cc

bcc

Subject Updated: West Vermont Street Drinking Water Site,
Speedway, Indiana - Discussion on scope of a potential
hydrogeologic investigation

Meeting

Date 08/26/2011 12:30:00 PM

Time 12:30:00 PM to 01:00:00 PM

Chair Peter.Cappel

Invitees

Required nash.thomas; scott.reisch; JMUNDELL; Shelly Lam; lam.shelley

Optional Thomas Nash

FYI

Location Dial in conf call 888 387 2905; code
is 303 899 7355

888 387 2905; code is 303 899 7355

Discussion on scope of a potential hydrogeologic investigation

EPA-R5-2014-003611-216

Thomas Nash/R5/USEPA/US

08/26/2011 10:43 AM

To "Reisch, Scott H."

cc "John Mundell
(JMUNDELL@MUNDELLASSOCIATES.COM)",
"Peter.Cappel@aimco.com", Shelly Lam

bcc

Subject RE: Times for tomorrow

Hey Scott:

I just got an invitation from Pete, but the time slot he used is 11:30 CDT. I accepted, but.... Did a similar invitation go to Shelly? We had agreed to the 12:30 CDT/1:30 EDT time slot which you had proposed. Can you clarify when you want this call to happen?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

"Reisch, Scott H."

Great, thanks. We can use my cal...

08/26/2011 09:33:27 AM

From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
To: Thomas Nash/R5/USEPA/US@EPA
Cc: "Peter.Cappel@aimco.com" <Peter.Cappel@aimco.com>, "John Mundell
(JMUNDELL@MUNDELLASSOCIATES.COM)" <JMUNDELL@MUNDELLASSOCIATES.COM>
Date: 08/26/2011 09:33 AM
Subject: RE: Times for tomorrow

[Great, thanks. We can use my call in number, 888 387 2905; code is 303 899 7355.](#)

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, August 26, 2011 8:30 AM
To: Reisch, Scott H.
Cc: 'Peter.Cappel@aimco.com'
Subject: Re: Times for tomorrow

Scott:

Shelly and I are available to talk with you and your client about the scope of a potential hydrogeologic investigation at 12:30 CDT/ 1:30 EDT.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
To: Thomas Nash/R5/USEPA/US@EPA
Cc: "Peter.Cappel@aimco.com" <Peter.Cappel@aimco.com>
Date: 08/25/2011 02:36 PM
Subject: Times for tomorrow

Tom: Thanks for your time today. I am still confirming schedules, but I am thinking that 12:30-1 or after 2 (all times central) would work on our side. Do either of those time frames work for your group? Thanks again, Scott

Hogan Lovells refers to the international legal practice comprising Hogan Lovells International LLP, Hogan Lovells US LLP, Hogan Lovells Worldwide Group (a Swiss Verein), and their affiliated businesses. Hogan Lovells International LLP is a limited liability partnership registered in England and Wales with registered number OC323639. Registered office and principal place of business: Atlantic House, Holborn Viaduct, London EC1A 2FG. Hogan Lovells US LLP is a limited liability partnership registered in the District of Columbia.

The word "partner" is used to refer to a member of Hogan Lovells International LLP or a partner of Hogan Lovells US LLP, or an employee or consultant with equivalent standing and qualifications, and to a partner, member, employee or consultant in any of their affiliated businesses who has equivalent standing. A list of the members of Hogan Lovells International LLP and of the non-members who are designated as partners, and of their respective professional qualifications, is open to inspection at the above address. Further important information about Hogan Lovells can be found on www.hoganlovells.com.

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed, it may also be privileged. If received in error, please do not disclose

the contents to anyone, but notify the sender by
return email and delete this email (and any attachments) from your
system.

EPA-R5-2014-003611-217

"Cappel, Peter (Denver)"
<Peter.Cappel@aimco.com>
08/26/2011 10:47 AM

To Thomas Nash, "Reisch, Scott H."
cc JMUNDELL, Shelly Lam
bcc
Subject RE: Times for tomorrow

Sorry I meant 12:30 CST. I'll resend the invite with the correct time.

THIS E-MAIL MESSAGE IS CONFIDENTIAL, ATTORNEY-CLIENT PRIVILEGED, AND INTENDED FOR THE PERSON(S) NAMED ABOVE ONLY. ALL OTHER USE, COPYING, OR DISTRIBUTION IS STRICTLY PROHIBITED.

Pete Cappel
V.P. of Environmental Health and Safety
AIMCO
4582 S. Ulster St. Pkwy., Suite 1100
Denver, CO 80237
Desk (303) 691-4560
Mobile (720) 635-6864

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, August 26, 2011 10:44 AM
To: Reisch, Scott H.
Cc: John Mundell (JMUNDELL@MUNDELLASSOCIATES.COM); Cappel, Peter (Denver); Lam.Shelly@epamail.epa.gov
Subject: RE: Times for tomorrow

Hey Scott:

I just got an invitation from Pete, but the time slot he used is 11:30 CDT. I accepted, but.... Did a similar invitation go to Shelly? We had agreed to the 12:30 CDT/1:30 EDT time slot which you had proposed. Can you clarify when you want this call to happen?

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by

unintended recipients is not authorized and may be unlawful.

From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
To: Thomas Nash/R5/USEPA/US@EPA
Cc: "'Peter.Cappel@aimco.com'" <Peter.Cappel@aimco.com>, "John Mundell (JMUNDELL@MUNDELLASSOCIATES.COM)" <JMUNDELL@MUNDELLASSOCIATES.COM>
Date: 08/26/2011 09:33 AM
Subject: RE: Times for tomorrow

Great, thanks. We can use my call in number, 888 387 2905; code is 303 899 7355.

From: Nash.Thomas@epamail.epa.gov [<mailto:Nash.Thomas@epamail.epa.gov>]
Sent: Friday, August 26, 2011 8:30 AM
To: Reisch, Scott H.
Cc: 'Peter.Cappel@aimco.com'
Subject: Re: Times for tomorrow

Scott:

Shelly and I are available to talk with you and your client about the scope of a potential hydrogeologic investigation at 12:30 CDT/ 1:30 EDT.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
To: Thomas Nash/R5/USEPA/US@EPA
Cc: "'Peter.Cappel@aimco.com'" <Peter.Cappel@aimco.com>
Date: 08/25/2011 02:36 PM

Subject: Times for tomorrow

Tom: Thanks for your time today. I am still confirming schedules, but I am thinking that 12:30-1 or after 2 (all times central) would work on our side. Do either of those time frames work for your group? Thanks again, Scott

Hogan Lovells refers to the international legal practice comprising Hogan Lovells International LLP, Hogan Lovells US LLP, Hogan Lovells Worldwide Group (a Swiss Verein), and their affiliated businesses. Hogan Lovells International LLP is a limited liability partnership registered in England and Wales with registered number OC323639. Registered office and principal place of business: Atlantic House, Holborn Viaduct, London EC1A 2FG. Hogan Lovells US LLP is a limited liability partnership registered in the District of Columbia.

The word "partner" is used to refer to a member of Hogan Lovells International LLP or a partner of Hogan Lovells US LLP, or an employee or consultant with equivalent standing and qualifications, and to a partner, member, employee or consultant in any of their affiliated businesses who has equivalent standing. A list of the members of Hogan Lovells International LLP and of the non-members who are designated as partners, and of their respective professional qualifications, is open to inspection at the above address. Further important information about Hogan Lovells can be found on www.hoganlovells.com.

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed, it may also be privileged. If received in error, please do not disclose the contents to anyone, but notify the sender by return email and delete this email (and any attachments) from your system.

EPA-R5-2014-003611-218

"Cappel, Peter (Denver)"
<Peter.Cappel@aimco.com>

08/26/2011 10:48 AM

To Thomas Nash, "Reisch, Scott H.", "John Mundell", Shelly
Lam, lam.shelley

cc Thomas Nash

bcc

Subject Rescheduled: Updated: West Vermont Street Drinking Water
Site, Speedway, Indiana - Discussion on scope of a potential
hydrogeologic investigation (Aug 26 11:30 AM MDT in Dial in
conf call 888 387 2905; code is 303 899 7355)

888 387 2905; code is 303 899 7355

Discussion on scope of a potential hydrogeologic investigation

EPA-R5-2014-003611-219

Thomas Nash/R5/USEPA/US

08/26/2011 11:33 AM

To "Cappel, Peter (Denver)"

cc Shelly Lam

bcc

Subject RE: Times for tomorrow

Pete:

OK. I'm not trying to be picky but you said CST, we're on CDT here. It's 11:31 now here, and unless I hear otherwise I plan to call in at 12:30 59 minutes from now.

These multi-time zone calls can be tricky to set up.

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-220

"Cappel, Peter (Denver)"
<Peter.Cappel@aimco.com>
08/26/2011 11:35 AM

To Thomas Nash
cc Shelly Lam
bcc
Subject RE: Times for tomorrow

Talk to you in 55 min.

THIS E-MAIL MESSAGE IS CONFIDENTIAL, ATTORNEY-CLIENT PRIVILEGED, AND INTENDED FOR THE PERSON(S) NAMED ABOVE ONLY. ALL OTHER USE, COPYING, OR DISTRIBUTION IS STRICTLY PROHIBITED.

Pete Cappel
V.P. of Environmental Health and Safety
AIMCO
4582 S. Ulster St. Pkwy., Suite 1100
Denver, CO 80237
Desk (303) 691-4560
Mobile (720) 635-6864

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Friday, August 26, 2011 10:33 AM
To: Cappel, Peter (Denver)
Cc: Lam.Shelly@epamail.epa.gov
Subject: RE: Times for tomorrow

Pete:

OK. I'm not trying to be picky but you said CST, we're on CDT here. It's 11:31 now here, and unless I hear otherwise I plan to call in at 12:30 59 minutes from now.

These multi-time zone calls can be tricky to set up.

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-221

Thomas Nash/R5/USEPA/US

08/26/2011 12:55 PM

To Shelly Lam

cc

bcc

Subject Fw:
ResistivityResidentialWellsMichiganSummary_08242011
(2).pdf

fyi

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 08/26/2011 12:54 PM -----

From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 08/26/2011 12:51 PM
Subject: ResistivityResidentialWellsMichiganSummary_08242011 (2).pdf

As we discussed, the electronic version is attached.

Regards, Scott

Scott H. Reisch

Partner

Hogan Lovells US LLP	
One Tabor Center, Suite 1500	
1200 Seventeenth Street	
Denver, CO 80202	
Tel:	+1 303 899 7300
Direct:	+1 303 899 7355
Fax:	+1 303 899 7333
Email:	scott.reisch@hoganlovells.com
	www.hoganlovells.com

Please consider the environment before printing this e-mail.

Hogan Lovells refers to the international legal practice comprising Hogan Lovells International LLP, Hogan Lovells US LLP, Hogan Lovells Worldwide Group (a Swiss Verein), and their affiliated businesses. Hogan Lovells International LLP is a limited liability partnership registered in England and Wales with registered number OC323639. Registered office and principal place of business: Atlantic House, Holborn Viaduct, London EC1A 2FG. Hogan Lovells US LLP is a limited liability partnership registered in the District of Columbia.

The word "partner" is used to refer to a member of Hogan Lovells International LLP or a partner of Hogan Lovells US LLP, or an employee or consultant with equivalent standing and qualifications, and to a partner, member, employee or consultant in any of their affiliated businesses who has equivalent standing. A list of the members of Hogan Lovells International LLP and of the non-members who are designated as partners, and of their respective professional qualifications, is open to inspection at the above address. Further important information about Hogan Lovells can be found on www.hoganlovells.com.

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed; it may also be privileged. If received in error, please do not disclose the contents to anyone, but notify the sender by return email and



delete this email (and any attachments) from your system. ResistivityResidentialWellsMichiganSummary_08242011 (2).pdf

EPA-R5-2014-003611-222

Shelly Lam/R5/USEPA/US

08/26/2011 01:06 PM

To ebrittai

cc

bcc

Subject Fw:
ResistivityResidentialWellsMichiganSummary_08242011
(2).pdf

You and Sarah might be this interesting.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 08/26/2011 02:06 PM -----

From: Thomas Nash/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 08/26/2011 01:55 PM
Subject: Fw: ResistivityResidentialWellsMichiganSummary_08242011 (2).pdf

fyi

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

----- Forwarded by Thomas Nash/R5/USEPA/US on 08/26/2011 12:54 PM -----

From: "Reisch, Scott H." <scott.reisch@hoganlovells.com>
To: Thomas Nash/R5/USEPA/US@EPA
Date: 08/26/2011 12:51 PM
Subject: ResistivityResidentialWellsMichiganSummary_08242011 (2).pdf

As we discussed, the electronic version is attached.

Regards, Scott

Scott H. Reisch

Partner

Hogan Lovells US LLP

One Tabor Center, Suite 1500
1200 Seventeenth Street
Denver, CO 80202

Tel: +1 303 899 7300

Direct: +1 303 899 7355

Fax: +1 303 899 7333

Email: scott.reisch@hoganlovells.comwww.hoganlovells.com

Please consider the environment before printing this e-mail.

Hogan Lovells refers to the international legal practice comprising Hogan Lovells International LLP, Hogan Lovells US LLP, Hogan Lovells Worldwide Group (a Swiss Verein), and their affiliated businesses. Hogan Lovells International LLP is a limited liability partnership registered in England and Wales with registered number OC323639. Registered office and principal place of business: Atlantic House, Holborn Viaduct, London EC1A 2FG. Hogan Lovells US LLP is a limited liability partnership registered in the District of Columbia.

The word "partner" is used to refer to a member of Hogan Lovells International LLP or a partner of Hogan Lovells US LLP, or an employee or consultant with equivalent standing and qualifications, and to a partner, member, employee or consultant in any of their affiliated businesses who has equivalent standing. A list of the members of Hogan Lovells International LLP and of the non-members who are designated as partners, and of their respective professional qualifications, is open to inspection at the above address. Further important information about Hogan Lovells can be found on www.hoganlovells.com.

CONFIDENTIALITY. This email and any attachments are confidential, except where the email states it can be disclosed; it may also be privileged. If received in error, please do not disclose the contents to anyone, but notify the sender by return email and



delete this email (and any attachments) from your system. ResistivityResidentialWellsMichiganSummary_08242011 (2).pdf

EPA-R5-2014-003611-223

Thomas Nash/R5/USEPA/US

08/26/2011 06:29 PM

To "Czajka, Terri A", Doug Cloud

cc Shelly Lam

bcc

Subject Re: West Vermont Street Drinking Water Site

Terri, Doug, Scott:

Shelly and I have spoken directly with each of you this week, and you have each been given the scope of the investigation EPA intends to conduct if the parties do not decide to provide alternative water supply via a hookup to municipal water supplies for the residents at risk in the residential area of the West Vermont Street Site.

EPA wants to provide alternative water supplies to the affected residences as quickly as possible. We met with the parties in June, have continued to exchange information with the parties and maintain close communication with them. We have taken pains to make sure you all share the most complete and accurate information we can give you. I have warned you all that we need to make decisions soon.

We want you all to know now that we need to hear from you by COB next Wednesday, August 31, 2011, whether the parties will agree to provide the water to the affected residences or; alternatively, wish to participate in conducting the investigation according to the scope we have outlined.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-224

Thomas Nash/R5/USEPA/US

08/26/2011 06:37 PM

To Terri Czajka, doug.cloud, scott.reisch

cc Shelly Lam

bcc

Subject West Vermont Street Drinking Water Site

Terri, Doug, Scott:

Shelly and I have spoken directly with each of you this week, and you have each been given the scope of the investigation EPA intends to conduct if the parties do not decide to provide alternative water supply via a hookup to municipal water supplies for the residents at risk in the residential area of the West Vermont Street Site.

EPA wants to provide alternative water supplies to the affected residences as quickly as possible. We met with the parties in June, have continued to exchange information with the parties and maintain close communication with them. We have taken pains to make sure you all share the most complete and accurate information we can give you. I have warned you all that we need to make decisions soon.

We want you all to know now that we need to hear from you by COB next Wednesday, August 31, 2011, whether the parties will agree to provide the water to the affected residences or; alternatively, wish to participate in conducting the investigation according to the scope we have outlined.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-225

Thomas Nash/R5/USEPA/US

08/26/2011 06:40 PM

To Terri.Czajka, doug.cloud, scott.reisch

cc Shelly Lam

bcc

Subject West Vermont Street Drinking Water Site

Terri, Doug, Scott:

Shelly and I have spoken directly with each of you this week, and you have each been given the scope of the investigation EPA intends to conduct if the parties do not decide to provide alternative water supply via a hookup to municipal water supplies for the residents at risk in the residential area of the West Vermont Street Site.

EPA wants to provide alternative water supplies to the affected residences as quickly as possible. We met with the parties in June, have continued to exchange information with the parties and maintain close communication with them. We have taken pains to make sure you all share the most complete and accurate information we can give you. I have warned you all that we need to make decisions soon.

We want you all to know now that we need to hear from you by COB next Wednesday, August 31, 2011, whether the parties will agree to provide the water to the affected residences or; alternatively, wish to participate in conducting the investigation according to the scope we have outlined.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-226

Shelly Lam/R5/USEPA/US

08/29/2011 08:39 AM

To Paul Atkociunas

cc

bcc

Subject Fw: West Vermont Street Drinking Water Site

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

----- Forwarded by Shelly Lam/R5/USEPA/US on 08/29/2011 09:38 AM -----

From: Thomas Nash/R5/USEPA/US
To: Terri.Czajka@icemiller.com, doug.cloud@m2c2law.com, scott.reisch@hoganlovells.com
Cc: Shelly Lam/R5/USEPA/US@EPA
Date: 08/26/2011 07:40 PM
Subject: West Vermont Street Drinking Water Site

Terri, Doug, Scott:

Shelly and I have spoken directly with each of you this week, and you have each been given the scope of the investigation EPA intends to conduct if the parties do not decide to provide alternative water supply via a hookup to municipal water supplies for the residents at risk in the residential area of the West Vermont Street Site.

EPA wants to provide alternative water supplies to the affected residences as quickly as possible. We met with the parties in June, have continued to exchange information with the parties and maintain close communication with them. We have taken pains to make sure you all share the most complete and accurate information we can give you. I have warned you all that we need to make decisions soon.

We want you all to know now that we need to hear from you by COB next Wednesday, August 31, 2011, whether the parties will agree to provide the water to the affected residences or; alternatively, wish to participate in conducting the investigation according to the scope we have outlined.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-227

Thomas Nash/R5/USEPA/US

09/01/2011 01:58 PM

To Doug Cloud

cc Shelly Lam

bcc

Subject Re: West Vermont Street Drinking Water Site

Doug:

I asked Scott and Terri to send me emails providing a brief written response to the email I sent last Friday . They both notified me of their respective decisions , as you did, by phone and in timely fashion. At my request, they each documented their client's decision by a short email, as well.

Please send me a short email yourself to document Genuine Parts' decision. I appreciate your assistance and cooperation in this matter.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential , be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law . It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient , please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful .

Terri, Doug, Scott:

Shelly and I have spoken directly with each of you this week , and you have each been given the scope of the investigation EPA intends to conduct if the parties do not decide to provide alternative water supply via a hookup to municipal water supplies for the residents at risk in the residential area of the West Vermont Street Site.

EPA wants to provide alternative water supplies to the affected residences as quickly as possible . We met with the parties in June, have continued to exchange information with the parties and maintain close communication with them. We have taken pains to make sure you all share the most complete and accurate information we can give you. I have warned you all that we need to make decisions soon.

We want you all to know now that we need to hear from you by COB next Wednesday, August 31, 2011, whether the parties will agree to provide the water to the affected residences or ; alternatively, wish to participate in conducting the investigation according to the scope we have outlined .

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-228

Doug Cloud
<doug.cloud@m2c2law.com>
09/06/2011 08:36 AM

To Thomas Nash
cc Shelly Lam
bcc

Subject RE: West Vermont Street Drinking Water Site

Tom, this follows our recent discussion regarding the West Vermont Site, Speedway, Indiana. On behalf of the Genuine Parts Company ("GPC"), we are disappointed that neither Allison Transmission, Inc. ("Allison") nor Aimco Michigan Meadows Holdings, LLC ("Aimco") appear willing to engage in meaningful discussions about the possibility of entering into an Administrative Order on Consent (AOC) with Region V for further investigation or installation of a permanent drinking water line. As discussed, in light of the relative proximity and positions of the parties with respect to the West Vermont Site, GPC must reiterate its position that it is not prepared to proceed unilaterally with any such AOC. For the reasons discussed in our prior communications, based on the available data we and our client believe that the GPC VRP site is an unlikely source of the groundwater contamination reported at the West Vermont Site. Without diminishing anything contained in this and our prior communications, GPC remains willing to discuss with you and EPA the parties' respective roles and obligations with respect to the Site, if any, going forward, including the possibility of a future AOC. Please understand that by indicating its willingness to continue such discussions, GPC does not waive or release and hereby reaffirms all of GPC's rights, claims or defenses that it may have now or in the future with respect to the West Vermont Site, the parties, or otherwise.

Douglas E. Cloud
1100 Peachtree Street, Suite 650
Atlanta, Georgia 30309
Direct phone: (404) 969-0736
Mobile phone: (404) 272-4072
fax: (404) 335-7220
doug.cloud@m2c2law.com

NOTICE: This e-mail message and all attachments transmitted with it may contain legally privileged and confidential information intended solely for the use of the addressee. If the reader of this message is not the intended recipient, you are hereby notified that any reading, dissemination, distribution, copying, or other use of this message or its attachments is strictly prohibited. If you have received this message in error, please notify the sender immediately by telephone or by electronic mail, and delete this message and all copies and backups thereof. Thank you.

-----Original Message-----

From: Nash.Thomas@epamail.epa.gov [mailto:Nash.Thomas@epamail.epa.gov]
Sent: Thursday, September 01, 2011 2:59 PM
To: Doug Cloud
Cc: Lam.Shelly@epamail.epa.gov
Subject: Re: West Vermont Street Drinking Water Site

Doug:

I asked Scott and Terri to send me emails providing a brief written response to the email I sent last Friday. They both notified me of their respective decisions, as you did, by phone and in a timely

fashion. At my request, they each documented their client's decision by a short email, as well.

Please send me a short email yourself to document Genuine Parts' decision. I appreciate your assistance and cooperation in this matter.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product, attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

Terri, Doug, Scott:

Shelly and I have spoken directly with each of you this week, and you have each been given the scope of the investigation EPA intends to conduct if the parties do not decide to provide alternative water supply via a hookup to municipal water supplies for the residents at risk in the residential area of the West Vermont Street Site.

EPA wants to provide alternative water supplies to the affected residences as quickly as possible. We met with the parties in June, have continued to exchange information with the parties and maintain close communication with them. We have taken pains to make sure you all share the most complete and accurate information we can give you. I have warned you all that we need to make decisions soon.

We want you all to know now that we need to hear from you by COB next Wednesday, August 31, 2011, whether the parties will agree to provide the water to the affected residences or; alternatively, wish to participate in conducting the investigation according to the scope we have outlined.

Thanks, Tom

(c) Thomas C. Nash
Associate Regional Counsel
phone: 312-886-0552
fax: 312-886-7160 or 312-886-0747
email: nash.thomas@epa.gov

The preceding message (including any attachments) contains information that may be confidential, be protected by attorney work-product,

attorney-client or other applicable privileges and may be exempt from disclosure under applicable law. It is intended to be conveyed only to the named recipient(s). If you received this message in error or if you are not the intended recipient, please notify the sender and delete the message from your system. Any use, dissemination, distribution or reproduction of this message by unintended recipients is not authorized and may be unlawful.

EPA-R5-2014-003611-229

Pam Thevenow
<PTheveno@HHCorp.org>

09/14/2011 02:40 PM

To Shelly Lam

cc

bcc

Subject Indiana Code for water main extension under specific conditions

Please find the IC we discussed, MCPHD has used this state code to extend water mains in 5 or 6 areas.

Also here is the information I rec'd from last year from City of Indpls Dept of Water. They way it was explained to me was this neighborhood was in the Speedway Water Works service area. It seemed to be confirmed via my conversations with Barb Lawrence, Speedway Town Manager and the operators of the Speedway Water Works plant.

Pam Thevenow
Water Quality & Hazardous Materials Management
3901 Meadows Drive
2nd Floor
Indianapolis, IN 46205
phone: 317 221-2266
fax: 317 221-2288
ptheveno@hhcorp.org

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper



delivery, and then delete the message from your system. Thank you. SB 31 law, codified 8-1-31.pdf



SKMBT_C25010010518150.pdf SKMBT_C25010010518140.pdf

EPA-R5-2014-003611-230

Shelly Lam/R5/USEPA/US

09/15/2011 09:50 AM

To

cc

bcc

Subject West Vermont Conference Call (2 p.m. Eastern/1 p.m. Central)

Meeting

Date 09/15/2011

Time 01:00:00 PM to 02:00:00 PM

Chair Shelly Lam

Invitees

Required ebrittai; Nash.Thomas; Paul Atkociunas; ptheveno

Optional

FYI

Location Call-in #: 866-299-3188

Conference Code: 734-692-7663

EPA-R5-2014-003611-231

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>

09/15/2011 09:53 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-232

Thomas Nash/R5/USEPA/US

09/15/2011 10:28 AM

To Shelly Lam

cc

bcc

Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1 p.m. Central)

EPA-R5-2014-003611-233

Paul
Atkociunas /R5/USEPA/US
09/15/2011 10:41 AM

To Shelly Lam
cc
bcc
Subject Accepted: West Vermont Conference Call (2 p.m. Eastern/1
p.m. Central)

EPA-R5-2014-003611-234

Mary Armacost
<marmacost@speedwayutilities.org>

09/16/2011 01:15 PM

To Shelly Lam

cc

bcc

Subject Vermont & Cossell w/ Speedway Water

Shelly,

Attached is a map of the area showing our water mains. Could you please mark the homes that will need to be connected to our system so we can make sure they are all included. If you would please mark them and scan and return it to me it would be very appreciated.

Thanks,
Mary

-----Original Message-----

From: Grinstead, Joe [mailto:JGrinstead@structurepoint.com]
Sent: Friday, September 16, 2011 2:11 PM
To: Mary Armacost
Subject: FW: Emailing: 10th Street Area Water.jsm.pdf

Mary, here is the revised. I did not show any proposed, because I think we should see where the homes are first.

Joseph W. Grinstead, PE
Director of Operations, Environmental Engineering Group

7260 Shadeland Station, Indianapolis, IN 46256
T 317.547.5580 E jgrinstead@structurepoint.com
F 317.543.0270 W www.structurepoint.com
C 317.473.0795

Follow us on

Voted "Best Place to Work" 2009-2011

DISCLAIMER:

This message contains confidential information and is intended only for the individual named. If you are not the named addressee, you should not disseminate, distribute, utilize, or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake, and delete this e-mail from your system. No design changes or decisions made by e-mail shall be considered part of the contract documents unless otherwise specified, and all design changes and/or decisions made by e-mail must be submitted as an RFI or a submittal unless otherwise specified. All designs, plans, specifications and other contract documents (including all electronic files) prepared by American Structurepoint shall remain the property of American Structurepoint, and American Structurepoint retains all rights thereto, including but not limited to copyright, statutory and common-law rights thereto, unless otherwise specified by contract. E-mail transmission cannot be guaranteed to be secure or error-free as information could be

intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message which arise as a result of e-mail transmission. If verification is required, please request a hard-copy version. American Structurepoint, Inc., 7260 Shadeland Station, Indianapolis, IN 46256, USA, <http://www.structurepoint.com/>

<http://www.emaildisclaimers.com/>



10th Street Area Water.jsm.pdf

EPA-R5-2014-003611-235

"BRITTAIN, ERIN"
<EBRITTAI@idem.IN.gov>
09/16/2011 01:31 PM

To "Mary Armacost"
cc Shelly Lam
bcc
Subject RE: EPA/IDEM Speedway water meeting

*Mary,
The EPA on-scene coordinator is Shelly Lam. Her phone number is 317-417-0980. I've cc'ed her so you have her email address.*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*
From: Mary Armacost [mailto:marmacost@speedwayutilities.org]
Sent: Friday, September 16, 2011 2:01 PM
To: BRITTAIN, ERIN
Subject: RE: EPA/IDEM Speedway water meeting

Erin,

Could you please give me the contact information for the lady with the IN EPA who is now handling this project.

Thanks,
Mary

From: BRITTAIN, ERIN [mailto:EBRITTAI@idem.IN.gov]
Sent: Wednesday, December 29, 2010 11:02 AM
To: Mary Armacost
Cc: Schlieger.Brian@epamail.epa.gov
Subject: EPA/IDEM Speedway water meeting

*Hi Mary,
Thanks again for coming to the public meeting last week concerning the impacted residential drinking water wells along Vermont and Cossell Streets. Brian and I would like to meet with you and any other Speedway Water representatives on January 20, 2011 at 10am here at IDEM to discuss the steps it will take to connect the folks to municipal water. The meeting will be in the Indiana Government Center North building, 11th floor. Go to the east end receptionist's desk and have the receptionist call me. I can take you to the conference room.
Looking forward to meeting with you.
Thank you,*

*Erin Brittain
Voluntary Remediation Program Project Manager
Indiana Department of Environmental Management
317/233-2991
ebrittai@idem.IN.gov*

EPA-R5-2014-003611-236

Shelly Lam/R5/USEPA/US

09/21/2011 10:46 AM

To "Mr. Thomas Nash", Paul Atkociunas

cc

bcc

Subject Fw: Speedway, Cossell/Vermont

-----Original Message-----

From: Barbara Lawrence

To: Shelly Lam

To: Pam Thevenow

Cc: Steve Hurst

Cc: Mary Armacost

Subject: FW: Speedway, Cossell/Vermont

Sent: Sep 21, 2011 10:44

Shelly and Pam-

Attached below is the rough estimate for connection the Vermont/Cossell area homes to the Speedway Water Department system from American Structurepoint engineering.

It does not include the cost of the pipe to the home, which is estimated at about \$2,000 per home, or a total of \$52,000 for all (**below). For liability reasons, we would prefer to handle the lateral installation as a separate effort—which I can explain later.

Construction Cost (4000' of 6" Main)	\$ 295,000
Survey, Design, & Bidding	53,000
Construction Inspection/Admin.	36,000
Subtotal Project Cost	384,000
**Connection to Home	52,000
Total Estimated Cost	436,000

Also, I'm happy to follow-up with Jim McGoff at the State—just say the word.

I've had very preliminary discussions with our Town Council on this matter, as the Council has final approval, but let me know what your thoughts are and we can determine next steps.

Thanks.

Barbara

Barbara A. Lawrence | Town Manager | Speedway, In

Mail: 1450 North Lynhurst Drive | Speedway, IN 46224| blawrence@townofspeedway.org<
<mailto:traci.niles@yahoo.com>>

Office: 1010 Main Street| Speedway, IN 46224 |

Phone: 317.246.4100 | Fax: 317.240.1322

From: Grinstead, Joe [<mailto:JGrinstead@structurepoint.com>]
Sent: Wednesday, September 21, 2011 8:27 AM
To: Barbara Lawrence; Mary Armacost; Steve Hurst
Subject: Speedway, Cossell/Vermont

Barbara, Steve, and Mary,

I've calculated rough planning level costs for a project that would service the 26 homes in the Cossell/Vermont area. The breakdown is as follows:

Construction Cost (4000' of 6" Main)	\$295,000
Survey, Design, & Bidding	\$ 53,000
Construction Inspection/Admin.	\$ 36,000

Total

-----Original Message Truncated-----

Shelly Lam, LPG

Federal On-Scene Coordinator

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

U.S. Environmental Protection Agency
2525 N. Shadeland Avenue, Suite 100
Indianapolis, IN 46219

EPA-R5-2014-003611-237

PTheveno@HHCorp.org

09/21/2011 11:41 AM

To "Barbara Lawrence", Shelly Lam

cc "Steve Hurst", "Mary Armacost"

bcc

Subject Re: Speedway, Cossell/Vermont

Excellent

What about well abandonment costs?

I understand it to be \$300 to \$600 as average

Confidentiality Notice: This E-Mail transmission may contain confidential or legally privileged information that is intended only for the individual or entity named in the E-Mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or reliance upon the contents of this E-Mail is strictly prohibited. If you have received this E-Mail transmission in error, please reply to the sender, so arrangements can be made for proper delivery, and then delete the message from your system. Thank you.

From: Barbara Lawrence [blawrence@townofspeedway.org]

Sent: 09/21/2011 10:44 AM AST

To: Shelly Lam <Lam.Shelly@epamail.epa.gov>; Pam Thevenow

Cc: Steve Hurst <shurst@speedwayutilities.org>; Mary Armacost <marmacost@speedwayutilities.org>

Subject: FW: Speedway, Cossell/Vermont

Shelly and Pam-

Attached below is the rough estimate for connection the Vermont/Cossell area homes to the Speedway Water Department system from American Structurepoint engineering.

It does not include the cost of the pipe to the home, which is estimated at about \$2,000 per home, or a total of \$52,000 for all (**below). For liability reasons, we would prefer to handle the lateral installation as a separate effort—which I can explain later.

Construction Cost (4000' of 6" Main)	\$ 295,000
Survey, Design, & Bidding	53,000
Construction Inspection/Admin.	<u>36,000</u>
Subtotal Project Cost	384,000
**Connection to Home	<u>52,000</u>
Total Estimated Cost	436,000

Also, I'm happy to follow-up with Jim McGoff at the State—just say the word.

I've had very preliminary discussions with our Town Council on this matter, as the Council has final approval, but let me know what your thoughts are and we can determine next steps.

Thanks.

Barbara

Barbara A. Lawrence | Town Manager | Speedway, In

Mail: 1450 North Lynhurst Drive | Speedway, IN 46224 | blawrence@townofspeedway.org
Office: 1010 Main Street | Speedway, IN 46224 |
Phone: 317.246.4100 | Fax: 317.240.1322

From: Grinstead, Joe [mailto:JGrinstead@structurepoint.com]
Sent: Wednesday, September 21, 2011 8:27 AM
To: Barbara Lawrence; Mary Armacost; Steve Hurst
Subject: Speedway, Cossell/Vermont

Barbara, Steve, and Mary,

I've calculated rough planning level costs for a project that would service the 26 homes in the Cossell/Vermont area. The breakdown is as follows:

Construction Cost (4000' of 6" Main)	\$295,000
Survey, Design, & Bidding	\$ 53,000
<u>Construction Inspection/Admin.</u>	<u>\$ 36,000</u>
Total Project Cost	\$384,000

Please let me know if you have any questions and if I can be of further assistance.

Joseph W. Grinstead, PE
Director of Operations, Environmental Engineering Group
7260 Shadeland Station, Indianapolis, IN 46256
T 317.547.5580 E jgrinstead@structurepoint.com
F 317.543.0270 W www.structurepoint.com
C 317.473.0795

Follow us on  

Voted "Best Place to Work" 2009-2011

DISCLAIMER:

This message contains confidential information and is intended only for the individual named. If you are not the named addressee, you should not disseminate, distribute, utilize, or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake, and delete this e-mail from your system. No design changes or decisions made by e-mail shall be considered part of the contract documents unless otherwise specified, and all design changes and/or decisions made by e-mail must be submitted as an RFI or a submittal unless otherwise specified. All designs, plans, specifications and other contract documents (including all electronic files) prepared by American Structurepoint shall remain the property of American Structurepoint, and American Structurepoint retains all rights thereto, including but not limited to copyright, statutory and common-law rights thereto, unless otherwise specified by contract. E-mail transmission cannot be guaranteed to be secure

or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message which arise as a result of e-mail transmission. If verification is required, please request a hard-copy version. American Structurepoint, Inc., 7260 Shadeland Station, Indianapolis, IN 46256, USA, <http://www.structurepoint.com/>

<http://www.emaildisclaimers.com/>

EPA-R5-2014-003611-238

Shelly Lam/R5/USEPA/US

09/23/2011 08:26 AM

To Paul Atkociunas

cc

bcc

Subject West Vermont AM

Hey Paul,

Have you seen a signed action memo for West Vermont yet?

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-239

Paul
Atkociunas /R5/USEPA/US
09/23/2011 10:40 AM

To Shelly Lam
cc
bcc
Subject Re: West Vermont AM

Its through the Branch Chief level. Will check status.

Paul
Shelly Lam

----- Original Message -----

From: Shelly Lam
Sent: 09/23/2011 09:26 AM EDT
To: Paul Atkociunas
Subject: West Vermont AM

Hey Paul,

Have you seen a signed action memo for West Vermont yet?

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-240

Shelly Lam/R5/USEPA/US

09/27/2011 02:23 PM

To Paul Atkociunas

cc

bcc

Subject Re: Fw: Action Memorandum for the West Vermont Drinking Water Contamination Site

Woo hoo!! Thanks! I'll send in a request for a new TDD so we can get START doing the background work. Would you be available for a call with START later in the week?

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Paul Atkociunas

----- Forwarded by Paul Atkociunas/R5...

09/27/2011 03:20:50 PM

From: Paul Atkociunas/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 09/27/2011 03:20 PM
Subject: Fw: Action Memorandum for the West Vermont Drinking Water Contamination Site

----- Forwarded by Paul Atkociunas/R5/USEPA/US on 09/27/2011 02:20 PM -----

From: Gordon Clarke/R5/USEPA/US
To: Paul Atkociunas/R5/USEPA/US@EPA, Evette Jones/R5/USEPA/US@EPA, Thomas Nash/R5/USEPA/US@EPA, Ignacio Arrazola/R5/USEPA/US@EPA, Charles Gebien/R5/USEPA/US@EPA, Linda Nachowicz/R5/USEPA/US@EPA, Deidra Gray/R5/USEPA/US@EPA, CYNTHIA BECK/R5/USEPA/US@EPA
Date: 09/27/2011 02:19 PM
Subject: Action Memorandum for the West Vermont Drinking Water Contamination Site

Attached is the Action Memorandum for the West Vermont Drinking Water Contamination Site in its original and redacted form.

[attachment "West Vermont AM.pdf" deleted by Shelly Lam/R5/USEPA/US] [attachment "West Vermont AM Redacted.pdf" deleted by Shelly Lam/R5/USEPA/US]

G. Weade Clarke
ASRCMS Contractor
77 W. Jackson Blvd., #SRC-7J
Chicago, IL 60604
Phone: (312) 353-7626
Fax: (312) 408-2217
Email: clarke.gordon@epamail.epa.gov

EPA-R5-2014-003611-241

Shelly Lam/R5/USEPA/US

09/27/2011 02:28 PM

To Sam Chummar, Gail Stanuch

cc Paul Atkociunas

bcc

Subject TDD Request - West Vermont Hydrogeologic Investigation

Gail and Sam,

We just received a signed action memo for a hydrogeologic investigation at West Vermont. I would like to start a new TDD for this. Tasks will include:

- Prepare a sampling plan which describes the number, type, and location of samples and the type of analyses
- Develop site specific Health and Safety Plans (HASP) for field activities which comply with OSHA and EPA requirements
- Develop a Quality Assurance Project Plan (QAPP)
- Conduct both on-site and/or off-site environmental sampling activities
- Provide analytical services
- Perform analytical data validation
- Arrange for drilling and geophysical work
- Prepare a final report

Please let me know when this has been approved so we can coordinate with START. We need to get this work started as soon as possible.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-242

Paul
Atkociunas /R5/USEPA/US
09/27/2011 03:04 PM

To Shelly Lam
cc
bcc
Subject Re: Fw: Action Memorandum for the West Vermont Drinking
Water Contamination Site

Shelly,

Thurs morning / early afternoon (I have a conference call Thurs afternoon - 3pm Eastern) or Friday (on primary response) should work.

Thanks,
Paul

Shelly Lam Woo hoo!! Thanks! I'll send in a reque... 09/27/2011 02:24:21 PM

From: Shelly Lam/R5/USEPA/US
To: Paul Atkociunas/R5/USEPA/US@EPA
Date: 09/27/2011 02:24 PM
Subject: Re: Fw: Action Memorandum for the West Vermont Drinking Water Contamination Site

Woo hoo!! Thanks! I'll send in a request for a new TDD so we can get START doing the background work. Would you be available for a call with START later in the week?

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Paul Atkociunas ----- Forwarded by Paul Atkociunas/R5... 09/27/2011 03:20:50 PM

EPA-R5-2014-003611-243

Shelly Lam/R5/USEPA/US

09/28/2011 01:59 PM

To Heriberto Leon

cc Paul Atkociunas, Nash.Thomas

bcc

Subject West Vermont Update

Hi Heriberto,

Now that we have a signed action memo, we will begin a hydrogeologic investigation in the vicinity of the West Vermont site, hopefully in October. I think it would be a good idea to send out information about this to the neighborhood. I will defer to your expertise on which format we use, e.g. postcard or fact sheet. I can send you information or we can set up a conference call.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-244

Heriberto Leon /R5/USEPA/US

To Shelly Lam

cc

09/28/2011 07:25 PM

bcc

Subject Re: West Vermont Update

Hi Shelly,

Go ahead and send me some information--whatever you have that you think is relevant to this development. Are you available to talk on Friday 9/30? (I'm in training on Thursday 9/29 and then again all of next week.)

Heriberto

-----Shelly Lam/R5/USEPA/US wrote: -----

To: Heriberto Leon/R5/USEPA/US@EPA

From: Shelly Lam/R5/USEPA/US

Date: 09/28/2011 01:59PM

Cc: Paul Atkociunas/R5/USEPA/US, Nash.Thomas@epamail.epa.gov

Subject: West Vermont Update

Hi Heriberto,

Now that we have a signed action memo, we will begin a hydrogeologic investigation in the vicinity of the West Vermont site, hopefully in October. I think it would be a good idea to send out information about this to the neighborhood. I will defer to your expertise on which format we use, e.g. postcard or fact sheet. I can send you information or we can set up a conference call.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-245

Shelly Lam/R5/USEPA/US

09/29/2011 06:37 AM

To Heriberto Leon

cc Paul Atkociunas, Nash.Thomas

bcc

Subject Re: West Vermont Update

Heriberto,

Attached is the action memo. It includes background information and our proposed scope of work. However, to summarize, we are planning to conduct a hydrogeological investigation to identify the source or sources of vinyl chloride contamination in groundwater. Residents may see EPA personnel and contractors in the area performing field work including drilling, geophysical surveys, and sample collection. We are doing this work to identify the potentially responsible party/parties.

Besides informing the residents about the investigation, I think we need to address concerns about connection to a municipal water supply. We are working with Marion County Public Health Department and the Town of Speedway on this issue. Unfortunately, it's taking much longer than anticipated and several residents have faced water supply issues. It's a delicate subject and I'm not sure how best to address it but it's the proverbial elephant in the room so I don't think we should shy away from it.

If you think it would be beneficial, we could schedule a public meeting, although I would prefer to wait until we actually know something.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov



West Vermont AM Redacted.pdf

Heriberto Leon

[Hi Shelly,](#)

09/28/2011 08:25:06 PM

From: Heriberto Leon/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 09/28/2011 08:25 PM
Subject: Re: West Vermont Update

Hi Shelly,

Go ahead and send me some information--whatever you have that you think is relevant to this development. Are you available to talk on Friday 9/30? (I'm in training on Thursday 9/29 and then again all of next week.)

Heriberto

-----Shelly Lam/R5/USEPA/US wrote: -----

To: Heriberto Leon/R5/USEPA/US@EPA

From: Shelly Lam/R5/USEPA/US

Date: 09/28/2011 01:59PM

Cc: Paul Atkociunas/R5/USEPA/US, Nash.Thomas@epamail.epa.gov

Subject: West Vermont Update

Hi Heriberto,

Now that we have a signed action memo, we will begin a hydrogeologic investigation in the vicinity of the West Vermont site, hopefully in October. I think it would be a good idea to send out information about this to the neighborhood. I will defer to your expertise on which format we use, e.g. postcard or fact sheet. I can send you information or we can set up a conference call.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-246

Shelly Lam/R5/USEPA/US

09/29/2011 07:59 AM

To Paul Atkociunas

cc

bcc

Subject West Vermont

Hey Paul,

I'm trying to set up a conference call with START about West Vermont; they received the TDD. However, the hydrogeologist may not be available until next week and I will be in Chicago for the DOT training. So in case we are not able to have a call later today or tomorrow, I will send them (and cc you) an e-mail detailing what needs to happen since I want them to get started ASAP. I would like to begin field work, which may just be utility mark-outs and a geophysical survey, on or about October 24th. This will be after OSC 201 training. I know you have a busy schedule but this is the type of field work that you can pop in when you're available. I will be done with my plating shop cleanup before then and have cleared my schedule for this work.

Shelly

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

EPA-R5-2014-003611-247

Paul
Atkociunas /R5/USEPA/US
09/29/2011 08:26 AM

To Shelly Lam
cc
bcc
Subject Re: West Vermont

Shelly,

Ok, thanks for the update.

Paul Atkociunas
Superfund Division
U.S. EPA Region 5
77 W. Jackson Blvd. (SE-5J)
Chicago, Illinois 60604
Office: (312) 886-7502
Cell: (312) 919-4173
Fax: (312) 697-2098

Shelly Lam

Hey Paul, I'm trying to set up a confere...

09/29/2011 08:00:01 AM

From: Shelly Lam/R5/USEPA/US
To: Paul Atkociunas/R5/USEPA/US
Date: 09/29/2011 08:00 AM
Subject: West Vermont

Hey Paul,

I'm trying to set up a conference call with START about West Vermont; they received the TDD. However, the hydrogeologist may not be available until next week and I will be in Chicago for the DOT training. So in case we are not able to have a call later today or tomorrow, I will send them (and cc you) an e-mail detailing what needs to happen since I want them to get started ASAP. I would like to begin field work, which may just be utility mark-outs and a geophysical survey, on or about October 24th. This will be after OSC 201 training. I know you have a busy schedule but this is the type of field work that you can pop in when you're available. I will be done with my plating shop cleanup before then and have cleared my schedule for this work.

Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-248

Shelly Lam/R5/USEPA/US

09/29/2011 08:28 AM

To Paul Atkociunas

cc

bcc

Subject Re: West Vermont

I just talked to the START PM and we're going to have a call at 2:30 Eastern that should last half an hour.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Paul Atkociunas

Shelly, Ok, thanks for the update.

09/29/2011 09:27:23 AM

From: Paul Atkociunas/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Date: 09/29/2011 09:27 AM
Subject: Re: West Vermont

Shelly,

Ok, thanks for the update.

Paul Atkociunas
Superfund Division
U.S. EPA Region 5
77 W. Jackson Blvd. (SE-5J)
Chicago, Illinois 60604
Office: (312) 886-7502
Cell: (312) 919-4173
Fax: (312) 697-2098

Shelly Lam

Hey Paul, I'm trying to set up a confere...

09/29/2011 08:00:01 AM

EPA-R5-2014-003611-249

Paul
Atkociunas /R5/USEPA/US
09/29/2011 08:47 AM

To Shelly Lam
cc
bcc
Subject Re: West Vermont

Shelly,

Thanks - I can make the call (just have to catch a meeting at 3Eastern)

Paul

Shelly Lam	I just talked to the START PM and we'r...	09/29/2011 08:29:03 AM
------------	---	------------------------

From: Shelly Lam/R5/USEPA/US
To: Paul Atkociunas/R5/USEPA/US@EPA
Date: 09/29/2011 08:29 AM
Subject: Re: West Vermont

I just talked to the START PM and we're going to have a call at 2:30 Eastern that should last half an hour.

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

Paul Atkociunas	Shelly, Ok, thanks for the update.	09/29/2011 09:27:23 AM
Shelly Lam	Hey Paul, I'm trying to set up a confere...	09/29/2011 08:00:01 AM

EPA-R5-2014-003611-250

Shelly Lam/R5/USEPA/US

09/29/2011 01:29 PM

To B.Coulter, randy.kirkland

cc Paul Atkociunas

bcc

Subject Another map for the call

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov



Site Areas Map.pdf

EPA-R5-2014-003611-251

Shelly Lam/R5/USEPA/US

09/29/2011 02:02 PM

To randy.kirkland

cc B.Coulter

bcc

Subject W Vt Sewer Map

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov



Sewer Map.jpg

EPA-R5-2014-003611-252

Shelly Lam/R5/USEPA/US

09/30/2011 10:10 AM

To randy.kirkland

cc Paul Atkociunas

bcc

Subject West Vermont Meeting

Randy,

I talked to the IDEM project manager for Genuine Parts and Michigan Plaza . Both she and the project hydrogeologist are available October 12th and morning of the 13th. As I mentioned, the following week doesn't work for Paul or me. Please let me know what day and time (plan on at least a 2-hour meeting) will work for you and Brett. The purpose of the meeting is to answer any questions you and Brett may have about these two sites after reviewing some of the reports.

Thanks,
Shelly

Shelly Lam, LPG
Federal On-Scene Coordinator
United States Environmental Protection Agency
Office: 317.308.3073 | Cell: 317.417.0980
Lam.Shelly@epa.gov
2525 N. Shadeland Avenue, Indianapolis, IN 46219
www.epa.gov

EPA-R5-2014-003611-253

Shelly Lam/R5/USEPA/US

09/30/2011 12:40 PM

To Heriberto Leon

cc Paul Atkociunas, Nash.Thomas

bcc

Subject Re: West Vermont Update

Heriberto,

We are planning to initiate field work the week of October 24th. If we go with the post card, perhaps it could read something like this:

- In October and November you'll be seeing EPA personnel and contractors conducting a scientific investigation in the West Vermont/Cossell Road neighborhood.
- EPA is continuing to work with IDEM, Marion County Public Health Department, and the Town of Speedway to get this neighborhood connected to a public water supply in the near future.

Shelly Lam, LPG

Federal On-Scene Coordinator

United States Environmental Protection Agency

Office: 317.308.3073 | Cell: 317.417.0980

Lam.Shelly@epa.gov

2525 N. Shadeland Avenue, Indianapolis, IN 46219

www.epa.gov

Heriberto Leon

Hi Shelly, I'm inclined to go with a post...

09/30/2011 01:20:39 PM

From: Heriberto Leon/R5/USEPA/US
To: Shelly Lam/R5/USEPA/US@EPA
Cc: Paul Atkociunas/R5/USEPA/US@EPA, Nash.Thomas@epamail.epa.gov
Date: 09/30/2011 01:20 PM
Subject: Re: West Vermont Update

Hi Shelly,

I'm inclined to go with a post card this time for the two key messages:

- You'll be seeing EPA personnel and contractors around, and
- No new developments regarding water hook-up

I'll go through the memo and draft something for this email group to review. Unfortunately, I'm out all of next week to a training in DC and will not be back in the office until Oct. 11. What's the timeline for the work in the neighborhood?



Heriberto León | Community Involvement Coordinator

U.S. EPA | Superfund Division

77 W Jackson Blvd | SI-7J | Chicago, IL 60604

Phone 312.886.6163 | Fax 312.697.2754

<http://www.epa.gov/region5/>

Shelly Lam	Heriberto, Attached is the action memo...	09/29/2011 06:37:47 AM
Heriberto Leon	Hi Shelly,	09/28/2011 08:25:06 PM